

Wykaz zbiorów danych tworzących księgi rachunkowe na komputerowych nośnikach danych.

Full Model (Detailed)

Model Name:

Tables

Tables List

B_AAUTO
B_ADEKR
B_ASCHEM
B_BILANS
B_BZ
B_BZ_DATA
B_DOKDW
B_DOKTYP
B_DOKWZP
B_DOKZRO
B_EDUWAWA
B_EDUWAWA_JE
B_EDUWAWA_PL
B_GRKH
B_JEDN
B_KLAS
B_KONFIG
B_KONTA
B_KONTRA
B_KS_DOK
B_KSIEGA
B_KTH_BANK
B_KURSY_WALUT
B_LK_DEFINICJE
B_LK_STOS
B_PLAN
B_ROZLICZ_DOK
B_RZIS
B_RZIS_DATA
B_SCH_PK
B_SZESC
B_SDZIAL
B_SKID
B_SLO_DATA
B_SLOGRKH
B_SLOWNIKI
B_SPAR
B_SPRWB
B_SPRWDOCH
B_SROZDZ
B_STATR
B_SWS
B_TYPKWOTA
B_UFV_DEKR
B_UFV_SCH
B_UMOWY
B_WALUTY
B_WJORG
B_WOBSZAR
B_WRB27S
B_WRB28S
B_WS
B_WSTANOWISKO
B_WZRODLO
B_ZAD
B_ZADKLAS
IS_REJESTR
OP_GRFUN
OP_GRUPY
OP_OPER
OP_OPERGRUP
OP_OPFUN
OP_SLFUN

Table Name

Powiązania schematów (domyślne) z rejestrami
Schematy dekratacji dokumentów księgowych
Słownik schematów
Księga ewidencji dokumentów bilansu otwarcia
Definicje sprawozdan bilansowych
formuły i dane do sprawozdań
Słownik doch/wyd
Słownik typów dokumentów
Słownik prac
Słownik źródeł
RB28S dla EDUWAWA
Słownik jednostek dla EDUWAWA
Słownik placówek dla EDUWAWA
Przynależność kontrahentów do grup
Słownik jednostek(katalogów) w obrębie roku księgowego
Słownik klasyfikacji
Konfiguracja jednostki (katalogu)
Słownik kont księgowych
Słownik kontrahentów
Nagłówki dokumentów księgowych
Księga ewidencji dokumentów księgowych
Rachunki bankowe
Słownik kursów walut
Definicje liczników dokumentów
Stos używanych wartości
Księga ewidencji dokumentów planu
Powiazania parowanych dokumentów kontrahentów
Rachunek zysków i strat
formuły i dane do RZiS
Słownik (schemat) kont przeksięgowania na zamknięcie roku
Słownik części
Słownik działów
Słownik identyfikatorów dodatkowych kontrahentów
Dane słownikowe
Słownik grup kontrahentów
Słownik słowników
Słownik paragrafów
Dane sprawozdania z wykonania budżetu
Dane sprawozdania z wykonania dochodów
Słownik rozdziałów
Status roku i katalogu(jednostki)
Słownik wydatków strukturalnych
Typy kwot
Dekretacje schematów UmowyFV
Nazwy schematów dekratacji dla UmowyFV
Słownik umów
Słownik walut
Jednostki organizacyjne
Obszar funkcjonalny
Rb27S dla Warszawy
Rb28S dla Warszawy
Wydatki strukturalne
Stanowisko finansowe
Źródło dochodów
Słownik zadań
Klasyfikacje do zadań
IS_REJESTR
OP_GRFUN
OP_GRUPY
OP_OPER
OP_OPERGRUP
OP_OPFUN
OP_SLFUN

Table Title

xCase

Table Name:

B_AAUTO

Fields List

| Name | Title | Type | Len | Dec | Null | Pk |
|----------|-------|----------|----------|-----|------|----|
| DOKTYP | | DOKTYP | CHAR | 1 | 0 | N |
| ID_SCHEM | | ID_SCHEM | VARCHAR | 10 | 0 | N |
| KOD_JEDN | | KOD_JEDN | SMALLINT | 0 | 0 | N |

Indexes List

Index Name

Index Key

PK_B_AAUTO

KOD_JEDN , DOKTYP

Index PK_B_AAUTO

Index Comments:

No Alternate keys

Incoming Relations List

Relation Name

Relation Title

Parent Table

FK_B_AS_AA

FK_B_AS_AA

B_ASCHEM

| <i>Foreign Key</i> | | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|------------------------------|--------------------------------|--------------------------------------|--------------------------|-----------------------------------|
| | ID_SCHEM | ID_SCHEM | b_aschem.id_schem | |
| <i>No Outgoing Relations</i> | | | | |
| <i>No Constraints</i> | | | | |
| <i>Triggers List</i> | | | | |
| | <i>Trigger Name</i> | | <i>Title</i> | <i>Event</i> |
| | T_ad_b_sysint00 | T_ad_b_sysint | | |
| | After Delete | | | |
| | T_ai_b_sysint00 | T_ai_b_sysint | | |
| | After Insert | | | |
| | T_au_b_sysint00 | T_au_b_sysint | | |
| | After Update | | | |
| | T_bd_b_sysint00 | T_bd_b_sysint | | |
| | Before Delete | | | |
| | T_bi_b_sysint00 | T_bi_b_sysint | | |
| | Before Insert | | | |
| | T_bu_b_sysint00 | T_bu_b_sysint | | |
| | Before Update | | | |
| | Trigger T_AD_B_SYSINT00 | | | |
| | Title: T_AD_B_SYSINT | | | |
| | Event: After Delete | Action: Auto Generate | Sequence: 0 | |
| | Trigger Code: | | | |
| | Trigger Comments: | | | |
| | Trigger T_AI_B_SYSINT00 | | | |
| | Title: T_AI_B_SYSINT | | | |
| | Event: After Insert | Action: Auto Generate | Sequence: 0 | |
| | Trigger Code: | | | |
| | Trigger Comments: | | | |
| | Trigger T_AU_B_SYSINT00 | | | |
| | Title: T_AU_B_SYSINT | | | |
| | Event: After Update | Action: Auto Generate | Sequence: 0 | |
| | Trigger Code: | | | |
| | Trigger Comments: | | | |
| | Trigger T_BD_B_SYSINT00 | | | |
| | Title: T_BD_B_SYSINT | | | |
| | Event: Before Delete | Action: Auto Generate | Sequence: 0 | |
| | Trigger Code: | | | |
| | Trigger Comments: | | | |
| | Trigger T_BI_B_SYSINT00 | | | |
| | Title: T_BI_B_SYSINT | | | |
| | Event: Before Insert | Action: Auto Generate | Sequence: 0 | |
| | Trigger Code: | | | |
| | Trigger Comments: | | | |
| | Trigger T_BU_B_SYSINT00 | | | |
| | Title: T_BU_B_SYSINT | | | |
| | Event: Before Update | Action: Auto Generate | Sequence: 0 | |
| | Trigger Code: | | | |
| | Trigger Comments: | | | |
| Table Name: | B_ADEKR | | | |
| Fields List | Name | Title | Type | Len Dec Null |
| | CZESC | Część | | SMALLINT 0 0 |
| | DOKBP | Klasyfikacja budżetowa/pozabudżetowa | CHAR | 1 0 Y |
| | DOKDW | DOKDW | CHAR | 1 0 Y |
| | DOKWZP | Kod WZP (kopia z zadania) | CHAR | 1 0 Y |
| | DOKZRODLO | DOKZRODLO | CHAR | 1 0 Y |
| | DZIAL | Dział | SMALLINT | 0 0 Y |
| | ID_SCHEM | ID_SCHEM | VARCHAR | 10 0 N |
| | KONTO | Nr konta Wn | INTEGER | 0 0 N |
| | MNOZNIK | Mnożnik kwoty | NUMERIC | 15 6 Y |
| | PARAGRAF | Paragraf | SMALLINT | 0 0 Y |
| | PKONTO | Nr konta Ma | INTEGER | 0 0 N |
| | PODZADANIE | Numer podzadania w obrębie zadania | INTEGER | 0 0 Y |
| | POZ | POZ | INTEGER | 0 0 N |
| | POZYCJA | Pozycja | SMALLINT | 0 0 Y |
| | PSUBKONTO1 | Nr subkonta 1 Ma | INTEGER | 0 0 N |
| | PSUBKONTO2 | Nr subkonta 2 Ma | INTEGER | 0 0 N |
| | PSUBKONTO3 | Nr subkonta 3 Ma | INTEGER | 0 0 N |
| | PSUBKONTO4 | Nr subkonta 4 Ma | INTEGER | 0 0 N |
| | PSUBKONTO5 | Nr subkonta 5 Ma | INTEGER | 0 0 N |
| | PSUBKONTO6 | Nr subkonta 6 Ma | INTEGER | 0 0 N |
| | PSUBKONTO7 | Nr subkonta 7 Ma | INTEGER | 0 0 N |
| | PSUBKONTO8 | Nr subkonta 8 Ma | INTEGER | 0 0 N |
| | PSUBKONTO9 | Nr subkonta 9 Ma | INTEGER | 0 0 N |
| | ROZDZIAL | Rozdział | INTEGER | 0 0 Y |
| | SUBKONTO1 | Nr subkonta 1 Wn | INTEGER | 0 0 N |
| | SUBKONTO2 | Nr subkonta 2 Wn | INTEGER | 0 0 N |
| | SUBKONTO3 | Nr subkonta 3 Wn | INTEGER | 0 0 N |
| | SUBKONTO4 | Nr subkonta 4 Wn | INTEGER | 0 0 N |
| | SUBKONTO5 | Nr subkonta 5 Wn | INTEGER | 0 0 N |
| | SUBKONTO6 | Nr subkonta 6 Wn | INTEGER | 0 0 N |
| | SUBKONTO7 | Nr subkonta 7 Wn | INTEGER | 0 0 N |
| | SUBKONTO8 | Nr subkonta 8 Wn | INTEGER | 0 0 N |
| | SUBKONTO9 | Nr subkonta 9 Wn | INTEGER | 0 0 N |
| | TRESC | TRESC | VARCHAR | 100 0 Y |
| | TYP_KW | Typ kwoty | CHAR | 2 0 N |
| | ZADANIE | Numer zadania | INTEGER | 0 0 Y |

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|---|--|
| PK_B_ADEKR Index PK_B_ADEKR Index Comments: No Alternate keys Incoming Relations List | ID_SCHEM , POZ |
| FK_B_AS_AD FK_B_AS_TK <i>Foreign Key</i> | B_ASCHEM B_TYPKWOTA |
| <i>Relation Name</i> | <i>Relation Title</i> |
| FK_B_AS_AD FK_B_AS_TK <i>Fk</i> | FK_B_AS_AD FK_B_AS_TK <i>Parent Field (Pk)</i> |
| ID_SCHEM <i>Foreign Key</i> | ID_SCHEM <i>Parent Field (Pk)</i> |
| TYP_KW | TYP_KW |
| <i>No Outgoing Relations</i> | |
| <i>No Constraints</i> | |
| <i>Triggers List</i> | |

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> | <i>Action</i> | <i>Sequence</i> |
|---|---------------|--------------|---------------|-----------------|
| T_ad_b_adekr1 After Delete | T_ad_b_ksiega | | | |
| T_ai_b_adekr1 After Insert | T_ai_b_ksiega | | | |
| T_au_b_adekr1 After Update | T_au_b_ksiega | | | |
| T_bd_b_adekr1 Before Delete | T_bd_b_ksiega | | | |
| T_bi_b_adekr1 Before Insert | T_bi_b_adekr | | | |
| T_bi_b_adekr20 Before Insert | T_bi_b_ksiega | | | |
| T_bu_b_adekr1 Before Update | T_bu_b_ksiega | | | |
| Trigger T_AD_B_ADEKR1 Title: T_AD_B_KSIEGA Event: After Delete | | | Auto Generate | 0 |
| Trigger T_AI_B_ADEKR1 Title: T_AI_B_KSIEGA Event: After Insert | | | Auto Generate | 0 |
| Trigger T_AU_B_ADEKR1 Title: T_AU_B_KSIEGA Event: After Update | | | Auto Generate | 0 |
| Trigger T_BD_B_ADEKR1 Title: T_BD_B_KSIEGA Event: Before Delete | | | Auto Generate | 0 |
| Trigger T_BI_B_ADEKR1 Title: T_BI_B_ADEKR Event: Before Insert | | | Use Code | 0 |
| Trigger T_BI_B_ADEKR20 Title: T_BI_B_KSIEGA Event: Before Insert | | | Auto Generate | 0 |
| Trigger T_BU_B_ADEKR1 Title: T_BU_B_KSIEGA Event: Before Update | | | Auto Generate | 0 |

Table Name: B_ASCHEM

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Fields List

| Name | Title | Type | Len | Dec | Null |
|----------|----------|---------|-----|-----|------|
| ID_SCHEM | ID_SCHEM | VARCHAR | 10 | 0 | N |
| STATUS | STATUS | INTEGER | 0 | 0 | Y |

Indexes List

Index Name

Index Key

PK_B_ASCHEM
Index PK_B_ASCHEM
Index Comments:
No Alternate keys
No Incoming Relations
Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|--------------------|--------------------------|-------------------|
| FK_B_AS_AA | FK_B_AS_AA | B_AAUTO |
| FK_B_AS_AD | FK_B_AS_AD | B_ADEKR |
| <i>Foreign Key</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| ID_SCHEM | ID_SCHEM | b_aschem.id_schem |
| <i>Foreign Key</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |

ID_SCHEM ID_SCHEM b_aschem.id_schem

No Constraints

Triggers List

Trigger Name

Title

Event

T_ad_b_aschem1 T_ad_b_aschem
After Delete
T_ai_b_aschem1 T_ai_b_aschem
After Insert
T_au_b_aschem1 T_au_b_aschem
After Update
T_bd_b_aschem1 T_bd_b_aschem
Before Delete
T_bi_b_aschem1 T_bi_b_aschem
Before Insert
T_bu_b_aschem1 T_bu_b_aschem
Before Update

Trigger T_AD_B_ASCHEM1

Title: T_AD_B_ASCHEM
Event: After Delete **Action:** Auto Generate **Sequence:** 0
Trigger Code:

Trigger Comments:

Trigger T_AI_B_ASCHEM1

Title: T_AI_B_ASCHEM
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:

Trigger Comments:

Trigger T_AU_B_ASCHEM1

Title: T_AU_B_ASCHEM
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:

Trigger Comments:

Trigger T_BD_B_ASCHEM1

Title: T_BD_B_ASCHEM
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:

Trigger Comments:

Trigger T_BI_B_ASCHEM1

Title: T_BI_B_ASCHEM
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:

Trigger Comments:

Trigger T_BU_B_ASCHEM1

Title: T_BU_B_ASCHEM
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:

Trigger Comments:

Table Name: B_BILANS

Fields List

| Name | Title | Type | Len | Dec | Null |
|------------|--------------------------------------|-----------|-----|-----|------|
| CZESC | Część | SMALLINT | 0 | 0 | Y |
| DATA_DOK | Data dokumentu | TIMESTAMP | 0 | 0 | N |
| DATA_KSIEG | Data księgowania | TIMESTAMP | 0 | 0 | N |
| DATA_SYS | DATA_SYS | DATE | 0 | 0 | Y |
| DOKBP | Klasyfikacja budżetowa/pozabudżetowa | CHAR | 1 | 0 | Y |
| DOKWZP | DOKWZP | VARCHAR | 1 | 0 | Y |
| DW | Dochód/Wydatek | VARCHAR | 1 | 0 | N |

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

| | | | | | |
|---------------|---------------------------|----------|----|---|---|
| DZIAL | Dział | SMALLINT | 0 | 0 | Y |
| ID_JORG | ID_JORG | INTEGER | 0 | 0 | Y |
| ID_OBSZAR | ID_OBSZAR | INTEGER | 0 | 0 | Y |
| ID_STANOWISKO | ID_STANOWISKO | INTEGER | 0 | 0 | Y |
| ID_ZRODLO | ID_ZRODLO | INTEGER | 0 | 0 | Y |
| KOD_JEDN | Kod wewnętrzny jednostki | SMALLINT | 0 | 0 | N |
| KONTO | Nr konta | INTEGER | 0 | 0 | N |
| KWOTAMA | Kwota BO Ma | NUMERIC | 15 | 2 | Y |
| KWOTAWN | Kwota BO Wn | NUMERIC | 15 | 2 | Y |
| NR_DOK | Nr dokumentu | INTEGER | 0 | 0 | N |
| NR_KOLEJNY | Nr kolejny | INTEGER | 0 | 0 | N |
| NR_POZ | Nr pozycji w dokumencie | INTEGER | 0 | 0 | N |
| OPERATOR | Operator dokonujący zmian | CHAR | 5 | 0 | Y |
| PARAGRAF | Paragraf | SMALLINT | 0 | 0 | Y |
| PODZADANIE | PODZADANIE | INTEGER | 0 | 0 | N |
| POZYCJA | Pozycja | SMALLINT | 0 | 0 | Y |
| ROK | Rok obrachunkowy | SMALLINT | 0 | 0 | N |
| ROZDZIAL | Rozdział | INTEGER | 0 | 0 | Y |
| STATUS | Status dokumentu | CHAR | 1 | 0 | Y |
| SUBKONTO1 | Nr subkonta 1 | INTEGER | 0 | 0 | N |
| SUBKONTO2 | Nr subkonta 2 | INTEGER | 0 | 0 | N |
| SUBKONTO3 | Nr subkonta 3 | INTEGER | 0 | 0 | N |
| SUBKONTO4 | Nr subkonta 4 | INTEGER | 0 | 0 | N |
| SUBKONTO5 | Nr subkonta 5 | INTEGER | 0 | 0 | N |
| SUBKONTO6 | Nr subkonta 6 | INTEGER | 0 | 0 | N |
| SUBKONTO7 | Nr subkonta 7 | INTEGER | 0 | 0 | N |
| SUBKONTO8 | Nr subkonta 8 | INTEGER | 0 | 0 | N |
| SUBKONTO9 | Nr subkonta 9 | INTEGER | 0 | 0 | N |
| ZADANIE | ZADANIE | INTEGER | 0 | 0 | N |

Indexes List

Index Name

Index Key

PK_B_BILANS
Index PK_B_BILANS
Index Comments:
No Alternate keys
Incoming Relations List

ROK , KOD_JEDN , NR_KOLEJNY

| Relation Name | Relation Title | Parent Table |
|---------------|----------------|--------------|
|---------------|----------------|--------------|

| | | |
|--------------|--------------|---------------|
| FK_B_BO_WZP | FK_B_BO_WZP | B_DOKWZP |
| FK_B_KLAS_B | FK_B_KLAS_B | B_KLAS |
| FK_B_KONTA_B | FK_B_KONTA_B | B_KONTA |
| FK_B_WJ_BO | FK_B_WJ_BO | B_WJORG |
| FK_B_WO_BO | FK_B_WO_BO | B_WOBSZAR |
| FK_B_WS_BO | FK_B_WS_BO | B_WSTANOWISKO |
| FK_B_WZ_BO | FK_B_WZ_BO | B_WZRODLO |
| FK_B_ZAD_BO | FK_B_ZAD_BO | B_ZAD |

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

No Outgoing Relations
No Constraints
Triggers List

| Trigger Name | Title | Event |
|--------------------------------|------------------------------|--------------------|
| T_ad_b_bilans After Delete | T_ad_b_bilans | |
| T_ai_b_bilans After Insert | T_ai_b_bilans | |
| T_au_b_bilans After Update | T_au_b_bilans | |
| T_bd_b_bilans Before Delete | T_bd_b_bilans | |
| T_bi_b_bilans Before Insert | T_bi_b_bilans | |
| T_bu_b_bilans Before Update | T_bu_b_bilans | |
| Trigger T_AD_B_BILANS | | |
| Title: T_AD_B_BILANS | | |
| Event: After Delete | Action: Auto Generate | Sequence: 0 |
| Trigger Code: | | |
| Trigger Comments: | | |
| Trigger T_AI_B_BILANS | | |
| Title: T_AI_B_BILANS | | |
| Event: After Insert | Action: Auto Generate | Sequence: 0 |
| Trigger Code: | | |
| Trigger Comments: | | |
| Trigger T_AU_B_BILANS | | |
| Title: T_AU_B_BILANS | | |
| Event: After Update | Action: Auto Generate | Sequence: 0 |
| Trigger Code: | | |
| Trigger Comments: | | |
| Trigger T_BD_B_BILANS | | |
| Title: T_BD_B_BILANS | | |
| Event: Before Delete | Action: Auto Generate | Sequence: 0 |
| Trigger Code: | | |
| Trigger Comments: | | |
| Trigger T_BI_B_BILANS | | |
| Title: T_BI_B_BILANS | | |
| Event: Before Insert | Action: Auto Generate | Sequence: 0 |
| Trigger Code: | | |
| Trigger Comments: | | |
| Trigger T_BU_B_BILANS | | |
| Title: T_BU_B_BILANS | | |
| Event: Before Update | Action: Auto Generate | Sequence: 0 |
| Trigger Code: | | |
| Trigger Comments: | | |

Table Name: B_BZ

Fields List

| Name | Title | Type | Len | Dec | Null |
|----------|----------|---------|-----|-----|------|
| FOOTER | FOOTER | BLOB | 0 | 0 | Y |
| HEADER | HEADER | BLOB | 0 | 0 | Y |
| KOD_JEDN | KOD_JEDN | INTEGER | 0 | 0 | N |
| ROK | ROK | INTEGER | 0 | 0 | N |
| TYP | TYP | VARCHAR | 1 | 0 | N |

Indexes List

| Index Name | Index Key |
|------------|----------------------|
| PK_B_BZ | TYP , KOD_JEDN , ROK |

Index PK_B_

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|--------------------|--------------------------|-----------------|
| FK_B_BZ_DATA | FK_B_BZ_DATA | B_BZ_DATA |
| Foreign Key | Parent Field (Pk) | Ancestor |
| TYP | TYP | b_bz.typ |
| KOD_JEDN | KOD_JEDN | b_bz.kod_jedn |
| ROK | ROK | b_bz.rok |

No Constraints

Triggers List

| Trigger Name | Title | Event |
|-----------------------------|-----------|-------|
| T_ad_b_bz2 After Delete | T_ad_b_bz | |
| T_ai_b_bz2 After Insert | T_ai_b_bz | |
| T_au_b_bz2 After Update | T_au_b_bz | |
| T_bd_b_bz2 Before Delete | T_bd_b_bz | |
| T_bi_b_bz2 Before Insert | T_bi_b_bz | |
| T_bu_b_bz2 Before Update | T_bu_b_bz | |

Trigger T_AD_B_BZ2

Title: T_AD_B_BZ
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_AI_B_BZ2

Title: T_AI_B_BZ
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_AU_B_BZ2

Title: T_AU_B_BZ
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_BD_B_BZ2

Title: T_BD_B_BZ
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_BI_B_BZ2

Title: T_BI_B_BZ
Event: Before Insert
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_BU_B_BZ2

Title: T_BU_B_BZ
Event: Before Update
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Table Name: B_BZ_DATA

Fields List

| Name | Title | Type | Len | Dec | Null |
|----------|----------|---------|-----|-----|------|
| ABO | ABO | VARCHAR | 200 | 0 | Y |
| ABZ | ABZ | VARCHAR | 200 | 0 | Y |
| AKTYWA | AKTYWA | VARCHAR | 200 | 0 | Y |
| FLAGA | FLAGA | VARCHAR | 1 | 0 | N |
| KOD_JEDN | KOD_JEDN | INTEGER | 0 | 0 | N |
| LP | LP | INTEGER | 0 | 0 | N |
| PASYWA | PASYWA | VARCHAR | 200 | 0 | Y |
| PBO | PBO | VARCHAR | 200 | 0 | Y |
| PBZ | PBZ | VARCHAR | 200 | 0 | Y |
| ROK | ROK | INTEGER | 0 | 0 | N |
| TYP | TYP | VARCHAR | 1 | 0 | N |

Indexes List

Index Name

Index Key

PK_B_BZ_DATA
Index PK_B_BZ_DATA
Index Comments:
No Alternate keys
Incoming Relations List

TYP , KOD_JEDN , ROK , FLAGA , LP

Relation Name

Relation Title

Parent Table

FK_B_BZ_DATA
Foreign Key
FK_B_BZ_DATA
B_BZ

Fk

Parent Field (Pk)

Ancestor

| | | |
|----------|----------|---------------|
| TYP | TYP | b_bz.typ |
| KOD_JEDN | KOD_JEDN | b_bz.kod_jedn |
| ROK | ROK | b_bz.rok |

No Outgoing Relations

No Constraints

Triggers List

Trigger Name

Title

Event

| | |
|-----------------|----------------|
| T_ad_b_bz_data2 | T_ad_b_bz_data |
| After Delete | |
| T_ai_b_bz_data2 | T_ai_b_bz_data |
| After Insert | |
| T_au_b_bz_data2 | T_au_b_bz_data |
| After Update | |
| T_bd_b_bz_data2 | T_bd_b_bz_data |
| Before Delete | |
| T_bi_b_bz_data2 | T_bi_b_bz_data |
| Before Insert | |
| T_bu_b_bz_data2 | T_bu_b_bz_data |
| Before Update | |

Trigger T_AD_B_BZ_DATA2

Title: T_AD_B_BZ_DATA
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger
Code:
Trigger Comments:
Trigger T_AI_B_BZ_DATA2
Title: T_AI_B_BZ_DATA
Event: After Insert Action: Auto Generate Sequence: 0
Trigger
Code:
Trigger Comments:
Trigger T_AU_B_BZ_DATA2
Title: T_AU_B_BZ_DATA
Event: After Update Action: Auto Generate Sequence: 0
Trigger
Code:
Trigger Comments:
Trigger T_BD_B_BZ_DATA2
Title: T_BD_B_BZ_DATA
Event: Before Delete Action: Auto Generate Sequence: 0
Trigger
Code:
Trigger Comments:
Trigger T_BI_B_BZ_DATA2
Title: T_BI_B_BZ_DATA
Event: Before Insert Action: Auto Generate Sequence: 0
Trigger
Code:
Trigger Comments:
Trigger T_BU_B_BZ_DATA2
Title: T_BU_B_BZ_DATA
Event: Before Update Action: Auto Generate Sequence: 0
Trigger
Code:
Trigger Comments:

Table Name: B_DOKDW

Fields List

| Name | Title | Type | Len | Dec | Null |
|--------|--------|---------|-----|-----|------|
| KOD_DW | KOD_DW | VARCHAR | 1 | 0 | N |
| NAZWA | NAZWA | VARCHAR | 30 | 0 | Y |

Indexes List

| Index Name | Index Title | Index Key |
|------------|-------------|-----------|
| PK_B_DOKDW | KOD_DW | Index Key |

Index PK_B_DOKDW

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|---------------|----------------|-------------|
| FK_B_DD_DZ | FK_B_DD_DZ | B_DOKZRO |
| FK_B_DD_KLAS | FK_B_DD_KLAS | B_KLAS |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|--------|-------------------|----------|
| DW | KOD_DW | b_dokdw.kod_dw | Ancestor |
| DW | KOD_DW | b_dokdw.kod_dw | Ancestor |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|--------|-------------------|----------|
| DW | KOD_DW | b_dokdw.kod_dw | Ancestor |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|--------|-------------------|----------|
| DW | KOD_DW | b_dokdw.kod_dw | Ancestor |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|--------|-------------------|----------|
| DW | KOD_DW | b_dokdw.kod_dw | Ancestor |

No Constraints

Triggers List

| Trigger Name | Title | Event |
|--------------|--------------|---------------|
| T_ad_b_dokdw | T_ad_b_dokdw | After Delete |
| T_ai_b_dokdw | T_ai_b_dokdw | After Insert |
| T_au_b_dokdw | T_au_b_dokdw | After Update |
| T_bd_b_dokdw | T_bd_b_dokdw | Before Delete |
| T_bi_b_dokdw | T_bi_b_dokdw | Before Insert |
| T_bu_b_dokdw | T_bu_b_dokdw | Before Update |

Trigger T_AD_B_DOKDW

Title: T_AD_B_DOKDW

Event: After Delete Action: Auto Generate Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AI_B_DOKDW

Title: T_AI_B_DOKDW

Event: After Insert Action: Auto Generate Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AU_B_DOKDW

Title: T_AU_B_DOKDW

Event: After Update Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:
Trigger T_BD_B_DOKDW
Title: T_BD_B_DOKDW
Event: Before Delete Action: Auto Generate Sequence: 0
Trigger
Code:
Trigger Comments:
Trigger T_BI_B_DOKDW
Title: T_BI_B_DOKDW
Event: Before Insert Action: Auto Generate Sequence: 0
Trigger
Code:
Trigger Comments:
Trigger T_BU_B_DOKDW
Title: T_BU_B_DOKDW
Event: Before Update Action: Auto Generate Sequence: 0
Trigger
Code:
Trigger Comments:

Table Name: B_DOKTYP

| Fields List | Name | Title | Type | Len | Dec | Null |
|-------------|--------|-------|---------|-----|-----|------|
| | DOKTYP | Nazwa | VARCHAR | 30 | 0 | Y |
| | KOD | Kod | VARCHAR | 2 | 0 | N |

Indexes List

Index Name

Index Key

PK_B_DOKTYP

Index PK_B_DOKTYP

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

Relation Name

Relation Title

Child Table

| | | | |
|---------------|--|---------------|----------|
| FK_B_DT_KS | | FK_B_DT_KS | B_KSIEGA |
| FK_B_DT_KSDOK | | FK_B_DT_KSDOK | B_KS_DOK |

Foreign Key

Fk

Parent Field (Pk)

Ancestor

DOKTYP

KOD

b_doktyp.kod

Foreign Key

Fk

Parent Field (Pk)

Ancestor

DOKTYP

KOD

b_doktyp.kod

No Constrains

Triggers List

Trigger Name

Title

Event

| | | |
|---------------|---------------|---------------|
| T_ad_b_doktyp | After Delete | T_ad_b_doktyp |
| T_ai_b_doktyp | After Insert | T_ai_b_doktyp |
| T_au_b_doktyp | After Update | T_au_b_doktyp |
| T_bd_b_doktyp | Before Delete | T_bd_b_doktyp |
| T_bi_b_doktyp | Before Insert | T_bi_b_doktyp |
| T_bu_b_doktyp | Before Update | T_bu_b_doktyp |

Trigger T_AD_B_DOKTYP

Title: T_AD_B_DOKTYP

Event: After Delete

Action:

Auto Generate

Sequence:

0

Trigger

Code:

Trigger Comments:

Trigger T_AI_B_DOKTYP

Title: T_AI_B_DOKTYP

Event: After Insert

Action:

Auto Generate

Sequence:

0

Trigger

Code:

Trigger Comments:

Trigger T_AU_B_DOKTYP

Title: T_AU_B_DOKTYP

Event: After Update

Action:

Auto Generate

Sequence:

0

Trigger

Code:

Trigger Comments:

Trigger T_BD_B_DOKTYP

Title: T_BD_B_DOKTYP

Event: Before Delete

Action:

Auto Generate

Sequence:

0

Trigger

Code:

Trigger Comments:

Trigger T_BI_B_DOKTYP

Title: T_BI_B_DOKTYP

Event: Before Insert

Action:

Auto Generate

Sequence:

0

Trigger

Code:

Trigger Comments:

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Trigger T_BU_B_DOKTYP
Title: T_BU_B_DOKTYP
Event: Before Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Table Name: B_DOKWZP

| <i>Fields List</i> | | <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|--------------------|--------|-------------|--------------|-------------|------------|------------|-------------|
| | DOKWZP | DOKWZP | | VARCHAR | 30 | 0 | Y |
| | KOD | KOD | | VARCHAR | 1 | 0 | N |

Indexes List

Index Name

Index Key

PK_B_DOKWZP
Index PK_B_DOKWZP
Index Comments:
 No Alternate keys
 No Incoming Relations
Outgoing Relations List

KOD

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|----------------------|-----------------------|--------------------|
|----------------------|-----------------------|--------------------|

| | | |
|----------------------------|----------------------------|-------------------|
| FK_B_BO_WZP FK_B_DW_ZAD | FK_B_BO_WZP FK_B_DW_ZAD | B_BILANS B_ZAD |
|----------------------------|----------------------------|-------------------|

Foreign Key

Fk

Parent Field (Pk)

Ancestor

DOKWZP

KOD

b_dokwzp.kod

Ancestor

Foreign Key

Fk

Parent Field (Pk)

Ancestor

WZP

KOD

b_dokwzp.kod

No Constraints

Triggers List

Trigger Name

Title

Event

| | | |
|--------------------------------|---------------|--|
| T_ad_b_dokwzp After Delete | T_ad_b_dokwzp | |
| T_ai_b_dokwzp After Insert | T_ai_b_dokwzp | |
| T_au_b_dokwzp After Update | T_au_b_dokwzp | |
| T_bd_b_dokwzp Before Delete | T_bd_b_dokwzp | |
| T_bi_b_dokwzp Before Insert | T_bi_b_dokwzp | |
| T_bu_b_dokwzp Before Update | T_bu_b_dokwzp | |

Trigger T_AD_B_DOKWZP

Title: T_AD_B_DOKWZP **Action:** Auto Generate **Sequence:** 0

Event: After Delete

Trigger Code:

Trigger Comments:

Trigger T_AI_B_DOKWZP

Title: T_AI_B_DOKWZP **Action:** Auto Generate **Sequence:** 0

Event: After Insert

Trigger Code:

Trigger Comments:

Trigger T_AU_B_DOKWZP

Title: T_AU_B_DOKWZP **Action:** Auto Generate **Sequence:** 0

Event: After Update

Trigger Code:

Trigger Comments:

Trigger T_BD_B_DOKWZP

Title: T_BD_B_DOKWZP **Action:** Auto Generate **Sequence:** 0

Event: Before Delete

Trigger Code:

Trigger Comments:

Trigger T_BI_B_DOKWZP

Title: T_BI_B_DOKWZP **Action:** Auto Generate **Sequence:** 0

Event: Before Insert

Trigger Code:

Trigger Comments:

Trigger T_BU_B_DOKWZP

Title: T_BU_B_DOKWZP **Action:** Auto Generate **Sequence:** 0

Event: Before Update

Trigger Code:

Trigger Comments:

Table Name: B_DOKZRO

| <i>Fields List</i> | | <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|--------------------|-----------|-------------|--------------|-------------|------------|------------|-------------|
| | DOKZRODLO | DOKZRODLO | | VARCHAR | 30 | 0 | Y |
| | DW | DW | | VARCHAR | 1 | 0 | N |
| | KOD | KOD | | VARCHAR | 1 | 0 | N |
| | WIDOK | WIDOK | | VARCHAR | 1 | 0 | Y |

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|---|------------------|
| PK_B_DOKZRO Index PK_B_DOKZRO Index Comments: No Alternate keys Incoming Relations List | DW , KOD |

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|----------------------------------|--------------------------|---------------------|
| FK_B_DD_DZ <i>Foreign Key</i> | FK_B_DD_DZ | B_DOKDW |
| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|--------------------------------------|--------------------------|--------------------|
| DW <i>Outgoing Relations List</i> | KOD_DW b_dokdw.kod_dw | |

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|----------------------------------|--------------------------|--------------------------------|
| FK_B_DZ_KS <i>Foreign Key</i> | FK_B_DZ_KS | B_KSIEGA |
| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| DOKZRODLO DOKDW | KOD DW | b_dokzro.kod b_dokdw.kod_dw |

No Constrains

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|--|---------------|--------------|
| T_ad_b_dokzro After Delete | T_ad_b_dokzro | |
| T_ai_b_dokzro After Insert | T_ai_b_dokzro | |
| T_au_b_dokzro After Update | T_au_b_dokzro | |
| T_bd_b_dokzro Before Delete | T_bd_b_dokzro | |
| T_bi_b_dokzro Before Insert | T_bi_b_dokzro | |
| T_bu_b_dokzro Before Update | T_bu_b_dokzro | |
| Trigger T_AD_B_DOKZRO Title: T_AD_B_DOKZRO Event: After Delete Action: Auto Generate Sequence: 0 Trigger Code: Trigger Comments: | | |
| Trigger T_AI_B_DOKZRO Title: T_AI_B_DOKZRO Event: After Insert Action: Auto Generate Sequence: 0 Trigger Code: Trigger Comments: | | |
| Trigger T_AU_B_DOKZRO Title: T_AU_B_DOKZRO Event: After Update Action: Auto Generate Sequence: 0 Trigger Code: Trigger Comments: | | |
| Trigger T_BD_B_DOKZRO Title: T_BD_B_DOKZRO Event: Before Delete Action: Auto Generate Sequence: 0 Trigger Code: Trigger Comments: | | |
| Trigger T_BI_B_DOKZRO Title: T_BI_B_DOKZRO Event: Before Insert Action: Auto Generate Sequence: 0 Trigger Code: Trigger Comments: | | |
| Trigger T_BU_B_DOKZRO Title: T_BU_B_DOKZRO Event: Before Update Action: Auto Generate Sequence: 0 Trigger Code: Trigger Comments: | | |

Table Name: B_EDUWAWA

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| DZIAL | DZIAL | VARCHAR | 3 | 0 | N |
| ID_JE | ID_JE | INTEGER | 0 | 0 | N |
| ID_PL | ID_PL | INTEGER | 0 | 0 | N |
| MIESIAC | MIESIAC | INTEGER | 0 | 0 | N |
| PAR | PAR | VARCHAR | 4 | 0 | N |
| PAR_EXT | PAR_EXT | VARCHAR | 10 | 0 | N |
| POZYCJA | POZYCJA | VARCHAR | 4 | 0 | N |
| R1 | R1 | NUMERIC | 15 | 2 | Y |
| R10 | R10 | NUMERIC | 15 | 2 | Y |
| R100 | R100 | NUMERIC | 15 | 2 | Y |
| R101 | R101 | NUMERIC | 15 | 2 | Y |
| R102 | R102 | NUMERIC | 15 | 2 | Y |
| R11 | R11 | NUMERIC | 15 | 2 | Y |
| R12 | R12 | NUMERIC | 15 | 2 | Y |
| R12B | R12B | NUMERIC | 15 | 2 | Y |
| R12U | R12U | NUMERIC | 15 | 2 | Y |
| R4 | R4 | NUMERIC | 15 | 2 | Y |

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

| | | | | | |
|----------|----------|---------|----|---|---|
| R9 | R9 | NUMERIC | 15 | 2 | Y |
| ROK | ROK | INTEGER | 0 | 0 | N |
| ROZDZIAL | ROZDZIAL | VARCHAR | 5 | 0 | N |

Indexes List

Index Name

Index Key

PK_B_EDUWAWA ID_JE , ID_PL , ROK , MIESIAC , DZIAL , ROZDZIAL , PAR ,

Index PK_B_EDUWAWA

Index Comments:

No Alternate keys

Incoming Relations List

| Relation Name | Relation Title | Parent Table |
|--------------------|-----------------|--------------------------|
| FK_B_EDUWAWA_JD | FK_B_EDUWAWA_JD | B_EDUWAWA_JE |
| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> |
| ID_JE | ID_JE | b_eduwawa_je.id_je |
| ID_PL | ID_PL | b_eduwawa_pl.id_pl |

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|----------------|----------------|---------------|
| T_ad_b_eduwawa | T_ad_b_eduwawa | After Delete |
| T_ai_b_eduwawa | T_ai_b_eduwawa | After Insert |
| T_au_b_eduwawa | T_au_b_eduwawa | After Update |
| T_bd_b_eduwawa | T_bd_b_eduwawa | Before Delete |
| T_bi_b_eduwawa | T_bi_b_eduwawa | Before Insert |
| T_bu_b_eduwawa | T_bu_b_eduwawa | Before Update |

Trigger T_AD_B_EDUWAWA

Title: T_AD_B_EDUWAWA
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AI_B_EDUWAWA

Title: T_AI_B_EDUWAWA
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AU_B_EDUWAWA

Title: T_AU_B_EDUWAWA
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_BD_B_EDUWAWA

Title: T_BD_B_EDUWAWA
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_BI_B_EDUWAWA

Title: T_BI_B_EDUWAWA
Event: Before Insert
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_BU_B_EDUWAWA

Title: T_BU_B_EDUWAWA
Event: Before Update
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Table Name: B_EDUWAWA_JE

Fields List

| Name | Title | Type | Len | Dec | Null |
|-------|-------|---------|-----|-----|------|
| ID_JE | ID_JE | INTEGER | 0 | 0 | N |
| ID_PL | ID_PL | INTEGER | 0 | 0 | N |
| NAZWA | NAZWA | VARCHAR | 100 | 0 | Y |
| REGON | REGON | VARCHAR | 20 | 0 | Y |

Indexes List

Index Name

Index Key

PK_B_EDUWAWA_JE ID_PL , ID_JE

Index PK_B_EDUWAWA_JE

Index Comments:

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

No Alternate keys
Incoming Relations List

| Relation Name | Relation Title | Parent Table |
|-----------------|-----------------|--------------|
| FK_B_EDUWAWA_PJ | FK_B_EDUWAWA_PJ | B_EDUWAWA_PL |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|-------|--------------------|----------|
| ID_PL | ID_PL | b_eduwawa_pl.id_pl | |

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|-----------------|-----------------|-------------|
| FK_B_EDUWAWA_JD | FK_B_EDUWAWA_JD | B_EDUWAWA |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|-------|--------------------|----------|
| ID_JE | ID_JE | b_eduwawa_je.id_je | |
| ID_PL | ID_PL | b_eduwawa_pl.id_pl | |

No Constraints
Triggers List

| Trigger Name | Title | Event |
|------------------------------------|-------------------|-------|
| T_ad_b_eduwawa_je After Delete | T_ad_b_eduwawa_je | |
| T_ai_b_eduwawa_je After Insert | T_ai_b_eduwawa_je | |
| T_au_b_eduwawa_je After Update | T_au_b_eduwawa_je | |
| T_bd_b_eduwawa_je Before Delete | T_bd_b_eduwawa_je | |
| T_bi_b_eduwawa_je Before Insert | T_bi_b_eduwawa_je | |
| T_bu_b_eduwawa_je Before Update | T_bu_b_eduwawa_je | |

Trigger T_AD_B_EDUWAWA_JE

Title: T_AD_B_EDUWAWA_JE
Event: After Delete Action: Auto Generate Sequence: 0
Trigger Code:

Trigger Comments:

Trigger T_AI_B_EDUWAWA_JE

Title: T_AI_B_EDUWAWA_JE
Event: After Insert Action: Auto Generate Sequence: 0
Trigger Code:

Trigger Comments:

Trigger T_AU_B_EDUWAWA_JE

Title: T_AU_B_EDUWAWA_JE
Event: After Update Action: Auto Generate Sequence: 0
Trigger Code:

Trigger Comments:

Trigger T_BD_B_EDUWAWA_JE

Title: T_BD_B_EDUWAWA_JE
Event: Before Delete Action: Auto Generate Sequence: 0
Trigger Code:

Trigger Comments:

Trigger T_BI_B_EDUWAWA_JE

Title: T_BI_B_EDUWAWA_JE
Event: Before Insert Action: Auto Generate Sequence: 0
Trigger Code:

Trigger Comments:

Trigger T_BU_B_EDUWAWA_JE

Title: T_BU_B_EDUWAWA_JE
Event: Before Update Action: Auto Generate Sequence: 0
Trigger Code:

Trigger Comments:

Table Name: B_EDUWAWA_PL

Fields List

| Name | Title | Type | Len | Dec | Null |
|-------|-------|---------|-----|-----|------|
| ID_PL | ID_PL | INTEGER | 0 | 0 | N |
| NAZWA | NAZWA | VARCHAR | 100 | 0 | Y |
| REGON | REGON | VARCHAR | 20 | 0 | Y |

Indexes List

| Index Name | Index Key |
|-----------------|-----------|
| PK_B_EDUWAWA_PL | ID_PL |

Index PK_B_EDUWAWA_PL

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|----------------------|-----------------------|--------------------|
| FK_B_EDUWAWA_PJ | FK_B_EDUWAWA_PJ | B_EDUWAWA_JE |

| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|--------------------|-----------|--------------------------|-----------------|
| ID_PL | ID_PL | b_eduwawa_pl.id_pl | |

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|------------------------------------|-------------------|--------------|
| T_ad_b_eduwawa_pl After Delete | T_ad_b_eduwawa_pl | |
| T_ai_b_eduwawa_pl After Insert | T_ai_b_eduwawa_pl | |
| T_au_b_eduwawa_pl After Update | T_au_b_eduwawa_pl | |
| T_bd_b_eduwawa_pl Before Delete | T_bd_b_eduwawa_pl | |
| T_bi_b_eduwawa_pl Before Insert | T_bi_b_eduwawa_pl | |
| T_bu_b_eduwawa_pl Before Update | T_bu_b_eduwawa_pl | |

Trigger T_AD_B_EDUWAWA_PL

Title: T_AD_B_EDUWAWA_PL
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_EDUWAWA_PL

Title: T_AI_B_EDUWAWA_PL
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_EDUWAWA_PL

Title: T_AU_B_EDUWAWA_PL
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_EDUWAWA_PL

Title: T_BD_B_EDUWAWA_PL
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_BI_B_EDUWAWA_PL

Title: T_BI_B_EDUWAWA_PL
Event: Before Insert Action: Auto Generate Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_EDUWAWA_PL

Title: T_BU_B_EDUWAWA_PL
Event: Before Update Action: Auto Generate Sequence: 0

Trigger Code:
Trigger Comments:

Table Name: B_GRKH

Fields List

| Name | Title | Type | Len | Dec | Null |
|------------|------------|---------|-----|-----|------|
| KOD | KOD | VARCHAR | 10 | 0 | N |
| NR_KONTRAH | NR_KONTRAH | INTEGER | 0 | 0 | N |

Indexes List

| Index Name | Index Key |
|------------|------------------|
| PK_B_GRKH | KOD , NR_KONTRAH |

Index PK_B_GRKH

Index Comments:

No Alternate keys

Incoming Relations List

| Relation Name | Relation Title | Parent Table |
|-------------------|-------------------|--------------|
| FK_B_KH_GRKH | FK_B_KH_GRKH | B_KONTRA |
| FK_B_SLOGRKH_GRKH | FK_B_SLOGRKH_GRKH | B_SLOGRKH |

Foreign Key

| Fk | Parent Field (Pk) | Ancestor |
|---------------------------|-------------------|---------------------|
| NR_KONTRAH Foreign Key | NR_KONTRAH | b_kontra.nr_kontrah |
| KOD | KOD | b_slogrkh.kod |

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|---------------------|--------------|---------------|
| T_ad_b_grkh | T_ad_b_grkh | After Delete |
| T_ai_b_grkh | T_ai_b_grkh | After Insert |
| T_au_b_grkh | T_au_b_grkh | After Update |
| T_bd_b_grkh | T_bd_b_grkh | Before Delete |
| T_bi_b_grkh | T_bi_b_grkh | Before Insert |
| T_bu_b_grkh | T_bu_b_grkh | Before Update |

Trigger T_AD_B_GRKH

Title: T_AD_B_GRKH
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_GRKH

Title: T_AI_B_GRKH
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_GRKH

Title: T_AU_B_GRKH
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_GRKH

Title: T_BD_B_GRKH
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_GRKH

Title: T_BI_B_GRKH
Event: Before Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_GRKH

Title: T_BU_B_GRKH
Event: Before Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Table Name: B_JEDN

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--|-------------|------------|------------|-------------|
| KOD_JEDN | Kod wewnętrzny jednostki | SMALLINT | 0 | 0 | N |
| NAZWA | Nazwa jednostki | CHAR | 30 | 0 | Y |
| NIP | NIP | VARCHAR | 10 | 0 | Y |
| OPERATORZY | Lista operatorów z dostępem do jednostki | CHAR | 200 | 0 | Y |
| ROK | Rok obrachunkowy | SMALLINT | 0 | 0 | N |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|------------------|
| PK_B_JEDN | KOD_JEDN , ROK |

Index PK_B_JEDN

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|---|---|---|
| FK_B_JEDN_KLAS FK_B_JEDN_KONF FK_B_JEDN_KONTA FK_B_JEDN_KSDOK FK_B_JEDN_STAT FK_B_JEDN_ZAD | FK_B_JEDN_KLAS FK_B_JEDN_KONF FK_B_JEDN_KONTA FK_B_JEDN_KSDOK FK_B_JEDN_STAT FK_B_JEDN_ZAD | B_KLAS B_KONFIG B_KONTA B_KS_DOK B_STATR B_ZAD |

Foreign Key

Fk

Parent Field (Pk)

Ancestor

KOD_JEDN
ROK

KOD_JEDN
ROK

b_jedn.kod_jedn
b_jedn.rok

Foreign Key

Fk

Parent Field (Pk)

Ancestor

KOD_JEDN
ROK

KOD_JEDN
ROK

b_jedn.kod_jedn
b_jedn.rok

Foreign Key

Fk

Parent Field (Pk)

Ancestor

KOD_JEDN
ROK

KOD_JEDN
ROK

b_jedn.kod_jedn
b_jedn.rok

Foreign Key

Fk

Parent Field (Pk)

Ancestor

KOD_JEDN
ROK

KOD_JEDN
ROK

b_jedn.kod_jedn
b_jedn.rok

Foreign Key

Fk

Parent Field (Pk)

Ancestor

KOD_JEDN
ROK

KOD_JEDN
ROK

b_jedn.kod_jedn
b_jedn.rok

Foreign Key

Fk

Parent Field (Pk)

Ancestor

KOD_JEDN
ROK

KOD_JEDN
ROK

b_jedn.kod_jedn
b_jedn.rok

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|------------------------------|--------------|--------------|
| T_ad_b_jedn After Delete | T_ad_b_jedn | |
| T_ai_b_jedn After Insert | T_ai_b_jedn | |
| T_au_b_jedn After Update | T_au_b_jedn | |
| T_bd_b_jedn Before Delete | T_bd_b_jedn | |

T_bi_b_jedn
Before Insert
T_bu_b_jedn
Before Update

T_bi_b_jedn
T_bu_b_jedn

Trigger T_AD_B_JEDN

Title: T_AD_B_JEDN
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_JEDN

Title: T_AI_B_JEDN
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_JEDN

Title: T_AU_B_JEDN
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_JEDN

Title: T_BD_B_JEDN
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_JEDN

Title: T_BI_B_JEDN
Event: Before Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_JEDN

Title: T_BU_B_JEDN
Event: Before Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Table Name: B_KLAS

Fields List

| Name | Title | Type | Len | Dec | Null |
|---------------|---|----------|-----|-----|------|
| BOMA | BO Ma | NUMERIC | 15 | 2 | Y |
| BOWN | BO Wn | NUMERIC | 15 | 2 | Y |
| BP | Budżetowa/Pozabudżetowa | CHAR | 1 | 0 | N |
| CZESC | Część | SMALLINT | 0 | 0 | N |
| DW | Dochód/Wydatek | VARCHAR | 1 | 0 | N |
| DZIAL | Dział | SMALLINT | 0 | 0 | N |
| EDU_POZ | EDU_POZ | INTEGER | 0 | 0 | Y |
| INNE | Wartość kwot innych | NUMERIC | 15 | 2 | Y |
| KOD_JEDN | Kod wewnętrzny jednostki | SMALLINT | 0 | 0 | N |
| KODSPRDOCH | kod w sprawozdaniu z wykonania dochodów | CHAR | 5 | 0 | Y |
| KODSPRWB | Kod w sprawozdaniu z wykonania budżetu | CHAR | 5 | 0 | Y |
| KOSZT | Wartość kosztów | NUMERIC | 15 | 2 | Y |
| KOSZT_UBR | KOSZT_UBR | NUMERIC | 15 | 2 | Y |
| KWPLAN | Kwota planu | NUMERIC | 15 | 2 | Y |
| NAZWA | Nazwa klasyfikacji | CHAR | 30 | 0 | Y |
| NAZWADLUGA | nazwa opisowa | CHAR | 200 | 0 | Y |
| NIEPRZYPISANE | Wartość kwot nieprzypisanych | NUMERIC | 15 | 2 | Y |
| ODPIS | Wartość odpisów | NUMERIC | 15 | 2 | Y |
| OTWZAMK | Otwarta/Zamknięta | CHAR | 1 | 0 | Y |
| PARAGRAF | Paragraf | SMALLINT | 0 | 0 | N |

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

| | | | | | |
|----------|---------------------------------|----------|----|---|---|
| POZYCJA | Pozycja | SMALLINT | 0 | 0 | N |
| PRZYPIS | Wartość przypisów | NUMERIC | 15 | 2 | Y |
| ROK | Rok obrachunkowy | SMALLINT | 0 | 0 | N |
| ROZDZIAL | Rozdział | INTEGER | 0 | 0 | N |
| VAT | VAT (Tak/Nie) księgowany osobno | CHAR | 1 | 0 | Y |
| WPLATA | Wartość wpłat | NUMERIC | 15 | 2 | Y |
| WYDATEK | Wartość wydatków | NUMERIC | 15 | 2 | Y |
| ZWROT | Wartość zwrotów | NUMERIC | 15 | 2 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|---|
| PK_B_KLAS | DW , ROK , KOD_JEDN , CZESC , DZIAL , ROZDZIAL , PARA |

Index PK_B_KLAS

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|----------------------|-----------------------|---------------------|
| FK_B_DD_KLAS | FK_B_DD_KLAS | B_DOKDW |
| FK_B_JEDN_KLAS | FK_B_JEDN_KLAS | B_JEDN |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|--------------------------|--------------------------|-------------------------------|
| DW <i>Foreign Key</i> | KOD_DW | b_dokdw.kod_dw |
| KOD_JEDN ROK | KOD_JEDN ROK | b_jedn.kod_jedn b_jedn.rok |

Outgoing Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|----------------------|-----------------------|--------------------|
| FK_B_KLAS_B | FK_B_KLAS_B | B_BILANS |
| FK_B_KLAS_PLAN | FK_B_KLAS_PLAN | B_PLAN |
| FK_B_KLASYP1 | FK_B_KLASYP1 | B_KSIEGA |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|--|--|--|
| ROK KOD_JEDN CZESC DZIAL ROZDZIAL PARAGRAF POZYCJA DOKBP DW <i>Foreign Key</i> | ROK KOD_JEDN CZESC DZIAL ROZDZIAL PARAGRAF POZYCJA BP DW | b_jedn.rok b_jedn.kod_jedn b_klas.czesc b_klas.dzial b_klas.rozdzial b_klas.paragraf b_klas.pozycja b_klas.bp b_dokdw.kod_dw |
| ROK KOD_JEDN CZESC DZIAL ROZDZIAL PARAGRAF POZYCJA DOKBP DOKDW <i>Foreign Key</i> | ROK KOD_JEDN CZESC DZIAL ROZDZIAL PARAGRAF POZYCJA BP DW | b_jedn.rok b_jedn.kod_jedn b_klas.czesc b_klas.dzial b_klas.rozdzial b_klas.paragraf b_klas.pozycja b_klas.bp b_dokdw.kod_dw |

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|-----------|--------------------------|-----------------|
| CZESC | CZESC | b_klas.czesc |
| DZIAL | DZIAL | b_klas.dzial |
| ROZDZIAL | ROZDZIAL | b_klas.rozdzial |
| PARAGRAF | PARAGRAF | b_klas.paragraf |
| POZYCJA | POZYCJA | b_klas.pozycja |
| DOKBP | BP | b_klas.bp |
| KOD_JEDN | KOD_JEDN | b_jedn.kod_jedn |
| ROK | ROK | b_jedn.rok |
| DOKDW | DW | b_dokdw.kod_dw |

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|------------------------------|--------------|--------------|
| T_ad_b_klas After Delete | T_ad_b_klas | |
| T_ai_b_klas After Insert | T_ai_b_klas | |
| T_au_b_klas After Update | T_au_b_klas | |
| T_bd_b_klas Before Delete | T_bd_b_klas | |
| T_bi_b_klas Before Insert | T_bi_b_klas | |
| T_bu_b_klas Before Update | T_bu_b_klas | |

Trigger T_AD_B_KLAS

Title: T_AD_B_KLAS
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_KLAS

Title: T_AI_B_KLAS
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_KLAS

Title: T_AU_B_KLAS
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_KLAS

Title: T_BD_B_KLAS
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_KLAS

Title: T_BI_B_KLAS
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_KLAS

Title: T_BU_B_KLAS
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Table Name: **B_KONFIG**

Fields List

| Name | Title | Type | Len | Dec | Null |
|----------|--------------------------|----------|-----|-----|------|
| KOD_JEDN | Kod wewnętrzny jednostki | SMALLINT | 0 | 0 | N |
| PARAMETR | Parametr | CHAR | 10 | 0 | N |
| ROK | Rok obrotowy | SMALLINT | 0 | 0 | N |
| TEKST | TEKST | BLOB | 0 | 0 | Y |
| WARTOSC | Wartość parametru | CHAR | 20 | 0 | Y |

Indexes List

| Index Name | Index Key |
|-------------|---------------------------|
| PK_B_KONFIG | KOD_JEDN , ROK , PARAMETR |

Index PK_B_KONFIG

Index Comments:

No Alternate keys

Incoming Relations List

| Relation Name | Relation Title | Parent Table |
|----------------|----------------|--------------|
| FK_B_JEDN_KONF | FK_B_JEDN_KONF | B_JEDN |

Foreign Key

| Fk | Parent Field (Pk) | Ancestor |
|----------|-------------------|-----------------|
| KOD_JEDN | KOD_JEDN | b_jedn.kod_jedn |
| ROK | ROK | b_jedn.rok |

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|--------------------------------|---------------|-------|
| T_ad_b_konfig After Delete | T_ad_b_konfig | |
| T_ai_b_konfig After Insert | T_ai_b_konfig | |
| T_au_b_konfig After Update | T_au_b_konfig | |
| T_bd_b_konfig Before Delete | T_bd_b_konfig | |
| T_bi_b_konfig Before Insert | T_bi_b_konfig | |
| T_bu_b_konfig Before Update | T_bu_b_konfig | |

Trigger T_AD_B_KONFIG

Title: T_AD_B_KONFIG
Event: After Delete Action: Auto Generate Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_AL_B_KONFIG

Title: T_AL_B_KONFIG
Event: After Insert Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_AU_B_KONFIG

Title: T_AU_B_KONFIG
Event: After Update Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BD_B_KONFIG

Title: T_BD_B_KONFIG
Event: Before Delete Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BI_B_KONFIG

Title: T_BI_B_KONFIG
Event: Before Insert Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BU_B_KONFIG

Title: T_BU_B_KONFIG
Event: Before Update Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Table Name: B_KONTA

Fields List

| Name | Title | Type | Len | Dec | Null |
|-------------|-------------------------------|----------|-----|-----|------|
| BOMA | Bilans otwarcia Ma | NUMERIC | 15 | 2 | Y |
| BOWN | Bilans otwarcia Wn | NUMERIC | 15 | 2 | Y |
| BZMA | Bilans zamknięcia Ma | NUMERIC | 15 | 2 | Y |
| BZWN | Bilans zamknięcia Wn | NUMERIC | 15 | 2 | Y |
| CZY_KONTRAH | Czy konto kontrahenta | CHAR | 1 | 0 | Y |
| KOD_JEDN | Kod wewnętrzny jednostki | SMALLINT | 0 | 0 | N |
| KONTO | Nr konta | INTEGER | 0 | 0 | N |
| NAZWA | Nazwa konta | CHAR | 30 | 0 | Y |
| NAZWADLUGA | Nazwa opisowa | CHAR | 200 | 0 | Y |
| OBRMA | Obroty Ma | NUMERIC | 15 | 2 | Y |
| OBRWN | Obroty Wn | NUMERIC | 15 | 2 | Y |
| OTWZAMK | Konto otwarte/zamknięte | CHAR | 1 | 0 | Y |
| POZABIL | Konto bilansowe/pozabilansowe | CHAR | 1 | 0 | Y |
| ROK | Rok obrachunkowy | SMALLINT | 0 | 0 | N |
| SUBKONTO1 | Nr subkonta 1 | INTEGER | 0 | 0 | N |
| SUBKONTO2 | Nr subkonta 2 | INTEGER | 0 | 0 | N |
| SUBKONTO3 | Nr subkonta 3 | INTEGER | 0 | 0 | N |
| SUBKONTO4 | Nr subkonta 4 | INTEGER | 0 | 0 | N |
| SUBKONTO5 | Nr subkonta 5 | INTEGER | 0 | 0 | N |
| SUBKONTO6 | Nr subkonta 6 | INTEGER | 0 | 0 | N |
| SUBKONTO7 | Nr subkonta 7 | INTEGER | 0 | 0 | N |
| SUBKONTO8 | Nr subkonta 8 | INTEGER | 0 | 0 | N |
| SUBKONTO9 | Nr subkonta 9 | INTEGER | 0 | 0 | N |
| SYNT | Czy syntetyczne | CHAR | 1 | 0 | Y |
| WSK_ORFIN | Organ/jednostka | CHAR | 1 | 0 | N |

Indexes List

Index Name

Index Key

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

PK_B_KONTA

ROK , KOD_JEDN , KONTO , SUBKONTO1 , SUBKONTO2 ,

Index PK_B_KONTA

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|----------------------|-----------------------|---------------------|
| FK_B_JEDN_KONTA | FK_B_JEDN_KONTA | B_JEDN |

| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|--------------------|-----------------|--------------------------|-------------------------------|
| | KOD_JEDN ROK | KOD_JEDN ROK | b_jedn.kod_jedn b_jedn.rok |

Outgoing Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|-----------------------------|-----------------------------|----------------------|
| FK_B_KONTA_B FK_B_KONTA3 | FK_B_KONTA_B FK_B_KONTA3 | B_BILANS B_KSIEGA |

| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|--------------------|---|---|---|
| | ROK KOD_JEDN KONTO SUBKONTO1 SUBKONTO2 SUBKONTO3 SUBKONTO4 SUBKONTO5 SUBKONTO6 SUBKONTO7 SUBKONTO8 SUBKONTO9 | ROK KOD_JEDN KONTO SUBKONTO1 SUBKONTO2 SUBKONTO3 SUBKONTO4 SUBKONTO5 SUBKONTO6 SUBKONTO7 SUBKONTO8 SUBKONTO9 | b_jedn.rok b_jedn.kod_jedn b_konta.konto b_konta.subkonto1 b_konta.subkonto2 b_konta.subkonto3 b_konta.subkonto4 b_konta.subkonto5 b_konta.subkonto6 b_konta.subkonto7 b_konta.subkonto8 b_konta.subkonto9 |
| <i>Foreign Key</i> | | | |
| | KONTO SUBKONTO1 SUBKONTO2 SUBKONTO3 SUBKONTO4 SUBKONTO5 SUBKONTO6 SUBKONTO7 SUBKONTO8 SUBKONTO9 PKONTO PSUBKONTO1 PSUBKONTO2 PSUBKONTO3 PSUBKONTO4 PSUBKONTO5 PSUBKONTO6 PSUBKONTO7 PSUBKONTO8 PSUBKONTO9 KOD_JEDN ROK | KONTO SUBKONTO1 SUBKONTO2 SUBKONTO3 SUBKONTO4 SUBKONTO5 SUBKONTO6 SUBKONTO7 SUBKONTO8 SUBKONTO9 KONTO SUBKONTO1 SUBKONTO2 SUBKONTO3 SUBKONTO4 SUBKONTO5 SUBKONTO6 SUBKONTO7 SUBKONTO8 SUBKONTO9 KOD_JEDN ROK | b_konta.konto b_konta.subkonto1 b_konta.subkonto2 b_konta.subkonto3 b_konta.subkonto4 b_konta.subkonto5 b_konta.subkonto6 b_konta.subkonto7 b_konta.subkonto8 b_konta.subkonto9 b_konta.konto b_konta.subkonto1 b_konta.subkonto2 b_konta.subkonto3 b_konta.subkonto4 b_konta.subkonto5 b_konta.subkonto6 b_konta.subkonto7 b_konta.subkonto8 b_konta.subkonto9 b_jedn.kod_jedn b_jedn.rok |

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|---------------------|--------------|--------------|
|---------------------|--------------|--------------|

| | |
|-------------------------------|--------------|
| T_ad_b_konta After Delete | T_ad_b_konta |
| T_ai_b_konta After Insert | T_ai_b_konta |
| T_au_b_konta After Update | T_au_b_konta |
| T_bd_b_konta Before Delete | T_bd_b_konta |
| T_bi_b_konta Before Insert | T_bi_b_konta |
| T_bu_b_konta Before Update | T_bu_b_konta |

Trigger T_AD_B_KONTA

| | | | | | |
|---------------|--------------|----------------|---------------|------------------|---|
| Title: | T_AD_B_KONTA | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Delete | | | | |

Trigger Code:
Trigger Comments:

Trigger T_AI_B_KONTA

| | | | | | |
|---------------|--------------|----------------|---------------|------------------|---|
| Title: | T_AI_B_KONTA | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Insert | | | | |

Trigger Code:
Trigger Comments:

Trigger T_AU_B_KONTA

| | | | | | |
|---------------|--------------|----------------|---------------|------------------|---|
| Title: | T_AU_B_KONTA | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Update | | | | |

Trigger Code:
Trigger Comments:

Trigger T_BD_B_KONTA

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_BD_B_KONTA | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Delete | | | | |

Trigger Code:
Trigger Comments:

Trigger T_BI_B_KONTA

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_BI_B_KONTA | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Insert | | | | |

Trigger Code:
Trigger Comments:

Trigger T_BU_B_KONTA

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_BU_B_KONTA | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Update | | | | |

Trigger Code:
Trigger Comments:

Table Name: B_KONTA

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|--------------|------------------------------------|-------------|------------|------------|-------------|
| BANK | Nazwa banku | CHAR | 50 | 0 | Y |
| FAX | Nr faksu | CHAR | 20 | 0 | Y |
| ID | Wartość identyfikatora dodatkowego | CHAR | 13 | 0 | Y |
| ID_BO | ID_BO | INTEGER | 0 | 0 | Y |
| ID_BO_ADR | ID_BO_ADR | INTEGER | 0 | 0 | Y |
| KOD | Kod pocztowy | CHAR | 6 | 0 | Y |
| KONTO_BANK | Nr konta bankowego | CHAR | 50 | 0 | Y |
| MIEJSCOWOSC | Miejscowość | CHAR | 30 | 0 | Y |
| NAZWA | Nazwa kontrahenta | CHAR | 150 | 0 | Y |
| NAZWA_KROTKA | Nazwa skrócona | CHAR | 20 | 0 | Y |

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

| | | | | | |
|------------|--------------------------------|---------|----|---|---|
| NIP | NIP | CHAR | 13 | 0 | Y |
| NR_DOMU | Nr domu | CHAR | 6 | 0 | Y |
| NR_KONTRAH | Numer kontrahenta | INTEGER | 0 | 0 | N |
| NR_LOKALU | Nr lokalu | CHAR | 6 | 0 | Y |
| OPERATOR | Operator dokonujący zmian | CHAR | 5 | 0 | Y |
| POCZTA | Poczta | CHAR | 30 | 0 | Y |
| TELEFON | Nr telefonu | CHAR | 20 | 0 | Y |
| TYPID | Typ identyfikatora dodatkowego | VARCHAR | 3 | 0 | Y |
| ULICA | Ulica | CHAR | 30 | 0 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|------------------|
| PK_B_KONTRA | NR_KONTRAH |

Index PK_B_KONTRA

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|----------------------|-----------------------|---------------------|
| FK_B_SKID_KH | FK_B_SKID_KH | B_SKID |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|-----------|--------------------------|-----------------|
| TYPID | TYPID | b_skid.typid |

Outgoing Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|----------------------|-----------------------|--------------------|
| FK_B_KH_GRKH | FK_B_KH_GRKH | B_GRKH |
| FK_B_KH_UM | FK_B_KH_UM | B_UMOWY |
| FK_B_KTHBANK | FK_B_KTHBANK | B_KTH_BANK |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|-----------|--------------------------|-----------------|
|-----------|--------------------------|-----------------|

| | | |
|------------|------------|---------------------|
| NR_KONTRAH | NR_KONTRAH | b_kontra.nr_kontrah |
|------------|------------|---------------------|

| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|--------------------|-----------|--------------------------|-----------------|
|--------------------|-----------|--------------------------|-----------------|

| | | |
|------------|------------|---------------------|
| NR_KONTRAH | NR_KONTRAH | b_kontra.nr_kontrah |
|------------|------------|---------------------|

| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|--------------------|-----------|--------------------------|-----------------|
|--------------------|-----------|--------------------------|-----------------|

| | | |
|------------|------------|---------------------|
| NR_KONTRAH | NR_KONTRAH | b_kontra.nr_kontrah |
|------------|------------|---------------------|

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|-------------------------------|---------------|--------------|
| T_ad_b_kontra After Delete | T_ad_b_kontra | |
| T_ai_b_kontra After Insert | T_ai_b_kontra | |
| T_au_b_kontra After Update | T_au_b_kontra | |

| | |
|--------------------------------|---------------|
| T_bd_b_kontra Before Delete | T_bd_b_kontra |
| T_bi_b_kontra Before Insert | T_bi_b_kontra |
| T_bu_b_kontra Before Update | T_bu_b_kontra |

Trigger T_AD_B_KONTRA

Title: T_AD_B_KONTRA
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_KONTRA

Title: T_AI_B_KONTRA
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_KONTRA

Title: T_AU_B_KONTRA
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_KONTRA

Title: T_BD_B_KONTRA
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_KONTRA

Title: T_BI_B_KONTRA
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_KONTRA

Title: T_BU_B_KONTRA
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_KS_DOK

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|---------------------------|-------------|------------|------------|-------------|
| DATA_DOK | data dokumentu | DATE | 0 | 0 | Y |
| DATA_KSIEG | data sprawozdawcza | DATE | 0 | 0 | Y |
| DATA_OPER | data zdarzenia | DATE | 0 | 0 | Y |
| DATA_SYS | data systemowa | DATE | 0 | 0 | Y |
| DATA_ZAPL | data zapłaty | DATE | 0 | 0 | Y |
| DOKTYP | Typ dokumnetu | VARCHAR | 2 | 0 | N |
| KOD_JEDN | ID rejestru | SMALLINT | 0 | 0 | N |
| NR_DOK | Nr dokumnetu | NUMERIC | 6 | 0 | N |
| NR_KOLEJNY | Nr dziennika | INTEGER | 0 | 0 | Y |
| NR_ZEW | Nr zewnętrzny | CHAR | 30 | 0 | Y |
| OPERATOR | ID operatora | CHAR | 5 | 0 | Y |
| ROK | Rok obrachunkowy | SMALLINT | 0 | 0 | N |
| STAT_IN | Status wejścia do systemu | VARCHAR | 1 | 0 | Y |
| STATUS | Status | CHAR | 1 | 0 | N |
| TRESC_DOK | Opis | CHAR | 100 | 0 | Y |
| WARTOSC | nieuzywane | NUMERIC | 15 | 2 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|----------------------------------|
| PK_B_KS_DOK | DOKTYP , NR_DOK , KOD_JEDN , ROK |

Index PK_B_KS_DOK

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|----------------------|-----------------------|---------------------|
| FK_B_DT_KSDOK | FK_B_DT_KSDOK | B_DOKTYP |
| FK_B_JEDN_KSDOK | FK_B_JEDN_KSDOK | B_JEDN |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|-----------|--------------------------|-----------------|
|-----------|--------------------------|-----------------|

| | | |
|------------------------------|-----|--------------|
| DOKTYP <i>Foreign Key</i> | KOD | b_doktyp.kod |
|------------------------------|-----|--------------|

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|-----------|--------------------------|-----------------|
|-----------|--------------------------|-----------------|

| | | |
|-----------------|-----------------|-------------------------------|
| KOD_JEDN ROK | KOD_JEDN ROK | b_jedn.kod_jedn b_jedn.rok |
|-----------------|-----------------|-------------------------------|

Outgoing Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|----------------------|-----------------------|--------------------|
| FK_B_KS_DOK1 | FK_B_KS_DOK1 | B_KSIEGA |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|-----------|--------------------------|-----------------|
|-----------|--------------------------|-----------------|

| | | |
|-------------------------------------|-------------------------------------|--|
| KOD_JEDN ROK NR_DOK DOKTYP | KOD_JEDN ROK NR_DOK DOKTYP | b_jedn.kod_jedn b_jedn.rok b_ks_dok.nr_dok b_doktyp.kod |
|-------------------------------------|-------------------------------------|--|

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|--------------------------------|---------------|--------------|
| T_ad_b_ks_dok After Delete | T_ad_b_ks_dok | |
| T_ai_b_ks_dok After Insert | T_ai_b_ks_dok | |
| T_au_b_ks_dok After Update | T_au_b_ks_dok | |
| T_bd_b_ks_dok Before Delete | T_bd_b_ks_dok | |
| T_bi_b_ks_dok Before Insert | T_bi_b_ks_dok | |
| T_bu_b_ks_dok Before Update | T_bu_b_ks_dok | |

Trigger T_AD_B_KS_DOK

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_AD_B_KS_DOK | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Delete | | | | |

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Trigger
Code:
Trigger Comments:

Trigger T_AI_B_KS_DOK

Title: T_AI_B_KS_DOK
Event: After Insert Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_AU_B_KS_DOK

Title: T_AU_B_KS_DOK
Event: After Update Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BD_B_KS_DOK

Title: T_BD_B_KS_DOK
Event: Before Delete Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BI_B_KS_DOK

Title: T_BI_B_KS_DOK
Event: Before Insert Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BU_B_KS_DOK

Title: T_BU_B_KS_DOK
Event: Before Update Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Table Name: B_KSIEGA

Fields List

| Name | Title | Type | Len | Dec | Null |
|---------------|--------------------------------------|-----------|-----|-----|------|
| CZESC | Część | SMALLINT | 0 | 0 | Y |
| DATA_CHNG | data zminay | DATE | 0 | 0 | Y |
| DATA_DOK | Data dokumentu | TIMESTAMP | 0 | 0 | N |
| DATA_KSIEG | Data księgowania | TIMESTAMP | 0 | 0 | N |
| DATA_OPER | Data zdarzenia | DATE | 0 | 0 | Y |
| DATA_SYS | data systemowa | DATE | 0 | 0 | Y |
| DATA_ZAPL | Data zapłaty | DATE | 0 | 0 | Y |
| DOKBP | Klasyfikacja budżetowa/pozabudżetowa | CHAR | 1 | 0 | Y |
| DOKDW | Dochód/Wydatek | VARCHAR | 1 | 0 | N |
| DOKTYP | Typ dokumentu | VARCHAR | 2 | 0 | N |
| DOKWN | (nieużywane) | CHAR | 1 | 0 | Y |
| DOKWZP | Kod WZP | CHAR | 1 | 0 | Y |
| DOKZRDL0 | Źródło | VARCHAR | 1 | 0 | N |
| DZIAL | Dział | SMALLINT | 0 | 0 | Y |
| ID_JORG | ID jedn.organizacyjnej | INTEGER | 0 | 0 | Y |
| ID_OBSZAR | ID obszaru | INTEGER | 0 | 0 | Y |
| ID_STANOWISKO | ID stanowiska | INTEGER | 0 | 0 | Y |
| ID_ZAPL | nieużywane | INTEGER | 0 | 0 | Y |
| ID_ZRODLO | ID programu | INTEGER | 0 | 0 | Y |
| KOD_JEDN | Kod wewnętrzny jednostki | SMALLINT | 0 | 0 | N |
| KONTO | Nr konta Wn | INTEGER | 0 | 0 | N |
| KWOTA | Kwota dokumentu | NUMERIC | 15 | 2 | Y |
| KWOTA_VAT | Kwota VAT dokumentu | NUMERIC | 15 | 2 | Y |
| KWOTA_WAL | KWOTA w walucie | NUMERIC | 15 | 2 | Y |
| NR_DOK | Nr dokumentu | NUMERIC | 10 | 0 | N |
| NR_KOLEJNY | Nr kolejny | INTEGER | 0 | 0 | N |
| NR_POZ | Nr pozycji w dokumencie | INTEGER | 0 | 0 | N |
| NR_ZEW | Nr zewnętrzny dokumentu | CHAR | 30 | 0 | Y |
| OPER_CHNG | kod oper. zmniejszającego | INTEGER | 0 | 0 | Y |
| OPERATOR | Operator dokonujący zmian | CHAR | 5 | 0 | Y |
| PARAGRAF | Paragraf | SMALLINT | 0 | 0 | Y |

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

| | | | | | |
|------------|------------------------------------|----------|-----|---|---|
| PKONTO | Nr konta Ma | INTEGER | 0 | 0 | N |
| PODZADANIE | Numer podzadania w obrębie zadania | INTEGER | 0 | 0 | Y |
| POZYCJA | Pozycja | SMALLINT | 0 | 0 | Y |
| PSUBKONTO1 | Nr subkonta 1 Ma | INTEGER | 0 | 0 | N |
| PSUBKONTO2 | Nr subkonta 2 Ma | INTEGER | 0 | 0 | N |
| PSUBKONTO3 | Nr subkonta 3 Ma | INTEGER | 0 | 0 | N |
| PSUBKONTO4 | Nr subkonta 4 Ma | INTEGER | 0 | 0 | N |
| PSUBKONTO5 | Nr subkonta 5 Ma | INTEGER | 0 | 0 | N |
| PSUBKONTO6 | Nr subkonta 6 Ma | INTEGER | 0 | 0 | N |
| PSUBKONTO7 | Nr subkonta 7 Ma | INTEGER | 0 | 0 | N |
| PSUBKONTO8 | Nr subkonta 8 Ma | INTEGER | 0 | 0 | N |
| PSUBKONTO9 | Nr subkonta 9 Ma | INTEGER | 0 | 0 | N |
| ROK | Rok obrachunkowy | SMALLINT | 0 | 0 | N |
| ROZDZIAL | Rozdział | INTEGER | 0 | 0 | Y |
| SUBKONTO1 | Nr subkonta 1 Wn | INTEGER | 0 | 0 | N |
| SUBKONTO2 | Nr subkonta 2 Wn | INTEGER | 0 | 0 | N |
| SUBKONTO3 | Nr subkonta 3 Wn | INTEGER | 0 | 0 | N |
| SUBKONTO4 | Nr subkonta 4 Wn | INTEGER | 0 | 0 | N |
| SUBKONTO5 | Nr subkonta 5 Wn | INTEGER | 0 | 0 | N |
| SUBKONTO6 | Nr subkonta 6 Wn | INTEGER | 0 | 0 | N |
| SUBKONTO7 | Nr subkonta 7 Wn | INTEGER | 0 | 0 | N |
| SUBKONTO8 | Nr subkonta 8 Wn | INTEGER | 0 | 0 | N |
| SUBKONTO9 | Nr subkonta 9 Wn | INTEGER | 0 | 0 | N |
| TRESC | Treść dokumentu | CHAR | 40 | 0 | Y |
| Tresc_dok | Treść nagłówka dokumentu | CHAR | 100 | 0 | Y |
| TRESCDLUGA | Treść dokumentu | CHAR | 200 | 0 | Y |
| WALUTA | kod waluty | VARCHAR | 5 | 0 | Y |
| ZADANIE | Numer zadania | INTEGER | 0 | 0 | Y |

Indexes List

Index Name

Index Key

PK_B_KSIEGA NR_KOLEJNY , DOKTYP , NR_DOK , KOD_JEDN , ROK

Index PK_B_KSIEGA

Index Comments:

No Alternate keys

Incoming Relations List

Relation Name

Relation Title

Parent Table

| | | |
|--------------------|--------------------|---------------|
| FK_B_DT_KS | FK_B_DT_KS | B_DOKTYP |
| FK_B_DZ_KS | FK_B_DZ_KS | B_DOKZRO |
| FK_B_KLASYF1 | FK_B_KLASYF1 | B_KLAS |
| FK_B_KONTA3 | FK_B_KONTA3 | B_KONTA |
| FK_B_KS_DOK1 | FK_B_KS_DOK1 | B_KS_DOK |
| FK_B_KSIEGA_WALUTA | FK_B_KSIEGA_WALUTA | B_WALUTY |
| FK_B_WJ_KS | FK_B_WJ_KS | B_WJORG |
| FK_B_WO_KS | FK_B_WO_KS | B_WOBSZAR |
| FK_B_WS_KS | FK_B_WS_KS | B_WSTANOWISKO |
| FK_B_WZ_KS | FK_B_WZ_KS | B_WZRODLO |
| FK_B_ZAD1 | FK_B_ZAD1 | B_ZAD |

Foreign Key

Fk

Parent Field (Pk)

Ancestor

DOKTYP DOKTYP KOD b_doktyp.kod

Fk

Parent Field (Pk)

Ancestor

DOKZRODLO DOKDW KOD DW b_dokzro.kod
b_dokdw.kod_dw

Fk

Parent Field (Pk)

Ancestor

CZESC CZESC b_klas.czesc
DZIAL DZIAL b_klas.dzial
ROZDZIAL ROZDZIAL b_klas.rozdzial
PARAGRAF PARAGRAF b_klas.paragraf
POZYCJA POZYCJA b_klas.pozycja
DOKBP BP b_klas.bp
KOD_JEDN KOD_JEDN b_jedn.kod_jedn

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

| | | |
|---|---|---|
| ROK DOKDW <i>Foreign Key</i> | ROK DW | b_jedn.rok b_dokdw.kod_dw |
| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| KONTO SUBKONTO1 SUBKONTO2 SUBKONTO3 SUBKONTO4 SUBKONTO5 SUBKONTO6 SUBKONTO7 SUBKONTO8 SUBKONTO9 PKONTO PSUBKONTO1 PSUBKONTO2 PSUBKONTO3 PSUBKONTO4 PSUBKONTO5 PSUBKONTO6 PSUBKONTO7 PSUBKONTO8 PSUBKONTO9 KOD_JEDN ROK <i>Foreign Key</i> | KONTO SUBKONTO1 SUBKONTO2 SUBKONTO3 SUBKONTO4 SUBKONTO5 SUBKONTO6 SUBKONTO7 SUBKONTO8 SUBKONTO9 KONTO SUBKONTO1 SUBKONTO2 SUBKONTO3 SUBKONTO4 SUBKONTO5 SUBKONTO6 SUBKONTO7 SUBKONTO8 SUBKONTO9 KOD_JEDN ROK | b_konta.konto b_konta.subkonto1 b_konta.subkonto2 b_konta.subkonto3 b_konta.subkonto4 b_konta.subkonto5 b_konta.subkonto6 b_konta.subkonto7 b_konta.subkonto8 b_konta.subkonto9 b_konta.konto b_konta.subkonto1 b_konta.subkonto2 b_konta.subkonto3 b_konta.subkonto4 b_konta.subkonto5 b_konta.subkonto6 b_konta.subkonto7 b_konta.subkonto8 b_konta.subkonto9 b_jedn.kod_jedn b_jedn.rok |

| | | |
|---|-------------------------------------|--|
| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| KOD_JEDN ROK NR_DOK DOKTYP <i>Foreign Key</i> | KOD_JEDN ROK NR_DOK DOKTYP | b_jedn.kod_jedn b_jedn.rok b_ks_dok.nr_dok b_doktyp.kod |

| | | |
|------------------------------|--------------------------|-----------------|
| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| WALUTA <i>Foreign Key</i> | WALUTA | b_waluty.waluta |

| | | |
|-------------------------------|--------------------------|-----------------|
| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| ID_JORG <i>Foreign Key</i> | ID_JORG | b_wjorg.id_jorg |

| | | |
|---------------------------------|--------------------------|---------------------|
| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| ID_OBSZAR <i>Foreign Key</i> | ID_OBSZAR | b_wobszar.id_obszar |

| | | |
|-------------------------------------|--------------------------|-----------------------------|
| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| ID_STANOWISKO <i>Foreign Key</i> | ID_STANOWISKO | b_wstanowisko.id_stanowisko |

| | | |
|---------------------------------|--------------------------|---------------------|
| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| ID_ZRODLO <i>Foreign Key</i> | ID_ZRODLO | b_wzrodlo.id_zrodlo |

| | | |
|--|--|--|
| ZADANIE PODZADANIE KOD_JEDN ROK | ZADANIE PODZADANIE KOD_JEDN ROK | b_zad.zadanie b_zad.podzadanie b_jedn.kod_jedn b_jedn.rok |
|--|--|--|

Outgoing Relations List

| | | |
|---|---|---|
| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
| FK_B_KS_WS | FK_B_KS_WS | B_WS |
| <i>Foreign Key</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| ROK KOD_JEDN NR_DOK DOKTYP NR_KOLEJNY | ROK KOD_JEDN NR_DOK DOKTYP NR_KOLEJNY | b_jedn.rok b_jedn.kod_jedn b_ks_dok.nr_dok b_doktyp.kod b_ksiega.nr_kolejny |

No Constraints

Triggers List

| Trigger Name | Title | Event |
|---------------|---------------|---------------|
| B_au_ksieg | B_au_ksieg | After Update |
| T_ad_b_ksiega | T_ad_b_ksiega | After Delete |
| T_ai_b_ksiega | T_ai_b_ksiega | After Insert |
| T_au_b_ksiega | T_au_b_ksiega | After Update |
| T_bd_b_ksiega | T_bd_b_ksiega | Before Delete |
| T_bi_b_ksiega | T_bi_b_ksiega | Before Insert |
| T_bu_b_ksiega | T_bu_b_ksiega | Before Update |

Trigger B_AU_KSIEG

Title: B_AU_KSIEG
Event: After Update
Action: Use Code
Sequence: 0

Trigger Code:

A
S

```
begin
UPDATE B_ROZLICZ_DOK SET L_NR = NEW.NR_KOLEJNY
WHERE L_NR = OLD.NR_KOLEJNY AND L_ROK = OLD.ROK AND L_KOD_JEDN = OLD.KOD_JEDN;
```

```
UPDATE B_ROZLICZ_DOK SET P_NR = NEW.NR_KOLEJNY
WHERE P_NR = OLD.NR_KOLEJNY AND P_ROK = OLD.ROK AND P_KOD_JEDN = OLD.KOD_JEDN;
```

end

Trigger Comments:

Trigger T_AD_B_KSIEGA

Title: T_AD_B_KSIEGA
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AI_B_KSIEGA

Title: T_AI_B_KSIEGA
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AU_B_KSIEGA

Title: T_AU_B_KSIEGA
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_BD_B_KSIEGA

Title: T_BD_B_KSIEGA
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_BI_B_KSIEGA

Title: T_BI_B_KSIEGA
Event: Before Insert
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_BU_B_KSIEGA

Title: T_BU_B_KSIEGA
Event: Before Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Table Name: B_KTH_BANK

Fields List

| Name | Title | Type | Len | Dec | Null |
|------------|------------|---------|-----|-----|------|
| BANK | BANK | VARCHAR | 100 | 0 | Y |
| ID_RACH | ID_RACH | INTEGER | 0 | 0 | N |
| KONTO | KONTO | VARCHAR | 50 | 0 | Y |
| NR_KONTRAH | NR_KONTRAH | INTEGER | 0 | 0 | N |

Indexes List

| Index Name | Index Key |
|---------------|----------------------|
| PK_B_KTH_BANK | ID_RACH , NR_KONTRAH |

Index PK_B_KTH_BANK

Index Comments:

No Alternate keys

Incoming Relations List

| Relation Name | Relation Title | Parent Table |
|---------------|----------------|--------------|
| FK_B_KTHBANK | FK_B_KTHBANK | B_KONTRA |

Foreign Key

| Fk | Parent Field (Pk) | Ancestor |
|------------|-------------------|--------------------|
| NR_KONTRAH | NR_KONTRAH | b_kontra.nr_kontra |

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|----------------------------------|-----------------|-------|
| T_ad_b_kth_bank After Delete | T_ad_b_kth_bank | |
| T_ai_b_kth_bank After Insert | T_ai_b_kth_bank | |
| T_au_b_kth_bank After Update | T_au_b_kth_bank | |
| T_bd_b_kth_bank Before Delete | T_bd_b_kth_bank | |
| T_bi_b_kth_bank Before Insert | T_bi_b_kth_bank | |
| T_bu_b_kth_bank Before Update | T_bu_b_kth_bank | |

Trigger T_AD_B_KTH_BANK

Title: T_AD_B_KTH_BANK
Event: After Delete **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_AI_B_KTH_BANK

Title: T_AI_B_KTH_BANK
Event: After Insert **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_AU_B_KTH_BANK

Title: T_AU_B_KTH_BANK
Event: After Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BD_B_KTH_BANK

Title: T_BD_B_KTH_BANK
Event: Before Delete **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BI_B_KTH_BANK

Title: T_BI_B_KTH_BANK
Event: Before Insert **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BU_B_KTH_BANK

Title: T_BU_B_KTH_BANK
Event: Before Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Table Name: B_KURSY_WALUT

Fields List

| Name | Title | Type | Len | Dec | Null |
|--------|--------|---------|-----|-----|------|
| DATAOD | DATAOD | DATE | 0 | 0 | N |
| KURS | KURS | NUMERIC | 15 | 6 | Y |
| WALUTA | WALUTA | VARCHAR | 5 | 0 | N |

Indexes List

| Index Name | Index Key |
|------------------|-----------------|
| PK_B_KURSY_WALUT | WALUTA , DATAOD |

Index PK_B_KURSY_WALUT

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|----------------------|-----------------------|---------------------|
| FK_B_KURSY_WALUT | FK_B_KURSY_WALUT | B_WALUTY |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|-----------|--------------------------|-----------------|
| WALUTA | WALUTA | b_waluty.waluta |

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|--------------------------------------|--------------------|--------------|
| T_ad_b_kursy_walut1 After Delete | T_ad_b_kursy_walut | |
| T_ai_b_kursy_walut1 After Insert | T_ai_b_kursy_walut | |
| T_au_b_kursy_walut1 After Update | T_au_b_kursy_walut | |
| T_bd_b_kursy_walut1 Before Delete | T_bd_b_kursy_walut | |
| T_bi_b_kursy_walut1 Before Insert | T_bi_b_kursy_walut | |
| T_bu_b_kursy_walut1 Before Update | T_bu_b_kursy_walut | |

Trigger T_AD_B_KURSY_WALUT1

| | | | | | |
|--------------------------|--------------------|----------------|---------------|------------------|---|
| Title: | T_AD_B_KURSY_WALUT | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Delete | | | | |
| Trigger Code: | | | | | |
| Trigger Comments: | | | | | |

Trigger T_AI_B_KURSY_WALUT1

| | | | | | |
|--------------------------|--------------------|----------------|---------------|------------------|---|
| Title: | T_AI_B_KURSY_WALUT | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Insert | | | | |
| Trigger Code: | | | | | |
| Trigger Comments: | | | | | |

Trigger T_AU_B_KURSY_WALUT1

| | | | | | |
|--------------------------|--------------------|----------------|---------------|------------------|---|
| Title: | T_AU_B_KURSY_WALUT | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Update | | | | |
| Trigger Code: | | | | | |
| Trigger Comments: | | | | | |

Trigger T_BD_B_KURSY_WALUT1

| | | | | | |
|--------------------------|--------------------|----------------|---------------|------------------|---|
| Title: | T_BD_B_KURSY_WALUT | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Delete | | | | |
| Trigger Code: | | | | | |
| Trigger Comments: | | | | | |

Trigger T_BI_B_KURSY_WALUT1

| | | | | | |
|--------------------------|--------------------|----------------|---------------|------------------|---|
| Title: | T_BI_B_KURSY_WALUT | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Insert | | | | |
| Trigger Code: | | | | | |
| Trigger Comments: | | | | | |

Trigger T_BU_B_KURSY_WALUT1

Title: T_BU_B_KURSY_WALUT
Event: Before Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Table Name: B_LK_DEFINICJE

Fields List

| Name | Title | Type | Len | Dec | Null |
|--------|--------|---------|-----|-----|------|
| GLOWNY | GLOWNY | INTEGER | 0 | 0 | Y |
| KOD | KOD | CHAR | 6 | 0 | N |
| NAZWA | NAZWA | CHAR | 30 | 0 | Y |

Indexes List

| Index Name | Index Key |
|-------------------|-----------|
| PK_B_LK_DEFINICJE | KOD |

Index PK_B_LK_DEFINICJE

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|--------------------|--------------------|-------------|
| FK_B_LK_DEFINICJE1 | FK_B_LK_DEFINICJE1 | B_LK_STOS |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|-----|--------------------|----------|
| KOD | KOD | b_lk_definicje.kod | |

No Constraints

Triggers List

| Trigger Name | Title | Event |
|----------------------|---------------------|---------------|
| T_ad_b_lk_definicje1 | T_ad_b_lk_definicje | After Delete |
| T_ai_b_lk_definicje1 | T_ai_b_lk_definicje | After Insert |
| T_au_b_lk_definicje1 | T_au_b_lk_definicje | After Update |
| T_bd_b_lk_definicje1 | T_bd_b_lk_definicje | Before Delete |
| T_bi_b_lk_definicje1 | T_bi_b_lk_definicje | Before Insert |
| T_bu_b_lk_definicje1 | T_bu_b_lk_definicje | Before Update |

Trigger T_AD_B_LK_DEFINICJE1

Title: T_AD_B_LK_DEFINICJE
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_LK_DEFINICJE1

Title: T_AI_B_LK_DEFINICJE
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_LK_DEFINICJE1

Title: T_AU_B_LK_DEFINICJE
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_LK_DEFINICJE1

Title: T_BD_B_LK_DEFINICJE
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_LK_DEFINICJE1

Title: T_BI_B_LK_DEFINICJE
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_LK_DEFINICJE1

Title: T_BU_B_LK_DEFINICJE
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_LK_STOS

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| KOD | KOD | CHAR | 6 | 0 | N |
| STAN | STAN | INTEGER | 0 | 0 | Y |
| WARTOSC | WARTOSC | INTEGER | 0 | 0 | N |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|------------------|
| PK_B_LK_STOS | WARTOSC , KOD |

Index PK_B_LK_STOS

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|----------------------|-----------------------|---------------------|
| FK_B_LK_DEFINICJE1 | FK_B_LK_DEFINICJE1 | B_LK_DEFINICJE |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|-----------|--------------------------|--------------------|
| KOD | KOD | b_lk_definicje.kod |

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|----------------------------------|----------------|--------------|
| T_ad_b_lk_stos1 After Delete | T_ad_b_lk_stos | |
| T_ai_b_lk_stos1 After Insert | T_ai_b_lk_stos | |
| T_au_b_lk_stos1 After Update | T_au_b_lk_stos | |
| T_bd_b_lk_stos1 Before Delete | T_bd_b_lk_stos | |
| T_bi_b_lk_stos1 Before Insert | T_bi_b_lk_stos | |
| T_bu_b_lk_stos1 Before Update | T_bu_b_lk_stos | |

Trigger T_AD_B_LK_STOS1

| | | | | | |
|--------------------------|----------------|----------------|---------------|------------------|---|
| Title: | T_AD_B_LK_STOS | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Delete | | | | |
| Trigger Code: | | | | | |
| Trigger Comments: | | | | | |

Trigger T_AI_B_LK_STOS1

| | | | | | |
|--------------------------|----------------|----------------|---------------|------------------|---|
| Title: | T_AI_B_LK_STOS | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Insert | | | | |
| Trigger Code: | | | | | |
| Trigger Comments: | | | | | |

Trigger T_AU_B_LK_STOS1

| | | | | | |
|--------------------------|----------------|----------------|---------------|------------------|---|
| Title: | T_AU_B_LK_STOS | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Update | | | | |
| Trigger Code: | | | | | |
| Trigger Comments: | | | | | |

Trigger T_BD_B_LK_STOS1

| | | | | | |
|--------------------------|----------------|----------------|---------------|------------------|---|
| Title: | T_BD_B_LK_STOS | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Delete | | | | |
| Trigger Code: | | | | | |
| Trigger Comments: | | | | | |

Trigger T_BI_B_LK_STOS1

| | | | | | |
|--------------------------|----------------|----------------|---------------|------------------|---|
| Title: | T_BI_B_LK_STOS | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Insert | | | | |
| Trigger Code: | | | | | |
| Trigger Comments: | | | | | |

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Trigger T_BU_B_LK_STOS1

Title: T_BU_B_LK_STOS
Event: Before Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Table Name: B_PLAN

Fields List

| Name | Title | Type | Len | Dec | Null |
|---------------|--------------------------------------|-----------|-----|-----|------|
| CZESC | Część | SMALLINT | 0 | 0 | N |
| DATA_DOK | Data dokumentu | TIMESTAMP | 0 | 0 | N |
| DATA_KSIEG | Data księgowania | TIMESTAMP | 0 | 0 | N |
| DATA_SYS | DATA_SYS | DATE | 0 | 0 | Y |
| DOKBP | Klasyfikacja budżetowa/pozabudżetowa | CHAR | 1 | 0 | N |
| DOKDW | Dochód/Wydatek | VARCHAR | 1 | 0 | N |
| DOKTYP | Początkowy/Zwiększenia/Zmniejszenia | CHAR | 1 | 0 | Y |
| DOKWZP | DOKWZP | CHAR | 1 | 0 | Y |
| DZIAL | Dział | SMALLINT | 0 | 0 | N |
| ID_JORG | ID_JORG | INTEGER | 0 | 0 | Y |
| ID_OBSZAR | ID_OBSZAR | INTEGER | 0 | 0 | Y |
| ID_STANOWISKO | ID_STANOWISKO | INTEGER | 0 | 0 | Y |
| ID_ZRODLO | ID_ZRODLO | INTEGER | 0 | 0 | Y |
| KOD_JEDN | Kod wewnętrzny jednostki | SMALLINT | 0 | 0 | N |
| KONTO | nieużywane | VARCHAR | 10 | 0 | Y |
| KWOTA | Kwota | NUMERIC | 15 | 2 | Y |
| NR_DOK | Nr dokumentu | INTEGER | 0 | 0 | N |
| NR_KOLEJNY | Nr kolejnego księgowania | INTEGER | 0 | 0 | N |
| NR_POZ | Nr pozycji w dokumencie | SMALLINT | 0 | 0 | N |
| NR_ZEW | Nr zewnętrzny dokumentu | CHAR | 10 | 0 | Y |
| OPERATOR | Operator dokonujący zmian | CHAR | 5 | 0 | Y |
| PARAGRAF | Paragraf | SMALLINT | 0 | 0 | N |
| PODZADANIE | Numer podzadania w obrębie zadania | INTEGER | 0 | 0 | N |
| POZYCJA | Pozycja | SMALLINT | 0 | 0 | N |
| ROK | Rok obrachunkowy | SMALLINT | 0 | 0 | N |
| ROZDZIAL | Rozdział | INTEGER | 0 | 0 | N |
| STATUS | Status dokumentu | CHAR | 1 | 0 | Y |
| TRESC | Treść dokumentu | CHAR | 40 | 0 | Y |
| TRESCDLUGA | Treść dokumentu | CHAR | 200 | 0 | Y |
| ZADANIE | Numer zadania | INTEGER | 0 | 0 | N |

Indexes List

Index Name

Index Key

PK_B_PLAN ROK , KOD_JEDN , NR_KOLEJNY

Index PK_B_PLAN

Index Comments:

No Alternate keys

Incoming Relations List

Relation Name

Relation Title

Parent Table

| | | |
|----------------|----------------|---------------|
| FK_B_KLAS_PLAN | FK_B_KLAS_PLAN | B_KLAS |
| FK_B_WJ_PL | FK_B_WJ_PL | B_WJORG |
| FK_B_WO_PL | FK_B_WO_PL | B_WOBSZAR |
| FK_B_WS_PL | FK_B_WS_PL | B_WSTANOWISKO |
| FK_B_WZ_PL | FK_B_WZ_PL | B_WZRODLO |
| FK_B_ZAD_PLAN | FK_B_ZAD_PLAN | B_ZAD |

Foreign Key

Fk

Parent Field (Pk)

Ancestor

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

| | | | |
|--|-----------|--|---|
| ROK KOD_JEDN CZESC DZIAL ROZDZIAL PARAGRAF POZYCJA DOKBP DOKDW <i>Foreign Key</i> | <i>Fk</i> | ROK KOD_JEDN CZESC DZIAL ROZDZIAL PARAGRAF POZYCJA BP DW <i>Parent Field (Pk)</i> | b_jedn.rok b_jedn.kod_jedn b_klas.czesc b_klas.dzial b_klas.rozdzial b_klas.paragraf b_klas.pozycja b_klas.bp b_dokdw.kod_dw <i>Ancestor</i> |
| ID_JORG <i>Foreign Key</i> | <i>Fk</i> | ID_JORG <i>Parent Field (Pk)</i> | b_wjorg.id_jorg <i>Ancestor</i> |
| ID_OBSZAR <i>Foreign Key</i> | <i>Fk</i> | ID_OBSZAR <i>Parent Field (Pk)</i> | b_wobszar.id_obszar <i>Ancestor</i> |
| ID_STANOWISKO <i>Foreign Key</i> | <i>Fk</i> | ID_STANOWISKO <i>Parent Field (Pk)</i> | b_wstanowisko.id_stanowisko <i>Ancestor</i> |
| ID_ZRODLO <i>Foreign Key</i> | <i>Fk</i> | ID_ZRODLO <i>Parent Field (Pk)</i> | b_wzrodlo.id_zrodlo <i>Ancestor</i> |
| ZADANIE PODZADANIE KOD_JEDN ROK | | ZADANIE PODZADANIE KOD_JEDN ROK | b_zad.zadanie b_zad.podzadanie b_jedn.kod_jedn b_jedn.rok |

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|------------------------------|--------------|--------------|
| T_ad_b_plan After Delete | T_ad_b_plan | |
| T_ai_b_plan After Insert | T_ai_b_plan | |
| T_au_b_plan After Update | T_au_b_plan | |
| T_bd_b_plan Before Delete | T_bd_b_plan | |
| T_bi_b_plan Before Insert | T_bi_b_plan | |
| T_bu_b_plan Before Update | T_bu_b_plan | |

Trigger T_AD_B_PLAN

Title: T_AD_B_PLAN
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AI_B_PLAN

Title: T_AI_B_PLAN
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AU_B_PLAN

Title: T_AU_B_PLAN
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BD_B_PLAN

Title: T_BD_B_PLAN
Event: Before Delete Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BI_B_PLAN

Title: T_BI_B_PLAN
Event: Before Insert Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BU_B_PLAN

Title: T_BU_B_PLAN
Event: Before Update Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Table Name: B_ROZLICZ_DOK

Fields List

| Name | Title | Type | Len | Dec | Null |
|------------|------------|---------|-----|-----|------|
| KWOTA | KWOTA | NUMERIC | 15 | 2 | Y |
| L_KOD_JEDN | L_KOD_JEDN | INTEGER | 0 | 0 | N |
| L_NR | L_NR | INTEGER | 0 | 0 | N |
| L_ROK | L_ROK | INTEGER | 0 | 0 | N |
| P_KOD_JEDN | P_KOD_JEDN | INTEGER | 0 | 0 | N |
| P_NR | P_NR | INTEGER | 0 | 0 | N |
| P_ROK | P_ROK | INTEGER | 0 | 0 | N |

Indexes List

| Index Name | Index Key |
|------------------|---|
| INX_B_ROZLICZ_L | L_ROK , L_KOD_JEDN , L_NR |
| INX_B_ROZLICZ_P | P_ROK , P_KOD_JEDN , P_NR |
| PK_B_ROZLICZ_DOK | L_ROK , L_NR , P_KOD_JEDN , L_KOD_JEDN , P_ROK , P_NR |

Index PK_B_ROZLICZ_DOK

Index Comments:

Index INX_B_ROZLICZ_L

Index Comments:

Index INX_B_ROZLICZ_P

Index Comments:

No Alternate keys

No Incoming Relations

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|----------------------------------|----------------|-------|
| T_ad_b_parydok1 After Delete | T_ad_b_parydok | |
| T_ai_b_parydok1 After Insert | T_ai_b_parydok | |
| T_au_b_parydok1 After Update | T_au_b_parydok | |
| T_bd_b_parydok1 Before Delete | T_bd_b_parydok | |
| T_bi_b_parydok1 Before Insert | T_bi_b_parydok | |
| T_bu_b_parydok1 Before Update | T_bu_b_parydok | |

Trigger T_AD_B_PARYDOK1

Title: T_AD_B_PARYDOK
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_PARYDOK1

Title: T_AI_B_PARYDOK
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_PARYDOK1

Title: T_AU_B_PARYDOK
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_PARYDOK1

Title: T_BD_B_PARYDOK
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_PARYDOK1

Title: T_BI_B_PARYDOK
Event: Before Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_PARYDOK1

Title: T_BU_B_PARYDOK
Event: Before Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Table Name: B_RZIS

Fields List

| Name | Title | Type | Len | Dec | Null |
|------|-------|------|-----|-----|------|
|------|-------|------|-----|-----|------|

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

| | | | | | |
|----------|----------|---------|---|---|---|
| FOOTER | FOOTER | BLOB | 0 | 0 | Y |
| HEADER | HEADER | BLOB | 0 | 0 | Y |
| ID | ID | INTEGER | 0 | 0 | N |
| KOD_JEDN | KOD_JEDN | INTEGER | 0 | 0 | N |
| ROK | ROK | INTEGER | 0 | 0 | N |

Indexes List

Index Name

Index Key

PK_B_RZiS ID , KOD_JEDN , ROK

Index PK_B_RZiS

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

Relation Name

Relation Title

Child Table

FK_B_RZiS_DATA FK_B_RZiS_DATA B_RZiS_DATA

Foreign Key

Fk

Parent Field (Pk)

Ancestor

| | | |
|----------|----------|-----------------|
| ID | ID | b_rzis.id |
| KOD_JEDN | KOD_JEDN | b_rzis.kod_jedn |
| ROK | ROK | b_rzis.rok |

No Constraints

Triggers List

Trigger Name

Title

Event

| | |
|------------------------------|-----------|
| T_ad_b_bz10 After Delete | T_ad_b_bz |
| T_ai_b_bz10 After Insert | T_ai_b_bz |
| T_au_b_bz10 After Update | T_au_b_bz |
| T_bd_b_bz10 Before Delete | T_bd_b_bz |
| T_bi_b_bz10 Before Insert | T_bi_b_bz |
| T_bu_b_bz10 Before Update | T_bu_b_bz |

Trigger T_AD_B_BZ10

Title: T_AD_B_BZ
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AI_B_BZ10

Title: T_AI_B_BZ
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AU_B_BZ10

Title: T_AU_B_BZ
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_BZ10

Title: T_BD_B_BZ
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_BZ10

Title: T_BI_B_BZ
Event: Before Insert **Action:** Use Code **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_BZ10

Title: T_BU_B_BZ
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_RZiS_DATA

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| FLAGA | FLAGA | VARCHAR | 1 | 0 | N |
| ID | ID | INTEGER | 0 | 0 | N |
| KOD_JEDN | KOD_JEDN | INTEGER | 0 | 0 | N |
| LP | LP | INTEGER | 0 | 0 | N |
| ROK | ROK | INTEGER | 0 | 0 | N |
| ROK_B | ROK_B | VARCHAR | 200 | 0 | Y |
| ROK_P | ROK_P | VARCHAR | 200 | 0 | Y |
| TRESC | TRESC | VARCHAR | 200 | 0 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|----------------------------------|
| PK_B_RZiS_DATA | ID , KOD_JEDN , ROK , FLAGA , LP |

Index PK_B_RZiS_DATA

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|----------------------|-----------------------|---------------------|
| FK_B_RZiS_DATA | FK_B_RZiS_DATA | B_RZiS |

Foreign Key

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

| Fk | Parent Field (Pk) | Ancestor |
|-----------------------|-----------------------|--|
| ID KOD_JEDN ROK | ID KOD_JEDN ROK | b_rzis.id b_rzis.kod_jedn b_rzis.rok |

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|-----------------------------------|----------------|-------|
| T_ad_b_bz_data10 After Delete | T_ad_b_bz_data | |
| T_ai_b_bz_data10 After Insert | T_ai_b_bz_data | |
| T_au_b_bz_data10 After Update | T_au_b_bz_data | |
| T_bd_b_bz_data10 Before Delete | T_bd_b_bz_data | |
| T_bi_b_bz_data10 Before Insert | T_bi_b_bz_data | |
| T_bu_b_bz_data10 Before Update | T_bu_b_bz_data | |

Trigger T_AD_B_BZ_DATA10

Title: T_AD_B_BZ_DATA
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_BZ_DATA10

Title: T_AI_B_BZ_DATA
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_BZ_DATA10

Title: T_AU_B_BZ_DATA
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_BZ_DATA10

Title: T_BD_B_BZ_DATA
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_BZ_DATA10

Title: T_BI_B_BZ_DATA
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_BZ_DATA10

Title: T_BU_B_BZ_DATA
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Table Name: **B_SCH_PK**

Fields List

| Name | Title | Type | Len | Dec | Null |
|-------------|-------------|----------|-----|-----|------|
| KOD_JEDN | KOD_JEDN | SMALLINT | 0 | 0 | N |
| NAKONTO | NAKONTO | INTEGER | 0 | 0 | N |
| NASUBKONTO1 | NASUBKONTO1 | INTEGER | 0 | 0 | N |
| NASUBKONTO2 | NASUBKONTO2 | INTEGER | 0 | 0 | N |
| NASUBKONTO3 | NASUBKONTO3 | INTEGER | 0 | 0 | N |
| NASUBKONTO4 | NASUBKONTO4 | INTEGER | 0 | 0 | N |
| NASUBKONTO5 | NASUBKONTO5 | INTEGER | 0 | 0 | N |
| NASUBKONTO6 | NASUBKONTO6 | INTEGER | 0 | 0 | N |
| NASUBKONTO7 | NASUBKONTO7 | INTEGER | 0 | 0 | N |
| NASUBKONTO8 | NASUBKONTO8 | INTEGER | 0 | 0 | N |
| NASUBKONTO9 | NASUBKONTO9 | INTEGER | 0 | 0 | N |
| ZKONTO | ZKONTO | INTEGER | 0 | 0 | N |
| ZSUBKONTO1 | ZSUBKONTO1 | INTEGER | 0 | 0 | N |
| ZSUBKONTO2 | ZSUBKONTO2 | INTEGER | 0 | 0 | N |
| ZSUBKONTO3 | ZSUBKONTO3 | INTEGER | 0 | 0 | N |
| ZSUBKONTO4 | ZSUBKONTO4 | INTEGER | 0 | 0 | N |
| ZSUBKONTO5 | ZSUBKONTO5 | INTEGER | 0 | 0 | N |
| ZSUBKONTO6 | ZSUBKONTO6 | INTEGER | 0 | 0 | N |
| ZSUBKONTO7 | ZSUBKONTO7 | INTEGER | 0 | 0 | N |
| ZSUBKONTO8 | ZSUBKONTO8 | INTEGER | 0 | 0 | N |
| ZSUBKONTO9 | ZSUBKONTO9 | INTEGER | 0 | 0 | N |

Indexes List

Index Name

Index Key

PK_B_SCH_PK

KOD_JEDN , NAKONTO , NASUBKONTO1 , NASUBKONTO2

Index PK_B_SCH_PK

Index Comments:

No Alternate keys

No Incoming Relations

No Outgoing Relations

No Constraints

Triggers List

Trigger Name

Title

Event

| | | |
|----------------|---------------|--|
| T_ad_b_sch_pk1 | T_ad_b_sch_pk | |
| After Delete | | |
| T_ai_b_sch_pk1 | T_ai_b_sch_pk | |
| After Insert | | |
| T_au_b_sch_pk1 | T_au_b_sch_pk | |
| After Update | | |
| T_bd_b_sch_pk1 | T_bd_b_sch_pk | |
| Before Delete | | |
| T_bi_b_sch_pk1 | T_bi_b_sch_pk | |
| Before Insert | | |
| T_bu_b_sch_pk1 | T_bu_b_sch_pk | |
| Before Update | | |

Trigger T_AD_B_SCH_PK1

Title: T_AD_B_SCH_PK
Event: After Delete

Action: Auto Generate

Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_AI_B_SCH_PK1

Title: T_AI_B_SCH_PK
Event: After Insert Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_AU_B_SCH_PK1

Title: T_AU_B_SCH_PK
Event: After Update Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BD_B_SCH_PK1

Title: T_BD_B_SCH_PK
Event: Before Delete Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BI_B_SCH_PK1

Title: T_BI_B_SCH_PK
Event: Before Insert Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BU_B_SCH_PK1

Title: T_BU_B_SCH_PK
Event: Before Update Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Table Name: B_SCZESC

Fields List

| Name | Title | Type | Len | Dec | Null |
|------------|------------|----------|-----|-----|------|
| CZESC | CZESC | SMALLINT | 0 | 0 | N |
| NAZWA | NAZWA | CHAR | 30 | 0 | Y |
| NAZWADLUGA | NAZWADLUGA | CHAR | 200 | 0 | Y |
| ROK | ROK | NUMERIC | 4 | 0 | N |

Indexes List

| Index Name | Index Key |
|-------------|-------------|
| PK_B_SCZESC | CZESC , ROK |

Index PK_B_SCZESC

Index Comments:

No Alternate keys

No Incoming Relations

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|--------------------------------|--------------|--------------|
| T_ad_b_szesc1 After Delete | T_ad_b_szesc | |
| T_ai_b_szesc1 After Insert | T_ai_b_szesc | |
| T_au_b_szesc1 After Update | T_au_b_szesc | |
| T_bd_b_szesc1 Before Delete | T_bd_b_szesc | |
| T_bi_b_szesc1 Before Insert | T_bi_b_szesc | |
| T_bu_b_szesc1 Before Update | T_bu_b_szesc | |

Trigger T_AD_B_SZESC1

Title: T_AD_B_SZESC
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_SZESC1

Title: T_AI_B_SZESC
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_SZESC1

Title: T_AU_B_SZESC
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_SZESC1

Title: T_BD_B_SZESC
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_SZESC1

Title: T_BI_B_SZESC
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_SZESC1

Title: T_BU_B_SZESC
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_SDZIAL

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Fields List

| Name | Title | Type | Len | Dec | Null |
|------------|------------|----------|-----|-----|------|
| DZIAL | DZIAL | SMALLINT | 0 | 0 | N |
| NAZWA | NAZWA | CHAR | 30 | 0 | Y |
| NAZWADLUGA | NAZWADLUGA | CHAR | 200 | 0 | Y |
| ROK | ROK | NUMERIC | 4 | 0 | N |

Indexes List

| Index Name | Index Key |
|-------------|-------------|
| PK_B_SDZIAL | DZIAL , ROK |

Index PK_B_SDZIAL

Index Comments:

No Alternate keys

No Incoming Relations

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|----------------|---------------|---------------|
| T_ad_b_sdzial1 | T_ad_b_sdzial | After Delete |
| T_ai_b_sdzial1 | T_ai_b_sdzial | After Insert |
| T_au_b_sdzial1 | T_au_b_sdzial | After Update |
| T_bd_b_sdzial1 | T_bd_b_sdzial | Before Delete |
| T_bi_b_sdzial1 | T_bi_b_sdzial | Before Insert |
| T_bu_b_sdzial1 | T_bu_b_sdzial | Before Update |

Trigger T_AD_B_SDZIAL1

Title: T_AD_B_SDZIAL
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AI_B_SDZIAL1

Title: T_AI_B_SDZIAL
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AU_B_SDZIAL1

Title: T_AU_B_SDZIAL
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_BD_B_SDZIAL1

Title: T_BD_B_SDZIAL
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_SDZIAL1

Title: T_BI_B_SDZIAL
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_SDZIAL1

Title: T_BU_B_SDZIAL
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_SKID

Fields List

| Name | Title | Type | Len | Dec | Null |
|-------|-------|---------|-----|-----|------|
| NAZWA | NAZWA | VARCHAR | 10 | 0 | Y |
| TYPID | TYPID | VARCHAR | 3 | 0 | N |

Indexes List

| Index Name | Index Key |
|------------|-----------|
| PK_B_SKID | TYPID |

Index PK_B_SKID

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|---------------|----------------|-------------|
| FK_B_SKID_KH | FK_B_SKID_KH | B_KONTRA |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|-------|-------------------|----------|
| TYPID | TYPID | b_skid.typid | |

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|---------------------|--------------|---------------|
| T_ad_b_skid | T_ad_b_skid | After Delete |
| T_ai_b_skid | T_ai_b_skid | After Insert |
| T_au_b_skid | T_au_b_skid | After Update |
| T_bd_b_skid | T_bd_b_skid | Before Delete |
| T_bi_b_skid | T_bi_b_skid | Before Insert |
| T_bu_b_skid | T_bu_b_skid | Before Update |

Trigger T_AD_B_SKID

Title: T_AD_B_SKID
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_SKID

Title: T_AI_B_SKID
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_SKID

Title: T_AU_B_SKID
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_SKID

Title: T_BD_B_SKID
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_SKID

Title: T_BI_B_SKID
Event: Before Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_SKID

Title: T_BU_B_SKID
Event: Before Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Table Name: B_SLO_DATA

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| ID_SLO | ID_SLO | VARCHAR | 5 | 0 | N |
| ID_SLO_POZ | ID_SLO_POZ | INTEGER | 0 | 0 | N |
| KOD_JEDN | KOD_JEDN | INTEGER | 0 | 0 | N |
| OPIŚ | OPIŚ | VARCHAR | 200 | 0 | Y |
| ROK | ROK | INTEGER | 0 | 0 | N |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|--------------------------------------|
| PK_B_SLO_DATA | ID_SLO , KOD_JEDN , ROK , ID_SLO_POZ |

Index PK_B_SLO_DATA

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|----------------------|-----------------------|---------------------|
| FK_B_SLO_DATA | FK_B_SLO_DATA | B_SLOWNIKI |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|---------------------------|---------------------------|--|
| ID_SLO KOD_JEDN ROK | ID_SLO KOD_JEDN ROK | b_slowniki.id_slo b_slowniki.kod_jedn b_slowniki.rok |

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|-----------------------------------|-----------------|--------------|
| T_ad_b_slo_data1 After Delete | T_ad_b_slo_data | |
| T_ai_b_slo_data1 After Insert | T_ai_b_slo_data | |
| T_au_b_slo_data1 After Update | T_au_b_slo_data | |
| T_bd_b_slo_data1 Before Delete | T_bd_b_slo_data | |
| T_bi_b_slo_data1 Before Insert | T_bi_b_slo_data | |
| T_bu_b_slo_data1 Before Update | T_bu_b_slo_data | |

Trigger T_AD_B_SLO_DATA1

| | | | | | |
|---------------|-----------------|----------------|---------------|------------------|---|
| Title: | T_AD_B_SLO_DATA | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Delete | | | | |

Trigger

Code:

Trigger Comments:

Trigger T_AI_B_SLO_DATA1

| | | | | | |
|---------------|-----------------|----------------|---------------|------------------|---|
| Title: | T_AI_B_SLO_DATA | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Insert | | | | |

Trigger

Code:

Trigger Comments:

Trigger T_AU_B_SLO_DATA1

| | | | | | |
|---------------|-----------------|----------------|---------------|------------------|---|
| Title: | T_AU_B_SLO_DATA | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Update | | | | |

Trigger
Code:
Trigger Comments:

Trigger T_BD_B_SLO_DATA1

Title: T_BD_B_SLO_DATA
Event: Before Delete Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BI_B_SLO_DATA1

Title: T_BI_B_SLO_DATA
Event: Before Insert Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BU_B_SLO_DATA1

Title: T_BU_B_SLO_DATA
Event: Before Update Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Table Name: B_SLOGRKH

Fields List

| Name | Title | Type | Len | Dec | Null |
|------|-------|---------|-----|-----|------|
| KOD | KOD | VARCHAR | 10 | 0 | N |
| OPIŚ | OPIŚ | VARCHAR | 100 | 0 | Y |

Indexes List

| Index Name | Index Key |
|--------------|-----------|
| PK_B_SLOGRKH | KOD |

PK_B_SLOGRKH

KOD

Index PK_B_SLOGRKH

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|-------------------|-------------------|-------------|
| FK_B_SLOGRKH_GRKH | FK_B_SLOGRKH_GRKH | B_GRKH |

FK_B_SLOGRKH_GRKH

FK_B_SLOGRKH_GRKH

B_GRKH

Foreign Key

Fk

Parent Field (Pk)

Ancestor

KOD

KOD

b_slogrkh.kod

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|---------------------|----------------|---------------|
| T_ad_b_slogrkh | T_ad_b_slogrkh | After Delete |
| T_ai_b_slogrkh | T_ai_b_slogrkh | After Insert |
| T_au_b_slogrkh | T_au_b_slogrkh | After Update |
| T_bd_b_slogrkh | T_bd_b_slogrkh | Before Delete |
| T_bi_b_slogrkh | T_bi_b_slogrkh | Before Insert |
| T_bu_b_slogrkh | T_bu_b_slogrkh | Before Update |

Trigger T_AD_B_SLOGRKH

Title: T_AD_B_SLOGRKH
Event: After Delete
Action: Auto Generate
Sequence: 0
Trigger Code:
Trigger Comments:

Trigger T_AI_B_SLOGRKH

Title: T_AI_B_SLOGRKH
Event: After Insert
Action: Auto Generate
Sequence: 0
Trigger Code:
Trigger Comments:

Trigger T_AU_B_SLOGRKH

Title: T_AU_B_SLOGRKH
Event: After Update
Action: Auto Generate
Sequence: 0
Trigger Code:
Trigger Comments:

Trigger T_BD_B_SLOGRKH

Title: T_BD_B_SLOGRKH
Event: Before Delete
Action: Auto Generate
Sequence: 0
Trigger Code:
Trigger Comments:

Trigger T_BI_B_SLOGRKH

Title: T_BI_B_SLOGRKH
Event: Before Insert
Action: Auto Generate
Sequence: 0
Trigger Code:
Trigger Comments:

Trigger T_BU_B_SLOGRKH

Title: T_BU_B_SLOGRKH
Event: Before Update
Action: Auto Generate
Sequence: 0
Trigger Code:
Trigger Comments:

Table Name: B_SLOWNIKI

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| ID_SLO | ID_SLO | VARCHAR | 5 | 0 | N |
| KOD_JEDN | KOD_JEDN | INTEGER | 0 | 0 | N |
| NAZWA | NAZWA | VARCHAR | 50 | 0 | Y |
| ROK | ROK | INTEGER | 0 | 0 | N |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|-------------------------|
| PK_B_SLOWNIKI | ID_SLO , KOD_JEDN , ROK |

Index PK_B_SLOWNIKI

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|----------------------|-----------------------|--------------------|
| FK_B_SLO_DATA | FK_B_SLO_DATA | B_SLO_DATA |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|---------------------------|---------------------------|--|
| ID_SLO KOD_JEDN ROK | ID_SLO KOD_JEDN ROK | b_slowniki.id_slo b_slowniki.kod_jedn b_slowniki.rok |

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|-----------------------------------|-----------------|--------------|
| T_ad_b_slowniki1 After Delete | T_ad_b_slowniki | |
| T_ai_b_slowniki1 After Insert | T_ai_b_slowniki | |
| T_au_b_slowniki1 After Update | T_au_b_slowniki | |
| T_bd_b_slowniki1 Before Delete | T_bd_b_slowniki | |
| T_bi_b_slowniki1 Before Insert | T_bi_b_slowniki | |
| T_bu_b_slowniki1 Before Update | T_bu_b_slowniki | |

Trigger T_AD_B_SLOWNIKI1

| | | | | | |
|---------------|-----------------|----------------|---------------|------------------|---|
| Title: | T_AD_B_SLOWNIKI | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Delete | | | | |

Trigger

Code:

Trigger Comments:

Trigger T_AI_B_SLOWNIKI1

| | | | | | |
|---------------|-----------------|----------------|---------------|------------------|---|
| Title: | T_AI_B_SLOWNIKI | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Insert | | | | |

Trigger

Code:

Trigger Comments:

Trigger T_AU_B_SLOWNIKI1

| | | | | | |
|---------------|-----------------|----------------|---------------|------------------|---|
| Title: | T_AU_B_SLOWNIKI | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Update | | | | |

Trigger
Code:
Trigger Comments:

Trigger T_BD_B_SLOWNIKI

Title: T_BD_B_SLOWNIKI
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger
Code:
Trigger Comments:

Trigger T_BI_B_SLOWNIKI

Title: T_BI_B_SLOWNIKI
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger
Code:
Trigger Comments:

Trigger T_BU_B_SLOWNIKI

Title: T_BU_B_SLOWNIKI
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger
Code:
Trigger Comments:

Table Name: B_SPAR

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| DW | DW | CHAR | 1 | 0 | N |
| NAZWA | NAZWA | CHAR | 30 | 0 | Y |
| NAZWADLUGA | NAZWADLUGA | CHAR | 200 | 0 | Y |
| PARAGRAF | PARAGRAF | SMALLINT | 0 | 0 | N |
| ROK | ROK | NUMERIC | 4 | 0 | N |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|---------------------|
| PK_B_SPAR | PARAGRAF , DW , ROK |

Index PK_B_SPAR

Index Comments:

No Alternate keys

No Incoming Relations

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|---------------------|--------------|--------------|
|---------------------|--------------|--------------|

| | |
|-------------------------------|-------------|
| T_ad_b_spar1 After Delete | T_ad_b_spar |
| T_ai_b_spar1 After Insert | T_ai_b_spar |
| T_au_b_spar1 After Update | T_au_b_spar |
| T_bd_b_spar1 Before Delete | T_bd_b_spar |
| T_bi_b_spar1 Before Insert | T_bi_b_spar |
| T_bu_b_spar1 Before Update | T_bu_b_spar |

Trigger T_AD_B_SPAR1

| | | | | | |
|---------------|--------------|----------------|---------------|------------------|---|
| Title: | T_AD_B_SPAR | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Delete | | | | |

Trigger Code:
Trigger Comments:

Trigger T_AI_B_SPAR1

| | | | | | |
|---------------|--------------|----------------|---------------|------------------|---|
| Title: | T_AI_B_SPAR | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Insert | | | | |

Trigger Code:
Trigger Comments:

Trigger T_AU_B_SPAR1

| | | | | | |
|---------------|--------------|----------------|---------------|------------------|---|
| Title: | T_AU_B_SPAR | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Update | | | | |

Trigger Code:
Trigger Comments:

Trigger T_BD_B_SPAR1

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_BD_B_SPAR | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Delete | | | | |

Trigger Code:
Trigger Comments:

Trigger T_BI_B_SPAR1

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_BI_B_SPAR | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Insert | | | | |

Trigger Code:
Trigger Comments:

Trigger T_BU_B_SPAR1

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_BU_B_SPAR | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Update | | | | |

Trigger Code:
Trigger Comments:

Table Name: B_SPRWB

Fields List

| Name | Title | Type | Len | Dec | Null |
|------------|------------|----------|-----|-----|------|
| KOD | KOD | CHAR | 4 | 0 | Y |
| KOD_JEDN | KOD_JEDN | SMALLINT | 0 | 0 | N |
| KWARTAL | KWARTAL | CHAR | 1 | 0 | N |
| KWPLAN | KWPLAN | NUMERIC | 15 | 2 | Y |
| LP | LP | SMALLINT | 0 | 0 | N |
| PNAZWA | PNAZWA | CHAR | 20 | 0 | Y |
| ROK | ROK | SMALLINT | 0 | 0 | N |
| SKUTKI_ST | SKUTKI_ST | NUMERIC | 15 | 2 | Y |
| SKUTKI_ULG | SKUTKI_ULG | NUMERIC | 15 | 2 | Y |
| WYKONANIE | WYKONANIE | NUMERIC | 15 | 2 | Y |
| ZAKRES | ZAKRES | CHAR | 1 | 0 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|-------------------------------|
| PK_B_SPRWB | LP , ROK , KWARTAL , KOD_JEDN |

Index PK_B_SPRWB

Index Comments:

No Alternate keys

No Incoming Relations

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|--------------------------------|--------------|--------------|
| T_ad_b_sprwb1 After Delete | T_ad_b_sprwb | |
| T_ai_b_sprwb1 After Insert | T_ai_b_sprwb | |
| T_au_b_sprwb1 After Update | T_au_b_sprwb | |
| T_bd_b_sprwb1 Before Delete | T_bd_b_sprwb | |
| T_bi_b_sprwb1 Before Insert | T_bi_b_sprwb | |
| T_bu_b_sprwb1 Before Update | T_bu_b_sprwb | |

Trigger T_AD_B_SPRWB1

Title: T_AD_B_SPRWB
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_SPRWB1

Title: T_AI_B_SPRWB
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_SPRWB1

Title: T_AU_B_SPRWB
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_SPRWB1

Title: T_BD_B_SPRWB
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_SPRWB1

Title: T_BI_B_SPRWB
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_SPRWB1

Title: T_BU_B_SPRWB
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_SPRWDOCH

Fields List

| Name | Title | Type | Len | Dec | Null |
|------------|------------|----------|-----|-----|------|
| KOD | KOD | CHAR | 4 | 0 | Y |
| KOD_JEDN | KOD_JEDN | SMALLINT | 0 | 0 | N |
| KWARTAL | KWARTAL | CHAR | 1 | 0 | N |
| KWPLAN | KWPLAN | NUMERIC | 15 | 2 | Y |
| LP | LP | SMALLINT | 0 | 0 | N |
| PNAZWA | PNAZWA | CHAR | 40 | 0 | Y |
| ROK | ROK | SMALLINT | 0 | 0 | N |
| SKUTKI_ST | SKUTKI_ST | NUMERIC | 15 | 2 | Y |
| SKUTKI_ULG | SKUTKI_ULG | NUMERIC | 15 | 2 | Y |
| WYKONANIE | WYKONANIE | NUMERIC | 15 | 2 | Y |
| ZAKRES | ZAKRES | CHAR | 1 | 0 | Y |

Indexes List

| Index Name | Index Key |
|---------------|-------------------------------|
| PK_B_SPRWDOCH | LP , ROK , KWARTAL , KOD_JEDN |

Index PK_B_SPRWDOCH

Index Comments:

No Alternate keys

No Incoming Relations

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|-----------------------------------|-----------------|-------|
| T_ad_b_sprwdoch1 After Delete | T_ad_b_sprwdoch | |
| T_ai_b_sprwdoch1 After Insert | T_ai_b_sprwdoch | |
| T_au_b_sprwdoch1 After Update | T_au_b_sprwdoch | |
| T_bd_b_sprwdoch1 Before Delete | T_bd_b_sprwdoch | |

| | |
|-----------------------------------|-----------------|
| T_bi_b_sprwdoch1 Before Insert | T_bi_b_sprwdoch |
| T_bu_b_sprwdoch1 Before Update | T_bu_b_sprwdoch |

Trigger T_AD_B_SPRWDOCH1

Title: T_AD_B_SPRWDOCH
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_SPRWDOCH1

Title: T_AI_B_SPRWDOCH
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_SPRWDOCH1

Title: T_AU_B_SPRWDOCH
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_SPRWDOCH1

Title: T_BD_B_SPRWDOCH
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_SPRWDOCH1

Title: T_BI_B_SPRWDOCH
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_SPRWDOCH1

Title: T_BU_B_SPRWDOCH
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_SROZDZ

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| NAZWA | NAZWA | CHAR | 30 | 0 | Y |
| NAZWADLUGA | NAZWADLUGA | CHAR | 200 | 0 | Y |
| ROK | ROK | NUMERIC | 4 | 0 | N |
| ROZDZIAL | ROZDZIAL | INTEGER | 0 | 0 | N |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|------------------|
| PK_B_SROZDZ | ROZDZIAL , ROK |

Index PK_B_SROZDZ

Index Comments:

No Alternate keys

No Incoming Relations

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|--------------------------------|--------------|--------------|
| T_ad_b_srozd1 After Delete | T_ad_b_srozd | |
| T_ai_b_srozd1 After Insert | T_ai_b_srozd | |
| T_au_b_srozd1 After Update | T_au_b_srozd | |
| T_bd_b_srozd1 Before Delete | T_bd_b_srozd | |
| T_bi_b_srozd1 Before Insert | T_bi_b_srozd | |
| T_bu_b_srozd1 Before Update | T_bu_b_srozd | |

Trigger T_AD_B_SROZDZ1

Title: T_AD_B_SROZDZ
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_SROZDZ1

Title: T_AI_B_SROZDZ
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_SROZDZ1

Title: T_AU_B_SROZDZ
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_SROZDZ1

Title: T_BD_B_SROZDZ
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_SROZDZ1

Title: T_BI_B_SROZDZ
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_SROZDZ1

Title: T_BU_B_SROZDZ
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger
Code:
Trigger Comments:

Table Name: **B_STATR**

Fields List

| Name | Title | Type | Len | Dec | Null |
|----------|-------------------------------------|----------|-----|-----|------|
| KOD_JEDN | Kod wewnętrzny jednostki | SMALLINT | 0 | 0 | N |
| MIESIAC | Miesiąc | SMALLINT | 0 | 0 | N |
| ROK | Rok obrachunkowy | SMALLINT | 0 | 0 | N |
| STATUS | Status miesiąca (otwarty/zamknięty) | CHAR | 1 | 0 | N |

Indexes List

| Index Name | Index Key |
|------------|-----------|
|------------|-----------|

| | |
|------------|--------------------------|
| PK_B_STATR | KOD_JEDN , ROK , MIESIAC |
|------------|--------------------------|

Index PK_B_STATR

Index Comments:

No Alternate keys

Incoming Relations List

| Relation Name | Relation Title | Parent Table |
|----------------|----------------|--------------|
| FK_B_JEDN_STAT | FK_B_JEDN_STAT | B_JEDN |

Foreign Key

| Fk | Parent Field (Pk) | Ancestor |
|----------|-------------------|-----------------|
| KOD_JEDN | KOD_JEDN | b_jedn.kod_jedn |
| ROK | ROK | b_jedn.rok |

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|--------------|--------------|---------------|
| T_ad_b_statr | T_ad_b_statr | After Delete |
| T_ai_b_statr | T_ai_b_statr | After Insert |
| T_au_b_statr | T_au_b_statr | After Update |
| T_bd_b_statr | T_bd_b_statr | Before Delete |
| T_bi_b_statr | T_bi_b_statr | Before Insert |
| T_bu_b_statr | T_bu_b_statr | Before Update |

Trigger T_AD_B_STATR

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Title: T_AD_B_STATR
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_STATR

Title: T_AI_B_STATR
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_STATR

Title: T_AU_B_STATR
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_STATR

Title: T_BD_B_STATR
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_STATR

Title: T_BI_B_STATR
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_STATR

Title: T_BU_B_STATR
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_SWS

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| G1 | G1 | VARCHAR | 2 | 0 | Y |
| G2 | G2 | VARCHAR | 2 | 0 | Y |
| G3 | G3 | VARCHAR | 2 | 0 | Y |
| G4 | G4 | VARCHAR | 2 | 0 | Y |
| G5 | G5 | VARCHAR | 2 | 0 | Y |
| ID_WS | ID_WS | VARCHAR | 10 | 0 | N |
| NAZWA | NAZWA | VARCHAR | 250 | 0 | Y |
| ROK | ROK | SMALLINT | 0 | 0 | N |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|------------------|
| PK_B_SWS | ROK , ID_WS |

Index PK_B_SWS

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|---------------|----------------|-------------|
| FK_B_SWS_WS | FK_B_SWS_WS | B_WS |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|----|-------------------|-------------|
| ID_WS | | ID_WS | b_sws.id_ws |
| ROK | | ROK | b_sws.rok |

No Constraints

Triggers List

| Trigger Name | Title | Event |
|-----------------------------|------------|-------|
| T_ad_b_sws After Delete | T_ad_b_sws | |
| T_ai_b_sws After Insert | T_ai_b_sws | |
| T_au_b_sws After Update | T_au_b_sws | |
| T_bd_b_sws Before Delete | T_bd_b_sws | |
| T_bi_b_sws Before Insert | T_bi_b_sws | |
| T_bu_b_sws Before Update | T_bu_b_sws | |

Trigger T_AD_B_SWS

Title: T_AD_B_SWS
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_SWS

Title: T_AI_B_SWS
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_SWS

Title: T_AU_B_SWS
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_SWS

Title: T_BD_B_SWS
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_SWS

Title: T_BI_B_SWS
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger

Code:
Trigger Comments:

Trigger T_BU_B_SWS

Title: T_BU_B_SWS
Event: Before Update Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Table Name: **B_TYPKWOTA**

Fields List

| Name | Title | Type | Len | Dec | Null |
|--------|--------|------|-----|-----|------|
| OPIS | OPIS | CHAR | 30 | 0 | N |
| TYP_KW | TYP_KW | CHAR | 2 | 0 | N |

Indexes List

| Index Name | Index Key |
|---------------|-----------|
| PK_B_TYPKWOTA | TYP_KW |

Index PK_B_TYPKWOTA

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|---------------|----------------|-------------|
| FK_B_AS_TK | FK_B_AS_TK | B_ADEKR |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|--------|-------------------|----------|
| TYP_KW | TYP_KW | b_typkwota.typ_kw | |

No Constraints

Triggers List

| Trigger Name | Title | Event |
|-----------------------------------|-----------------|-------|
| T_ad_b_typkwota1 After Delete | T_ad_b_typkwota | |
| T_ai_b_typkwota1 After Insert | T_ai_b_typkwota | |
| T_au_b_typkwota1 After Update | T_au_b_typkwota | |
| T_bd_b_typkwota1 Before Delete | T_bd_b_typkwota | |
| T_bi_b_typkwota1 Before Insert | T_bi_b_typkwota | |
| T_bu_b_typkwota1 Before Update | T_bu_b_typkwota | |

Trigger T_AD_B_TYPKWOTA1

Title: T_AD_B_TYPKWOTA
Event: After Delete **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_AI_B_TYPKWOTA1

Title: T_AI_B_TYPKWOTA
Event: After Insert **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_AU_B_TYPKWOTA1

Title: T_AU_B_TYPKWOTA
Event: After Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BD_B_TYPKWOTA1

Title: T_BD_B_TYPKWOTA
Event: Before Delete **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BI_B_TYPKWOTA1

Title: T_BI_B_TYPKWOTA
Event: Before Insert **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BU_B_TYPKWOTA1

Title: T_BU_B_TYPKWOTA
Event: Before Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Table Name: B_UFV_DEKR

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| ID_DEKR | ID_DEKR | INTEGER | 0 | 0 | N |
| ID_SCHEM | ID_SCHEM | INTEGER | 0 | 0 | N |
| KONTOMA | KONTOMA | VARCHAR | 40 | 0 | Y |
| KONTOWN | KONTOWN | VARCHAR | 40 | 0 | Y |
| KONTR_MA | KONTR_MA | INTEGER | 0 | 0 | Y |
| KONTR_WN | KONTR_WN | INTEGER | 0 | 0 | Y |
| TYP_KWOTY | TYP_KWOTY | VARCHAR | 1 | 0 | Y |
| ZRODLO | ZRODLO | VARCHAR | 1 | 0 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|--------------------|
| PK_B_UFV_DEKR | ID_DEKR , ID_SCHEM |

Index PK_B_UFV_DEKR

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|----------------------|-----------------------|---------------------|
| FK_UFV_SCH_DEKR | FK_UFV_SCH_DEKR | B_UFV_SCH |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|-----------|--------------------------|--------------------|
| ID_SCHEM | ID_SCHEM | b_ufv_sch.id_schem |

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|----------------------------------|-----------------|--------------|
| T_ad_b_ufv_dekr After Delete | T_ad_b_ufv_dekr | |
| T_ai_b_ufv_dekr After Insert | T_ai_b_ufv_dekr | |
| T_au_b_ufv_dekr After Update | T_au_b_ufv_dekr | |
| T_bd_b_ufv_dekr Before Delete | T_bd_b_ufv_dekr | |
| T_bi_b_ufv_dekr Before Insert | T_bi_b_ufv_dekr | |
| T_bu_b_ufv_dekr Before Update | T_bu_b_ufv_dekr | |

Trigger T_AD_B_UFV_DEKR

Title: T_AD_B_UFV_DEKR
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AI_B_UFV_DEKR

Title: T_AI_B_UFV_DEKR
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_AU_B_UFV_DEKR

Title: T_AU_B_UFV_DEKR
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_BD_B_UFV_DEKR

Title: T_BD_B_UFV_DEKR
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger

Code:

Trigger Comments:

Trigger T_BI_B_UFV_DEKR

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Title: T_BI_B_UFV_DEKR
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_UFV_DEKR

Title: T_BU_B_UFV_DEKR
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_UFV_SCH

Fields List

| Name | Title | Type | Len | Dec | Null |
|----------|----------|---------|-----|-----|------|
| ID_SCHEM | ID_SCHEM | INTEGER | 0 | 0 | N |
| NAZWA | NAZWA | VARCHAR | 20 | 0 | Y |

Indexes List

| Index Name | Index Key |
|--------------|-----------|
| PK_B_UFV_SCH | ID_SCHEM |

Index PK_B_UFV_SCH

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|-----------------|-----------------|-------------|
| FK_UFV_SCH_DEKR | FK_UFV_SCH_DEKR | B_UFV_DEKR |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|----------|--------------------|----------|
| ID_SCHEM | ID_SCHEM | b_ufv_sch.id_schem | |

No Constraints

Triggers List

| Trigger Name | Title | Event |
|----------------|----------------|-------|
| T_ad_b_ufv_sch | T_ad_b_ufv_sch | |
| After Delete | | |
| T_ai_b_ufv_sch | T_ai_b_ufv_sch | |
| After Insert | | |
| T_au_b_ufv_sch | T_au_b_ufv_sch | |
| After Update | | |
| T_bd_b_ufv_sch | T_bd_b_ufv_sch | |
| Before Delete | | |

| | |
|----------------|----------------|
| T_bi_b_ufv_sch | T_bi_b_ufv_sch |
| Before Insert | |
| T_bu_b_ufv_sch | T_bu_b_ufv_sch |
| Before Update | |

Trigger T_AD_B_UFV_SCH

| | | | | | |
|---------------|----------------|----------------|---------------|------------------|---|
| Title: | T_AD_B_UFV_SCH | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Delete | | | | |

Trigger Code:
Trigger Comments:

Trigger T_AI_B_UFV_SCH

| | | | | | |
|---------------|----------------|----------------|---------------|------------------|---|
| Title: | T_AI_B_UFV_SCH | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Insert | | | | |

Trigger Code:
Trigger Comments:

Trigger T_AU_B_UFV_SCH

| | | | | | |
|---------------|----------------|----------------|---------------|------------------|---|
| Title: | T_AU_B_UFV_SCH | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Update | | | | |

Trigger Code:
Trigger Comments:

Trigger T_BD_B_UFV_SCH

| | | | | | |
|---------------|----------------|----------------|---------------|------------------|---|
| Title: | T_BD_B_UFV_SCH | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Delete | | | | |

Trigger Code:
Trigger Comments:

Trigger T_BI_B_UFV_SCH

| | | | | | |
|---------------|----------------|----------------|---------------|------------------|---|
| Title: | T_BI_B_UFV_SCH | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Insert | | | | |

Trigger Code:
Trigger Comments:

Trigger T_BU_B_UFV_SCH

| | | | | | |
|---------------|----------------|----------------|---------------|------------------|---|
| Title: | T_BU_B_UFV_SCH | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Update | | | | |

Trigger Code:
Trigger Comments:

Table Name: B_UMOWY

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|--------------|------------|------------|-------------|
| ANEKS | ANEKS | SMALLINT | 0 | 0 | N |
| DATA_DOK | DATA_DOK | TIMESTAMP | 0 | 0 | N |
| DATA_REAL | DATA_REAL | TIMESTAMP | 0 | 0 | N |
| DATA_ZAMK | DATA_ZAMK | TIMESTAMP | 0 | 0 | N |
| KOD_JEDN | KOD_JEDN | SMALLINT | 0 | 0 | N |
| KWOTA | KWOTA | DOUBLE PRECI | 0 | 0 | Y |
| NR_KONTRAH | NR_KONTRAH | INTEGER | 0 | 0 | N |
| NR_UMOWY | NR_UMOWY | VARCHAR | 16 | 0 | Y |
| NUMER | NUMER | INTEGER | 0 | 0 | N |
| OBRMA | OBRMA | NUMERIC | 15 | 2 | Y |
| OBRWN | OBRWN | NUMERIC | 15 | 2 | Y |
| PODZADANIE | PODZADANIE | INTEGER | 0 | 0 | Y |
| ROK | ROK | SMALLINT | 0 | 0 | N |
| STATUS | STATUS | CHAR | 1 | 0 | Y |
| TRESC | TRESC | CHAR | 50 | 0 | Y |
| TRESCDLUGA | TRESCDLUGA | CHAR | 200 | 0 | Y |
| ZADANIE | ZADANIE | INTEGER | 0 | 0 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|--------------------------------|
| PK_B_UMOWY | KOD_JEDN , ROK , NUMER , ANEKS |

Index PK_B_UMOWY

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|---------------------------|---------------------------|---------------------|
| FK_B_KH_UM FK_B_ZAD_UM | FK_B_KH_UM FK_B_ZAD_UM | B_KONTRA B_ZAD |

Foreign Key

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|-----------|--------------------------|-----------------|
|-----------|--------------------------|-----------------|

| | | |
|----------------------------------|------------|---------------------|
| NR_KONTRAH <i>Foreign Key</i> | NR_KONTRAH | b_kontra.nr_kontrah |
|----------------------------------|------------|---------------------|

| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|-----------|--------------------------|-----------------|
|-----------|--------------------------|-----------------|

| | | |
|--|--|--|
| ROK KOD_JEDN ZADANIE PODZADANIE | ROK KOD_JEDN ZADANIE PODZADANIE | b_jedn.rok b_jedn.kod_jedn b_zad.zadanie b_zad.podzadanie |
|--|--|--|

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|--------------------------------|--------------|--------------|
| T_ad_i_umowy0 After Delete | T_ad_i_umowy | |
| T_ai_i_umowy0 After Insert | T_ai_i_umowy | |
| T_au_i_umowy0 After Update | T_au_i_umowy | |
| T_bd_i_umowy0 Before Delete | T_bd_i_umowy | |
| T_bi_i_umowy0 Before Insert | T_bi_i_umowy | |
| T_bu_i_umowy0 Before Update | T_bu_i_umowy | |

Trigger T_AD_I_UMOWY0

| | | |
|----------------------------|------------------------------|--------------------|
| Title: T_AD_I_UMOWY | Action: Auto Generate | Sequence: 0 |
| Event: After Delete | | |

Trigger

Code:

Trigger Comments:

Trigger T_AI_I_UMOWY0

| | | |
|----------------------------|------------------------------|--------------------|
| Title: T_AI_I_UMOWY | Action: Auto Generate | Sequence: 0 |
| Event: After Insert | | |

Trigger

Code:

Trigger Comments:

Trigger T_AU_I_UMOWY0

Title: T_AU_I_UMOWY
Event: After Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BD_I_UMOWY0

Title: T_BD_I_UMOWY
Event: Before Delete **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BI_I_UMOWY0

Title: T_BI_I_UMOWY
Event: Before Insert **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BU_I_UMOWY0

Title: T_BU_I_UMOWY
Event: Before Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Table Name: B_WALUTY

Fields List

| Name | Title | Type | Len | Dec | Null |
|--------|--------|---------|-----|-----|------|
| NAZWA | NAZWA | VARCHAR | 50 | 0 | Y |
| WALUTA | WALUTA | VARCHAR | 5 | 0 | N |

Indexes List

| Index Name | Index Key |
|-------------|-----------|
| PK_B_WALUTY | WALUTA |

Index PK_B_WALUTY

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|--------------------|--------------------|-------------|
| FK_B_KSIEGA_WALUTA | FK_B_KSIEGA_WALUTA | B_KSIEGA |
| FK_B_KURSY_WALUT | FK_B_KURSY_WALUT | |
| B_KURSY_WALUT | | |
| FK_B_WAL_WS | FK_B_WAL_WS | B_WS |

| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|------------------------------|-----------|------------------------------------|------------------------------------|
| WALUTA <i>Foreign Key</i> | <i>Fk</i> | WALUTA <i>Parent Field (Pk)</i> | b_waluty.waluta <i>Ancestor</i> |
| WALUTA <i>Foreign Key</i> | <i>Fk</i> | WALUTA <i>Parent Field (Pk)</i> | b_waluty.waluta <i>Ancestor</i> |
| WALUTA | | WALUTA | b_waluty.waluta |

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|---------------------------------|---------------|--------------|
| T_ad_b_waluty1 After Delete | T_ad_b_waluty | |
| T_ai_b_waluty1 After Insert | T_ai_b_waluty | |
| T_au_b_waluty1 After Update | T_au_b_waluty | |
| T_bd_b_waluty1 Before Delete | T_bd_b_waluty | |
| T_bi_b_waluty1 Before Insert | T_bi_b_waluty | |
| T_bu_b_waluty1 Before Update | T_bu_b_waluty | |

Trigger T_AD_B_WALUTY1

Title: T_AD_B_WALUTY
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_WALUTY1

Title: T_AI_B_WALUTY
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_WALUTY1

Title: T_AU_B_WALUTY
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_WALUTY1

Title: T_BD_B_WALUTY
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_WALUTY1

Title: T_BI_B_WALUTY
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_WALUTY1

Title: T_BU_B_WALUTY
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger

Code:
Trigger Comments:

Table Name: B_WJORG

Fields List

| Name | Title | Type | Len | Dec | Null |
|---------|---------|---------|-----|-----|------|
| ID_JORG | ID_JORG | INTEGER | 0 | 0 | N |
| NAZWA | NAZWA | VARCHAR | 200 | 0 | Y |
| SYMBOL | SYMBOL | VARCHAR | 30 | 0 | Y |

Indexes List

| Index Name | Index Key |
|------------|-----------|
| PK_B_WJORG | ID_JORG |

Index PK_B_WJORG

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|---------------|----------------|-------------|
| FK_B_WJ_BO | FK_B_WJ_BO | B_BILANS |
| FK_B_WJ_KS | FK_B_WJ_KS | B_KSIEGA |
| FK_B_WJ_PL | FK_B_WJ_PL | B_PLAN |

Foreign Key

| Fk | Parent Field (Pk) | Ancestor |
|--------------------|--------------------------|-----------------|
| ID_JORG | ID_JORG | b_wjorg.id_jorg |
| <i>Foreign Key</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| ID_JORG | ID_JORG | b_wjorg.id_jorg |
| <i>Foreign Key</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| ID_JORG | ID_JORG | b_wjorg.id_jorg |

No Constraints

Triggers List

| Trigger Name | Title | Event |
|-----------------|----------------|---------------|
| T_ad_b_wzrodlo1 | T_ad_b_wzrodlo | After Delete |
| T_ai_b_wzrodlo1 | T_ai_b_wzrodlo | After Insert |
| T_au_b_wzrodlo1 | T_au_b_wzrodlo | After Update |
| T_bd_b_wzrodlo1 | T_bd_b_wzrodlo | Before Delete |
| T_bi_b_wzrodlo1 | T_bi_b_wzrodlo | Before Insert |

T_bu_b_wzrodlo1
Before Update

T_bu_b_wzrodlo

Trigger T_AD_B_WZRODLO1

Title: T_AD_B_WZRODLO
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_WZRODLO1

Title: T_AI_B_WZRODLO
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_WZRODLO1

Title: T_AU_B_WZRODLO
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_WZRODLO1

Title: T_BD_B_WZRODLO
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_WZRODLO1

Title: T_BI_B_WZRODLO
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_WZRODLO1

Title: T_BU_B_WZRODLO
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_WOBSZAR

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| ID_OBSZAR | ID_OBSZAR | INTEGER | 0 | 0 | N |
| NAZWA | NAZWA | VARCHAR | 200 | 0 | Y |
| SYMBOL | SYMBOL | VARCHAR | 30 | 0 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|------------------|
| PK_B_WOBSZAR | ID_OBSZAR |

Index PK_B_WOBSZAR

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|--|--|--------------------------------|
| FK_B_WO_BO FK_B_WO_KS FK_B_WO_PL | FK_B_WO_BO FK_B_WO_KS FK_B_WO_PL | B_BILANS B_KSIEGA B_PLAN |
| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> |
| ID_OBSZAR | ID_OBSZAR | b_wobszar.id_obszar |
| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> |
| ID_OBSZAR | ID_OBSZAR | b_wobszar.id_obszar |
| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> |
| ID_OBSZAR | ID_OBSZAR | b_wobszar.id_obszar |

No Constraints

Triggers List

| Trigger Name | Title | Event |
|---------------------------------|----------------|-------|
| T_ad_b_wobszar After Delete | T_ad_b_wobszar | |
| T_ai_b_wobszar After Insert | T_ai_b_wobszar | |
| T_au_b_wobszar After Update | T_au_b_wobszar | |
| T_bd_b_wobszar Before Delete | T_bd_b_wobszar | |
| T_bi_b_wobszar Before Insert | T_bi_b_wobszar | |
| T_bu_b_wobszar Before Update | T_bu_b_wobszar | |

Trigger T_AD_B_WOBSZAR

Title: T_AD_B_WOBSZAR
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger

Code:

Trigger Comments:

Trigger T_AI_B_WOBSZAR

Title: T_AI_B_WOBSZAR
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger

Code:

Trigger Comments:

Trigger T_AU_B_WOBSZAR

Title: T_AU_B_WOBSZAR
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger

Code:

Trigger Comments:

Trigger T_BD_B_WOBSZAR

Title: T_BD_B_WOBSZAR

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Event: Before Delete Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BI_B_WOBSZAR

Title: T_BI_B_WOBSZAR
Event: Before Insert Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Trigger T_BU_B_WOBSZAR

Title: T_BU_B_WOBSZAR
Event: Before Update Action: Auto Generate Sequence: 0

Trigger
Code:
Trigger Comments:

Table Name: B_WRB27S

Fields List

| Name | Title | Type | Len | Dec | Null |
|------------|------------|---------|-----|-----|------|
| DZIAL | DZIAL | VARCHAR | 3 | 0 | Y |
| FNAL | R2 | NUMERIC | 15 | 2 | Y |
| FOTRZ | R9 | NUMERIC | 15 | 2 | Y |
| FPLAN | R1 | NUMERIC | 15 | 2 | Y |
| FPOTR | R3 | NUMERIC | 15 | 2 | Y |
| FSDECRATY | R11R | NUMERIC | 15 | 2 | Y |
| FSDECUMORZ | R11Z | NUMERIC | 15 | 2 | Y |
| FSKOBNIZ | R7 | NUMERIC | 15 | 2 | Y |
| FSNADPL | R6 | NUMERIC | 15 | 2 | Y |
| FSNOGOLEM | R10 | NUMERIC | 15 | 2 | Y |
| FSNZAL | R5 | NUMERIC | 15 | 2 | Y |
| FSULG | R8 | NUMERIC | 15 | 2 | Y |
| FWYK | R4 | NUMERIC | 15 | 2 | Y |
| KOD_J_O | KOD_J_O | VARCHAR | 20 | 0 | Y |
| KOREKTA | KOREKTA | INTEGER | 0 | 0 | N |
| MIESIAC | MIESIAC | INTEGER | 0 | 0 | N |
| NR | NR | INTEGER | 0 | 0 | N |
| NR_SYS | NR_SYS | INTEGER | 0 | 0 | Y |
| OBSZAR | OBSZAR | VARCHAR | 30 | 0 | Y |
| PARAGRAF | PARAGRAF | VARCHAR | 5 | 0 | Y |
| PROGRAM | PROGRAM | VARCHAR | 30 | 0 | Y |
| RD1 | RD1 | NUMERIC | 15 | 2 | Y |
| RD2 | RD2 | NUMERIC | 15 | 2 | Y |
| RD3 | RD3 | NUMERIC | 15 | 2 | Y |
| RK1 | RK1 | VARCHAR | 60 | 0 | Y |
| RK2 | RK2 | VARCHAR | 60 | 0 | Y |
| ROK | ROK | INTEGER | 0 | 0 | N |
| ROK_MIES | ROK_MIES | INTEGER | 0 | 0 | Y |
| ROZDZIAL | ROZDZIAL | VARCHAR | 5 | 0 | Y |
| STANOWISKO | STANOWISKO | VARCHAR | 30 | 0 | Y |
| STATUS | STATUS | VARCHAR | 1 | 0 | Y |

Indexes List

Index Name

Index Key

IDX_B_WRB27S
PK_B_WRB27S
KOREKTA , KOD_J_O , NR_SYS , ROK_MIES , STANOWISKO ,
NR , ROK , MIESIAC , KOREKTA

Index PK_B_WRB27S

Index Comments:

Index IDX_B_WRB27S

Index Comments:

No Alternate keys

No Incoming Relations

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|--------------------------------|---------------|--------------|
| T_ad_b_wrb27s After Delete | T_ad_b_wrb27s | |
| T_ai_b_wrb27s After Insert | T_ai_b_wrb27s | |
| T_au_b_wrb27s After Update | T_au_b_wrb27s | |
| T_bd_b_wrb27s Before Delete | T_bd_b_wrb27s | |
| T_bi_b_wrb27s Before Insert | T_bi_b_wrb27s | |
| T_bu_b_wrb27s Before Update | T_bu_b_wrb27s | |

Trigger T_AD_B_WRB27S

Title: T_AD_B_WRB27S
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_WRB27S

Title: T_AI_B_WRB27S
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_WRB27S

Title: T_AU_B_WRB27S
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_WRB27S

Title: T_BD_B_WRB27S
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_WRB27S

Title: T_BI_B_WRB27S
Event: Before Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_WRB27S

Title: T_BU_B_WRB27S
Event: Before Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Table Name: B_WRB28S

Fields List

| Name | Title | Type | Len | Dec | Null |
|--------------------|--------------------|---------|-----|-----|------|
| DZIAL | DZIAL | VARCHAR | 3 | 0 | Y |
| FPLAN | FPLAN | NUMERIC | 15 | 2 | Y |
| FWYDATKI | FWYDATKI | NUMERIC | 15 | 2 | Y |
| FWYDATKINIEWYGASLE | FWYDATKINIEWYGASLE | NUMERIC | 15 | 2 | Y |
| FZAANG | FZAANG | NUMERIC | 15 | 2 | Y |
| FZOBOGOLEM | FZOBOGOLEM | NUMERIC | 15 | 2 | Y |
| FZOBWYMAGBR | FZOBWYMAGBR | NUMERIC | 15 | 2 | Y |
| FZOBWYMAGUBR | FZOBWYMAGUBR | NUMERIC | 15 | 2 | Y |
| KOD_J_O | KOD_J_O | VARCHAR | 20 | 0 | Y |
| KOREKTA | KOREKTA | INTEGER | 0 | 0 | N |
| MIESIAC | MIESIAC | INTEGER | 0 | 0 | N |
| NR | NR | INTEGER | 0 | 0 | N |
| NR_SYS | NR_SYS | INTEGER | 0 | 0 | Y |
| OBSZAR | OBSZAR | VARCHAR | 30 | 0 | Y |
| PARAGRAF | PARAGRAF | VARCHAR | 5 | 0 | Y |
| PROGRAM | PROGRAM | VARCHAR | 30 | 0 | Y |
| RD1 | RD1 | NUMERIC | 15 | 2 | Y |
| RD2 | RD2 | NUMERIC | 15 | 2 | Y |
| RD3 | RD3 | NUMERIC | 15 | 2 | Y |
| RK1 | RK1 | VARCHAR | 60 | 0 | Y |
| RK2 | RK2 | VARCHAR | 60 | 0 | Y |
| ROK | ROK | INTEGER | 0 | 0 | N |
| ROK_MIES | ROK_MIES | INTEGER | 0 | 0 | Y |
| ROZDZIAL | ROZDZIAL | VARCHAR | 5 | 0 | Y |
| STANOWISKO | STANOWISKO | VARCHAR | 30 | 0 | Y |
| STATUS | STATUS | VARCHAR | 1 | 0 | Y |

Indexes List

Index Name

Index Key

IDX_B_WRB28S
PK_B_WRB28S

KOREKTA , KOD_J_O , NR_SYS , ROK_MIES , STANOWISKO ,
NR , ROK , MIESIAC , KOREKTA

Index PK_B_WRB28S

Index Comments:

Index IDX_B_WRB28S

Index Comments:

No Alternate keys

No Incoming Relations

No Outgoing Relations

No Constraints

Triggers List

Trigger Name

Title

Event

T_ad_b_wrb27s1
After Delete
T_ai_b_wrb27s1
After Insert
T_au_b_wrb27s1
After Update
T_bd_b_wrb27s1
Before Delete
T_bi_b_wrb27s1
Before Insert

T_ad_b_wrb27s
T_ai_b_wrb27s
T_au_b_wrb27s
T_bd_b_wrb27s
T_bi_b_wrb27s

T_bu_b_wrb27s1
Before Update

T_bu_b_wrb27s

Trigger T_AD_B_WRB27S1

Title: T_AD_B_WRB27S
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_WRB27S1

Title: T_AI_B_WRB27S
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_WRB27S1

Title: T_AU_B_WRB27S
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_WRB27S1

Title: T_BD_B_WRB27S
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_WRB27S1

Title: T_BI_B_WRB27S
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_WRB27S1

Title: T_BU_B_WRB27S
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_WS

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| DOKTYP | DOKTYP | VARCHAR | 2 | 0 | N |
| ID_WS | ID WS | VARCHAR | 10 | 0 | N |
| KOD_JEDN | KOD_JEDN | SMALLINT | 0 | 0 | N |
| KWOTA | KWOTA | NUMERIC | 15 | 2 | Y |
| KWOTA_WAL | KWOTA_WAL | NUMERIC | 15 | 2 | Y |
| NR_DOK | NR_DOK | NUMERIC | 10 | 0 | N |
| NR_KOLEJNY | NR_KOLEJNY | INTEGER | 0 | 0 | N |
| ROK | ROK | SMALLINT | 0 | 0 | N |
| ROK | ROK | SMALLINT | 0 | 0 | N |
| WALUTA | WALUTA | VARCHAR | 5 | 0 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|---|
| PK_B_WS | ROK , KOD_JEDN , NR_DOK , DOKTYP , NR_KOLEJNY , ROK |

Index PK_B_WS

Index Comments:

No Alternate keys

Incoming Relations List

| Relation Name | Relation Title | Parent Table |
|---------------|----------------|--------------|
| FK_B_KS_WS | FK_B_KS_WS | B_KSIEGA |
| FK_B_SWS_WS | FK_B_SWS_WS | B_SWS |
| FK_B_WAL_WS | FK_B_WAL_WS | B_WALUTY |

Foreign Key

| Fk | Parent Field (Pk) | Ancestor |
|---|---|---|
| ROK KOD_JEDN NR_DOK DOKTYP NR_KOLEJNY <i>Foreign Key</i> | ROK KOD_JEDN NR_DOK DOKTYP NR_KOLEJNY | b_jedn.rok b_jedn.kod_jedn b_ks_dok.nr_dok b_doktyp.kod b_ksiega.nr_kolejny |
| ID_WS ROK <i>Foreign Key</i> | ID_WS ROK | b_sws.id_ws b_sws.rok |
| WALUTA | WALUTA | b_waluty.waluta |

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|----------------------------|-----------|-------|
| T_ad_b_ws After Delete | T_ad_b_ws | |
| T_ai_b_ws After Insert | T_ai_b_ws | |
| T_au_b_ws After Update | T_au_b_ws | |
| T_bd_b_ws Before Delete | T_bd_b_ws | |
| T_bi_b_ws Before Insert | T_bi_b_ws | |
| T_bu_b_ws Before Update | T_bu_b_ws | |

Trigger T_AD_B_WS

Title: T_AD_B_WS
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_WS

Title: T_AI_B_WS
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_WS

Title: T_AU_B_WS
Event: After Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BD_B_WS

Title: T_BD_B_WS
Event: Before Delete **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BI_B_WS

Title: T_BI_B_WS
Event: Before Insert **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BU_B_WS

Title: T_BU_B_WS
Event: Before Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Table Name: B_WSTANOWISKO

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|---------------|---------------|-------------|------------|------------|-------------|
| ID_STANOWISKO | ID_STANOWISKO | INTEGER | 0 | 0 | N |
| NAZWA | NAZWA | VARCHAR | 200 | 0 | Y |
| SYMBOL | SYMBOL | VARCHAR | 30 | 0 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|------------------|
| PK_B_WSTANOWISKO | ID_STANOWISKO |

Index PK_B_WSTANOWISKO

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|----------------------|-----------------------|--------------------|
| FK_B_WS_BO | FK_B_WS_BO | B_BILANS |
| FK_B_WS_KS | FK_B_WS_KS | B_KSIEGA |
| FK_B_WS_PL | FK_B_WS_PL | B_PLAN |

| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|--------------------|-----------|--------------------------|-----------------------------|
| ID_STANOWISKO | | ID_STANOWISKO | b_wstanowisko.id_stanowisko |
| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| ID_STANOWISKO | | ID_STANOWISKO | b_wstanowisko.id_stanowisko |
| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| ID_STANOWISKO | | ID_STANOWISKO | b_wstanowisko.id_stanowisko |

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|-------------------------------------|--------------------|--------------|
| T_ad_b_wstanowisko After Delete | T_ad_b_wstanowisko | |
| T_ai_b_wstanowisko After Insert | T_ai_b_wstanowisko | |
| T_au_b_wstanowisko After Update | T_au_b_wstanowisko | |
| T_bd_b_wstanowisko Before Delete | T_bd_b_wstanowisko | |
| T_bi_b_wstanowisko Before Insert | T_bi_b_wstanowisko | |
| T_bu_b_wstanowisko Before Update | T_bu_b_wstanowisko | |

Trigger T_AD_B_WSTANOWISKO

Title: T_AD_B_WSTANOWISKO
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_WSTANOWISKO

Title: T_AI_B_WSTANOWISKO
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_WSTANOWISKO

Title: T_AU_B_WSTANOWISKO
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_WSTANOWISKO

Title: T_BD_B_WSTANOWISKO
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_WSTANOWISKO

Title: T_BI_B_WSTANOWISKO
Event: Before Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_WSTANOWISKO

Title: T_BU_B_WSTANOWISKO
Event: Before Update
Action: Auto Generate
Sequence: 0

Trigger

Code:
Trigger Comments:

Table Name: B_WZRODLO

Fields List

| Name | Title | Type | Len | Dec | Null |
|-----------|-----------|---------|-----|-----|------|
| ID_ZRODLO | ID_ZRODLO | INTEGER | 0 | 0 | N |
| NAZWA | NAZWA | VARCHAR | 200 | 0 | Y |
| SYMBOL | SYMBOL | VARCHAR | 30 | 0 | Y |

Indexes List

| Index Name | Index Key |
|--------------|-----------|
| PK_B_WZRODLO | ID_ZRODLO |

Index PK_B_WZRODLO

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|---------------|----------------|-------------|
| FK_B_WZ_BO | FK_B_WZ_BO | B_BILANS |
| FK_B_WZ_KS | FK_B_WZ_KS | B_KSIEGA |
| FK_B_WZ_PL | FK_B_WZ_PL | B_PLAN |

Foreign Key

| Fk | Parent Field (Pk) | Ancestor |
|---------------------------------|---------------------------------------|--|
| ID_ZRODLO <i>Foreign Key</i> | ID_ZRODLO <i>Parent Field (Pk)</i> | b_wzrodlo.id_zrodlo <i>Ancestor</i> |
| ID_ZRODLO <i>Foreign Key</i> | ID_ZRODLO <i>Parent Field (Pk)</i> | b_wzrodlo.id_zrodlo <i>Ancestor</i> |
| ID_ZRODLO | ID_ZRODLO | b_wzrodlo.id_zrodlo |

No Constraints

Triggers List

| Trigger Name | Title | Event |
|---------------------------------|----------------|-------|
| T_ad_b_wzrodlo After Delete | T_ad_b_wzrodlo | |
| T_ai_b_wzrodlo After Insert | T_ai_b_wzrodlo | |
| T_au_b_wzrodlo After Update | T_au_b_wzrodlo | |
| T_bd_b_wzrodlo Before Delete | T_bd_b_wzrodlo | |
| T_bi_b_wzrodlo Before Insert | T_bi_b_wzrodlo | |

T_bu_b_wzrodlo
Before Update

T_bu_b_wzrodlo

Trigger T_AD_B_WZRODLO

Title: T_AD_B_WZRODLO
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_WZRODLO

Title: T_AI_B_WZRODLO
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_WZRODLO

Title: T_AU_B_WZRODLO
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_WZRODLO

Title: T_BD_B_WZRODLO
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_WZRODLO

Title: T_BI_B_WZRODLO
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_WZRODLO

Title: T_BU_B_WZRODLO
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: B_ZAD

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|--------------|------------------------------------|-------------|------------|------------|-------------|
| CZAS_TRWANIA | Czas trwania (roczne,wieloletnie) | CHAR | 1 | 0 | Y |
| KOD_JEDN | Kod wewnętrzny jednostki | SMALLINT | 0 | 0 | N |
| NAZWA | Nazwa zadania | CHAR | 30 | 0 | Y |
| NAZWADLUGA | Nazwa opisowa | CHAR | 200 | 0 | Y |
| PODZADANIE | Numer podzadania w obrębie zadania | INTEGER | 0 | 0 | N |
| ROK | Rok obrachunkowy | SMALLINT | 0 | 0 | N |
| ROK_PO CZ | Rok rozpoczęcia zadania | SMALLINT | 0 | 0 | Y |
| WZP | Kod WZP | VARCHAR | 1 | 0 | N |
| ZADANIE | Numer zadania | INTEGER | 0 | 0 | N |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|---------------------------------------|
| PK_B_ZAD | ROK , KOD_JEDN , ZADANIE , PODZADANIE |

Index PK_B_ZAD

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|------------------------------|------------------------------|---------------------|
| FK_B_DW_ZAD FK_B_JEDN_ZAD | FK_B_DW_ZAD FK_B_JEDN_ZAD | B_DOKWZP B_JEDN |

Foreign Key

Fk *Parent Field (Pk)* *Ancestor*

WZP
Foreign Key

KOD b_dokwzp.kod

Fk *Parent Field (Pk)* *Ancestor*

KOD_JEDN
ROK

KOD_JEDN b_jedn.kod_jedn
ROK b_jedn.rok

Outgoing Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Child Table</i> |
|--|--|--|
| FK_B_ZAD_BO FK_B_ZAD_PLAN FK_B_ZAD_UM FK_B_ZAD_ZADKLAS FK_B_ZAD1 | FK_B_ZAD_BO FK_B_ZAD_PLAN FK_B_ZAD_UM FK_B_ZAD_ZADKLAS FK_B_ZAD1 | B_BILANS B_PLAN B_UMOWY B_ZADKLAS B_KSIEGA |

Foreign Key

Fk *Parent Field (Pk)* *Ancestor*

ROK
KOD_JEDN
ZADANIE
PODZADANIE
Foreign Key

ROK b_jedn.rok
KOD_JEDN b_jedn.kod_jedn
ZADANIE b_zad.zadanie
PODZADANIE b_zad.podzadanie

Fk *Parent Field (Pk)* *Ancestor*

ZADANIE
PODZADANIE
KOD_JEDN
ROK
Foreign Key

ZADANIE b_zad.zadanie
PODZADANIE b_zad.podzadanie
KOD_JEDN b_jedn.kod_jedn
ROK b_jedn.rok

Fk *Parent Field (Pk)* *Ancestor*

ROK
KOD_JEDN
ZADANIE
PODZADANIE
Foreign Key

ROK b_jedn.rok
KOD_JEDN b_jedn.kod_jedn
ZADANIE b_zad.zadanie
PODZADANIE b_zad.podzadanie

Fk *Parent Field (Pk)* *Ancestor*

ROK
KOD_JEDN
ZADANIE
PODZADANIE
Foreign Key

ROK b_jedn.rok
KOD_JEDN b_jedn.kod_jedn
ZADANIE b_zad.zadanie
PODZADANIE b_zad.podzadanie

Fk *Parent Field (Pk)* *Ancestor*

ZADANIE
PODZADANIE
KOD_JEDN
ROK

ZADANIE b_zad.zadanie
PODZADANIE b_zad.podzadanie
KOD_JEDN b_jedn.kod_jedn
ROK b_jedn.rok

No Constraints

Triggers List

| Trigger Name | Title | Event |
|--------------|------------|---------------|
| B_au_zad | B_au_zad | After Update |
| T_ad_b_zad | T_ad_b_zad | After Delete |
| T_ai_b_zad | T_ai_b_zad | After Insert |
| T_au_b_zad | T_au_b_zad | After Update |
| T_bd_b_zad | T_bd_b_zad | Before Delete |
| T_bi_b_zad | T_bi_b_zad | Before Insert |
| T_bu_b_zad | T_bu_b_zad | Before Update |

Trigger B_AU_ZAD

Title: B_AU_ZAD
Event: After Update
Action: Use Code
Sequence: 0

Trigger Code:

A
S

```
begin
IF (NEW.ZADANIE <> OLD.ZADANIE) THEN BEGIN
UPDATE B_ZAD SET ZADANIE = NEW.ZADANIE
WHERE PODZADANIE<>0 AND ZADANIE=OLD.ZADANIE AND ROK = OLD.ROK AND KOD_JEDN =
OLD.KOD_JEDN;
END
```

end

Trigger Comments:

Trigger T_AD_B_ZAD

Title: T_AD_B_ZAD
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_AI_B_ZAD

Title: T_AI_B_ZAD
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_AU_B_ZAD

Title: T_AU_B_ZAD
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_BD_B_ZAD

Title: T_BD_B_ZAD
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_BI_B_ZAD

Title: T_BI_B_ZAD
Event: Before Insert
Action: Auto Generate
Sequence: 0

Trigger Code:

Trigger Comments:

Trigger T_BU_B_ZAD

Title: T_BU_B_ZAD
Event: Before Update
Action: Auto Generate
Sequence: 0

Trigger

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

Code:
Trigger Comments:

Table Name: B_ZADKLAS

Fields List

| Name | Title | Type | Len | Dec | Null |
|------------|------------|----------|-----|-----|------|
| BP | BP | CHAR | 1 | 0 | N |
| CZESC | CZESC | NUMERIC | 2 | 0 | N |
| DW | DW | CHAR | 1 | 0 | N |
| DZIAL | DZIAL | NUMERIC | 3 | 0 | N |
| KOD_JEDN | KOD_JEDN | SMALLINT | 0 | 0 | N |
| KOSZT | KOSZT | NUMERIC | 15 | 2 | Y |
| PARAGRAF | PARAGRAF | NUMERIC | 4 | 0 | N |
| PODZADANIE | PODZADANIE | INTEGER | 0 | 0 | N |
| POZYCJA | POZYCJA | NUMERIC | 4 | 0 | N |
| ROK | ROK | SMALLINT | 0 | 0 | N |
| ROKPOCZ | ROKPOCZ | NUMERIC | 4 | 0 | Y |
| ROZDZIAL | ROZDZIAL | NUMERIC | 5 | 0 | N |
| WYDATEK | WYDATEK | NUMERIC | 15 | 2 | Y |
| ZADANIE | ZADANIE | INTEGER | 0 | 0 | N |

Indexes List

| Index Name | Index Key |
|--------------|--|
| PK_B_ZADKLAS | CZESC , DZIAL , ROZDZIAL , PARAGRAF , POZYCJA , DW , |

Index PK_B_ZADKLAS

Index Comments:

No Alternate keys

Incoming Relations List

| Relation Name | Relation Title | Parent Table |
|------------------|------------------|--------------|
| FK_B_ZAD_ZADKLAS | FK_B_ZAD_ZADKLAS | B_ZAD |

Foreign Key

| Fk | Parent Field (Pk) | Ancestor |
|------------|-------------------|------------------|
| ROK | ROK | b_jedn.rok |
| KOD_JEDN | KOD_JEDN | b_jedn.kod_jedn |
| ZADANIE | ZADANIE | b_zad.zadanie |
| PODZADANIE | PODZADANIE | b_zad.podzadanie |

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|--------------------------------|----------------|-------|
| T_ad_b_zadklas After Delete | T_ad_b_zadklas | |
| T_ai_b_zadklas After Insert | T_ai_b_zadklas | |
| T_au_b_zadklas After Update | T_au_b_zadklas | |

| | |
|----------------|----------------|
| T_bd_b_zadklas | T_bd_b_zadklas |
| Before Delete | |
| T_bi_b_zadklas | T_bi_b_zadklas |
| Before Insert | |
| T_bu_b_zadklas | T_bu_b_zadklas |
| Before Update | |

Trigger T_AD_B_ZADKLAS

Title: T_AD_B_ZADKLAS
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_B_ZADKLAS

Title: T_AI_B_ZADKLAS
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_B_ZADKLAS

Title: T_AU_B_ZADKLAS
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_B_ZADKLAS

Title: T_BD_B_ZADKLAS
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_B_ZADKLAS

Title: T_BI_B_ZADKLAS
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_B_ZADKLAS

Title: T_BU_B_ZADKLAS
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Table Name: IS_REJESTR

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| ACT_KEY | ACT_KEY | CHAR | 30 | 0 | Y |
| ID_SYSTEMU | ID_SYSTEMU | SMALLINT | 0 | 0 | N |
| NAZWA | NAZWA | CHAR | 12 | 0 | Y |
| OPIS | OPIS | CHAR | 100 | 0 | Y |
| PARAMS | PARAMS | CHAR | 100 | 0 | Y |
| PATH | PATH | CHAR | 100 | 0 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|------------------|
| RDB\$PRIMARY1 | ID_SYSTEMU |

Index RDB\$PRIMARY1

Index Comments:

No Alternate keys

No Incoming Relations

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|----------------------------------|-----------------|--------------|
| T_ad_is_rejestr After Delete | T_ad_is_rejestr | |
| T_ai_is_rejestr After Insert | T_ai_is_rejestr | |
| T_au_is_rejestr After Update | T_au_is_rejestr | |
| T_bd_is_rejestr Before Delete | T_bd_is_rejestr | |
| T_bi_is_rejestr Before Insert | T_bi_is_rejestr | |
| T_bu_is_rejestr Before Update | T_bu_is_rejestr | |

Trigger T_AD_IS_REJESTR

Title: T_AD_IS_REJESTR
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_IS_REJESTR

Title: T_AI_IS_REJESTR
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_IS_REJESTR

Title: T_AU_IS_REJESTR
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_IS_REJESTR

Title: T_BD_IS_REJESTR
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_IS_REJESTR

Title: T_BI_IS_REJESTR
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BU_IS_REJESTR

Title: T_BU_IS_REJESTR
Event: Before Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Table Name: OP_GRFUN

Fields List

| Name | Title | Type | Len | Dec | Null |
|-------------|-------------|----------|-----|-----|------|
| KOD_FUNSYS | KOD_FUNSYS | CHAR | 5 | 0 | N |
| KOD_GRPY | KOD_GRPY | SMALLINT | 0 | 0 | N |
| KOD_SYSTEMU | KOD_SYSTEMU | SMALLINT | 0 | 0 | N |

Indexes List

| Index Name | Index Key |
|---------------|-------------------------------------|
| RDB\$PRIMARY5 | KOD_SYSTEMU , KOD_FUNSYS , KOD_GRPY |

Index RDB\$PRIMARY5

Index Comments:

No Alternate keys

Incoming Relations List

| Relation Name | Relation Title | Parent Table |
|---------------|----------------|--------------|
| FK_OP_GRPY1 | FK_OP_GRPY1 | OP_GRPY |
| FK_OP_SLFUN2 | FK_OP_SLFUN2 | OP_SLFUN |

Foreign Key

| Fk | Parent Field (Pk) | Ancestor |
|----|-------------------|----------|
|----|-------------------|----------|

| | | |
|----------|----------|--------------------|
| KOD_GRPY | KOD_GRPY | op_grupy.kod_grupy |
|----------|----------|--------------------|

| Fk | Parent Field (Pk) | Ancestor |
|----|-------------------|----------|
|----|-------------------|----------|

| | | |
|-------------|-------------|----------------------|
| KOD_SYSTEMU | KOD_SYSTEMU | op_slfun.kod_systemu |
| KOD_FUNSYS | KOD_FUNSYS | op_slfun.kod_funsys |

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|-------------------------------|---------------|-------|
| T_ad_op_grfun After Delete | T_ad_op_grfun | |
| T_ai_op_grfun After Insert | T_ai_op_grfun | |
| T_au_op_grfun After Update | T_au_op_grfun | |

| | |
|--------------------------------|---------------|
| T_bd_op_grfun Before Delete | T_bd_op_grfun |
| T_bi_op_grfun Before Insert | T_bi_op_grfun |
| T_bu_op_grfun Before Update | T_bu_op_grfun |

Trigger T_AD_OP_GRFUN

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_AD_OP_GRFUN | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Delete | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Trigger T_AI_OP_GRFUN

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_AI_OP_GRFUN | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Insert | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Trigger T_AU_OP_GRFUN

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_AU_OP_GRFUN | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Update | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Trigger T_BD_OP_GRFUN

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_BD_OP_GRFUN | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Delete | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Trigger T_BI_OP_GRFUN

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_BI_OP_GRFUN | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Insert | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Trigger T_BU_OP_GRFUN

| | | | | | |
|---------------|---------------|----------------|---------------|------------------|---|
| Title: | T_BU_OP_GRFUN | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Update | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Table Name: OP_GRPY

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| KOD_GRPY | KOD_GRPY | SMALLINT | 0 | 0 | N |
| NAZWA | NAZWA | CHAR | 15 | 0 | Y |
| OPIS | OPIS | CHAR | 100 | 0 | Y |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|------------------|
| RDB\$PRIMARY2 | KOD_GRPY |

Index RDB\$PRIMARY2

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | | Relation Title | | Child Table |
|--------------------|--------------|--------------------------|--------------------|-------------------------|
| FK_OP_GRUPY1 | FK_OP_GRUPY4 | FK_OP_GRUPY1 | FK_OP_GRUPY4 | OP_GRFUN OP_OPERGRUP |
| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | | <i>Ancestor</i> |
| KOD_GRUPY | | KOD_GRUPY | op_grupy.kod_grupy | |
| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | | <i>Ancestor</i> |
| KOD_GRUPY | | KOD_GRUPY | op_grupy.kod_grupy | |

No Constraints

Triggers List

| Trigger Name | Title | Event |
|---------------|---------------|---------------|
| T_ad_op_grupy | T_ad_op_grupy | After Delete |
| T_ai_op_grupy | T_ai_op_grupy | After Insert |
| T_au_op_grupy | T_au_op_grupy | After Update |
| T_bd_op_grupy | T_bd_op_grupy | Before Delete |
| T_bi_op_grupy | T_bi_op_grupy | Before Insert |
| T_bu_op_grupy | T_bu_op_grupy | Before Update |
| Tr_kod_grupy | Tr_kod_grupy | Before Insert |

Trigger TR_KOD_GRUPY

Title: TR_KOD_GRUPY
Event: Before Insert **Action:** Use Code **Sequence:** 0

Trigger Code:

```
A
S
BEGIN
  NEW.KOD_GRUPY = GEN_ID(GEN_KOD_GRUPY, 1) ;
END
```

Trigger Comments:

Trigger T_AD_OP_GRUPY

Title: T_AD_OP_GRUPY
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger

Code:

Trigger Comments:

Trigger T_AI_OP_GRUPY

Title: T_AI_OP_GRUPY
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger

Code:

Trigger Comments:

Trigger T_AU_OP_GRUPY

Title: T_AU_OP_GRUPY
Event: After Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BD_OP_GRUPY

Title: T_BD_OP_GRUPY
Event: Before Delete **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BI_OP_GRUPY

Title: T_BI_OP_GRUPY
Event: Before Insert **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BU_OP_GRUPY

Title: T_BU_OP_GRUPY
Event: Before Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Table Name: OP_OPER

Fields List

| Name | Title | Type | Len | Dec | Null |
|------------|------------|----------|-----|-----|------|
| HASLO | HASLO | CHAR | 15 | 0 | Y |
| KOD_OPER | KOD_OPER | SMALLINT | 0 | 0 | N |
| NAZWA | NAZWA | VARCHAR | 20 | 0 | Y |
| NAZWA_ZEWN | NAZWA_ZEWN | VARCHAR | 50 | 0 | Y |
| OPIŚ | OPIŚ | VARCHAR | 100 | 0 | Y |
| STATUS | STATUS | CHAR | 1 | 0 | Y |

Indexes List

| Index Name | Index Key |
|---------------|-----------|
| RDB\$PRIMARY3 | KOD_OPER |

Index RDB\$PRIMARY3

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|---------------|----------------|-------------|
| FK_OP_OPER3 | FK_OP_OPER3 | OP_OPERGRUP |
| FK_OP_OPER5 | FK_OP_OPER5 | OP_OPFUN |

| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
|--------------------|-----------|--------------------------|------------------|
| KOD_OPER | | KOD_OPER | op_oper.kod_oper |
| <i>Foreign Key</i> | <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| KOD_OPER | | KOD_OPER | op_oper.kod_oper |

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|-------------------------------|--------------|--------------|
| T_ad_op_oper After Delete | T_ad_op_oper | |
| T_ai_op_oper After Insert | T_ai_op_oper | |
| T_au_op_oper After Update | T_au_op_oper | |
| T_bd_op_oper Before Delete | T_bd_op_oper | |
| T_bi_op_oper Before Insert | T_bi_op_oper | |
| T_bu_op_oper Before Update | T_bu_op_oper | |
| Tr_kod_oper Before Insert | Tr_kod_oper | |

Trigger TR_KOD_OPER

Title: TR_KOD_OPER
Event: Before Insert **Action:** Use Code **Sequence:** 0

Trigger Code:
A
S
BEGIN
 NEW.KOD_OPER = GEN_ID(GEN_KOD_OPER, 1);
END
Trigger Comments:

Trigger T_AD_OP_OPER

Title: T_AD_OP_OPER
Event: After Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AI_OP_OPER

Title: T_AI_OP_OPER
Event: After Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_AU_OP_OPER

Title: T_AU_OP_OPER
Event: After Update **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BD_OP_OPER

Title: T_BD_OP_OPER
Event: Before Delete **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger T_BI_OP_OPER

Title: T_BI_OP_OPER
Event: Before Insert **Action:** Auto Generate **Sequence:** 0

Trigger Code:
Trigger Comments:

Trigger
Code:
Trigger Comments:

Trigger T_BU_OP_OPER

Title: T_BU_OP_OPER
Event: Before Update **Action:** Auto Generate **Sequence:** 0

Trigger
Code:
Trigger Comments:

Table Name: OP_OPERGRUP

Fields List

| Name | Title | Type | Len | Dec | Null |
|-----------|-----------|----------|-----|-----|------|
| KOD_GRUPY | KOD_GRUPY | SMALLINT | 0 | 0 | N |
| KOD_OPER | KOD_OPER | SMALLINT | 0 | 0 | N |

Indexes List

| Index Name | Index Key |
|---------------|----------------------|
| RDB\$PRIMARY8 | KOD_GRUPY , KOD_OPER |

Index RDB\$PRIMARY8

Index Comments:

No Alternate keys

Incoming Relations List

| Relation Name | Relation Title | Parent Table |
|---------------|----------------|--------------|
| FK_OP_GRUPY4 | FK_OP_GRUPY4 | OP_GRUPY |
| FK_OP_OPER3 | FK_OP_OPER3 | OP_OPER |

Foreign Key

| Fk | Parent Field (Pk) | Ancestor |
|-----------|-------------------|--------------------|
| KOD_GRUPY | KOD_GRUPY | op_grupy.kod_grupy |
| KOD_OPER | KOD_OPER | op_oper.kod_oper |

No Outgoing Relations

No Constraints

Triggers List

| Trigger Name | Title | Event |
|------------------|------------------|--------------|
| T_ad_op_opergrup | T_ad_op_opergrup | After Delete |

| | |
|-----------------------------------|------------------|
| T_ai_op_opergrup After Insert | T_ai_op_opergrup |
| T_au_op_opergrup After Update | T_au_op_opergrup |
| T_bd_op_opergrup Before Delete | T_bd_op_opergrup |
| T_bi_op_opergrup Before Insert | T_bi_op_opergrup |
| T_bu_op_opergrup Before Update | T_bu_op_opergrup |

Trigger T_AD_OP_OPERGRUP

| | | | | | |
|---------------|------------------|----------------|---------------|------------------|---|
| Title: | T_AD_OP_OPERGRUP | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Delete | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Trigger T_AL_OP_OPERGRUP

| | | | | | |
|---------------|------------------|----------------|---------------|------------------|---|
| Title: | T_AL_OP_OPERGRUP | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Insert | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Trigger T_AU_OP_OPERGRUP

| | | | | | |
|---------------|------------------|----------------|---------------|------------------|---|
| Title: | T_AU_OP_OPERGRUP | Action: | Auto Generate | Sequence: | 0 |
| Event: | After Update | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Trigger T_BD_OP_OPERGRUP

| | | | | | |
|---------------|------------------|----------------|---------------|------------------|---|
| Title: | T_BD_OP_OPERGRUP | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Delete | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Trigger T_BI_OP_OPERGRUP

| | | | | | |
|---------------|------------------|----------------|---------------|------------------|---|
| Title: | T_BI_OP_OPERGRUP | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Insert | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Trigger T_BU_OP_OPERGRUP

| | | | | | |
|---------------|------------------|----------------|---------------|------------------|---|
| Title: | T_BU_OP_OPERGRUP | Action: | Auto Generate | Sequence: | 0 |
| Event: | Before Update | Action: | Auto Generate | Sequence: | 0 |

Trigger Code:
Trigger Comments:

Table Name: OP_OPFUN

Fields List

| <i>Name</i> | <i>Title</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> | <i>Null</i> |
|-------------|--------------|-------------|------------|------------|-------------|
| KOD_FUNSYS | KOD_FUNSYS | CHAR | 5 | 0 | N |
| KOD_OPER | KOD_OPER | SMALLINT | 0 | 0 | N |
| KOD_SYSTEMU | KOD_SYSTEMU | SMALLINT | 0 | 0 | N |

Indexes List

| <i>Index Name</i> | <i>Index Key</i> |
|-------------------|-------------------------------------|
| RDB\$PRIMARY11 | KOD_SYSTEMU , KOD_FUNSYS , KOD_OPER |

Index RDB\$PRIMARY11

Index Comments:

No Alternate keys

Incoming Relations List

| <i>Relation Name</i> | <i>Relation Title</i> | <i>Parent Table</i> |
|--------------------------------|-----------------------------|---|
| FK_OP_OPER5 FK_OP_SLFUN6 | FK_OP_OPER5 FK_OP_SLFUN6 | OP_OPER OP_SLFUN |
| <i>Foreign Key</i> | | |
| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| KOD_OPER <i>Foreign Key</i> | KOD_OPER | op_oper.kod_oper |
| <i>Fk</i> | <i>Parent Field (Pk)</i> | <i>Ancestor</i> |
| KOD_SYSTEMU KOD_FUNSYS | KOD_SYSTEMU KOD_FUNSYS | op_slfun.kod_systemu op_slfun.kod_funsys |

No Outgoing Relations

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|--------------------------------|---------------|--------------|
| T_ad_op_opfun After Delete | T_ad_op_opfun | |
| T_ai_op_opfun After Insert | T_ai_op_opfun | |
| T_au_op_opfun After Update | T_au_op_opfun | |
| T_bd_op_opfun Before Delete | T_bd_op_opfun | |
| T_bi_op_opfun Before Insert | T_bi_op_opfun | |
| T_bu_op_opfun Before Update | T_bu_op_opfun | |

Trigger T_AD_OP_OPFUN

Title: T_AD_OP_OPFUN
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AI_OP_OPFUN

Title: T_AI_OP_OPFUN
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AU_OP_OPFUN

Title: T_AU_OP_OPFUN
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BD_OP_OPFUN

Title: T_BD_OP_OPFUN
Event: Before Delete **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BI_OP_OPFUN

Title: T_BI_OP_OPFUN
Event: Before Insert **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Trigger T_BU_OP_OPFUN

Title: T_BU_OP_OPFUN
Event: Before Update **Action:** Auto Generate **Sequence:** 0
Trigger Code:
Trigger Comments:

Table Name: OP_SLFUN

Fields List

| Name | Title | Type | Len | Dec | Null |
|-------------|-------------|----------|-----|-----|------|
| KOD_FUNSYS | KOD_FUNSYS | CHAR | 5 | 0 | N |
| KOD_SYSTEMU | KOD_SYSTEMU | SMALLINT | 0 | 0 | N |
| OPIS | OPIS | CHAR | 100 | 0 | Y |

Indexes List

| Index Name | Index Key |
|---------------|--------------------------|
| RDB\$PRIMARY4 | KOD_SYSTEMU , KOD_FUNSYS |

Index RDB\$PRIMARY4

Index Comments:

No Alternate keys

No Incoming Relations

Outgoing Relations List

| Relation Name | Relation Title | Child Table |
|---------------|----------------|-------------|
| FK_OP_SLFUN2 | FK_OP_SLFUN2 | OP_GRFUN |
| FK_OP_SLFUN6 | FK_OP_SLFUN6 | OP_OPFUN |

| Foreign Key | Fk | Parent Field (Pk) | Ancestor |
|-------------|--------------------|--------------------------|----------------------|
| KOD_SYSTEMU | | KOD_SYSTEMU | op_slfun.kod_systemu |
| KOD_FUNSYS | | KOD_FUNSYS | op_slfun.kod_funsys |
| | Foreign Key | Parent Field (Pk) | Ancestor |

KOD_SYSTEMU
KOD_FUNSYS

KOD_SYSTEMU
KOD_FUNSYS

op_slfun.kod_systemu
op_slfun.kod_funsys

No Constraints

Triggers List

| <i>Trigger Name</i> | <i>Title</i> | <i>Event</i> |
|--------------------------------|---------------|--------------|
| T_ad_op_slfun After Delete | T_ad_op_slfun | |
| T_ai_op_slfun After Insert | T_ai_op_slfun | |
| T_au_op_slfun After Update | T_au_op_slfun | |
| T_bd_op_slfun Before Delete | T_bd_op_slfun | |
| T_bi_op_slfun Before Insert | T_bi_op_slfun | |
| T_bu_op_slfun Before Update | T_bu_op_slfun | |

Trigger T_AD_OP_SLFUN

Title: T_AD_OP_SLFUN
Event: After Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AI_OP_SLFUN

Title: T_AI_OP_SLFUN
Event: After Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_AU_OP_SLFUN

Title: T_AU_OP_SLFUN
Event: After Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BD_OP_SLFUN

Title: T_BD_OP_SLFUN
Event: Before Delete
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BI_OP_SLFUN

Title: T_BI_OP_SLFUN
Event: Before Insert
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Trigger T_BU_OP_SLFUN

Title: T_BU_OP_SLFUN
Event: Before Update
Action: Auto Generate
Sequence: 0

Trigger Code:
Trigger Comments:

Domains

Domains List

| <i>Domain Name</i> | <i>Type</i> | <i>Len</i> | <i>Dec</i> |
|--------------------|-------------|------------|------------|
|--------------------|-------------|------------|------------|

Załącznik Nr 6
do Zarządzenia Nr 5/2018
Wójta Gminy Korycin
z dnia 15 stycznia 2018 r.

| | | |
|----------------------|----|---|
| B_LK_LICZNIK_KOD | 6 | 0 |
| B_LK_LICZNIK_WARTOSC | 0 | 0 |
| B_LK_WARTOSC_STAN | 0 | 0 |
| DOM_ID_ADR | 0 | 0 |
| DOM_ID_KONTA | 0 | 0 |
| DOM_ID_OSOB | 0 | 0 |
| DOM_KOD_FUN | 5 | 0 |
| DOM_KOD_GRUP | 0 | 0 |
| DOM_KOD_OPER | 0 | 0 |
| DOM_KOD_SYS | 0 | 0 |
| DOM_NAZ_OPER | 20 | 0 |

| <i>Associated Field(s)</i> | <i>Table Title</i> | <i>Field</i> |
|---|--------------------|---|
| Definicje liczników dokumentów Stos używanych wartości | | b_lk_definicje.kod b_lk_stos.kod |
| <i>Associated Field(s)</i> | <i>Table Title</i> | <i>Field</i> |
| Definicje liczników dokumentów Stos używanych wartości | | b_lk_definicje.glowny b_lk_stos.wartosc |
| <i>Associated Field(s)</i> | <i>Table Title</i> | <i>Field</i> |
| Stos używanych wartości | | b_lk_stos.stan |
| <i>Associated Field(s)</i> | <i>Table Title</i> | <i>Field</i> |
| OP_GRFUN OP_OPFUN OP_SLFUN | | op_grfun.kod_funsys op_opfun.kod_funsys op_slfun.kod_funsys |
| <i>Associated Field(s)</i> | <i>Table Title</i> | <i>Field</i> |
| OP_GRFUN OP_GRUPY OP_OPERGRUP | | op_grfun.kod_grupy op_grupy.kod_grupy op_opergrup.kod_grupy |
| <i>Associated Field(s)</i> | <i>Table Title</i> | <i>Field</i> |
| OP_OPER OP_OPERGRUP OP_OPFUN | | op_oper.kod_oper op_opergrup.kod_oper op_opfun.kod_oper |
| <i>Associated Field(s)</i> | <i>Table Title</i> | <i>Field</i> |
| IS_REJESTR OP_GRFUN OP_OPFUN OP_SLFUN | | is_rejestr.id_systemu op_grfun.kod_systemu op_opfun.kod_systemu op_slfun.kod_systemu |
| <i>Associated Field(s)</i> | <i>Table Title</i> | <i>Field</i> |
| OP_OPER | | op_oper.nazwa |

Defaults

No Defaults

Procedures

Procedures List

| <i>Name</i> | <i>Title</i> | <i>Action</i> |
|-------------------------------------|--------------------------|---------------|
| B_DAJ_KLAS_PELNY_ZAANGB Use Code | B_DAJ_KLAS_PELNY_ZAANGBO | |
| B_DAJ_KLASKSIEGA Use Code | B_DAJ_KLASKSIEGA | |
| B_DAJ_KLASKSIEGAPLAN Use Code | B_DAJ_KLASKSIEGAPLAN | |

| | |
|-------------------------------------|---------------------------|
| B_DAJ_KLASKSIEGAPLANPEL Use Code | B_DAJ_KLASKSIEGAPLANPELNY |
| B_DAJ_KLASPLAN Use Code | B_DAJ_KLASPLAN |
| B_DAJ_KLASREALIZACJAPLA Use Code | B_DAJ_KLASREALIZACJAPLANU |
| B_DAJ_KLASYFIKACJE Use Code | B_DAJ_KLASYFIKACJE |
| B_DAJ_RB Use Code | B_DAJ_RB |
| B_DAJ_RB30 Use Code | B_DAJ_RB30 |
| B_DAJ_SPRWB Use Code | B_DAJ_SPRWB |
| B_DAJ_SPRWDOCH Use Code | B_DAJ_SPRWDOCH |
| B_DAJ_ZADANIASTANY Use Code | B_DAJ_ZADANIASTANY |
| B_LK_APPLY_VALUE Use Code | B_LK_APPLY_VALUE |
| B_LK_CANCEL_VALUE Use Code | B_LK_CANCEL_VALUE |
| B_LK_CHECK_CODE Use Code | B_LK_CHECK_CODE |
| B_LK_CLEAR_STACK Use Code | B_LK_CLEAR_STACK |
| B_LK_GET_VALUE Use Code | B_LK_GET_VALUE |
| B_LK_SET_TO Use Code | B_LK_SET_TO |
| B_PRZYGOTUJ_KONTASTANY Use Code | B_PRZYGOTUJ_KONTASTANY |
| B_PRZYGOTUJ_SPRWB Use Code | B_PRZYGOTUJ_SPRWB |
| B_PRZYGOTUJ_SPRWDOCH Use Code | B_PRZYGOTUJ_SPRWDOCH |
| B_SUMUJ_ZADANIASTANY Use Code | B_SUMUJ_ZADANIASTANY |
| OP_ALLRIGHTS Use Code | OP_ALLRIGHTS |
| OP_HASRIGHTS Use Code | OP_HASRIGHTS |

Procedure OP_HASRIGHTS

Title: OP_HASRIGHTS

Action: Use Code

Input Parameters: (ID_SYSTEMU INTEGER, ID_OPER INTEGER, FUN INTEGER, FUN
VARCHAR(5) CHARACTER SET WIN1250)
Output Parameters: RETURNS (RESULT CHAR(1) CHARACTER SET WIN1250

Procedure Template:

Procedure Code:

```

DECLARE VARIABLE zGrup SMALLINT ;
DECLARE VARIABLE zOper SMALLINT ;
BEGIN
zGrup = 0 ;
zOper = 0 ;

SELECT COUNT(*) FROM OP_SLFUN
WHERE KOD_SYSTEMU = :ID_SYSTEMU AND
      KOD_FUNSYS = :FUN AND
      KOD_FUNSYS IN (SELECT KOD_FUNSYS FROM OP_GRFUN
                    WHERE KOD_GRUPY IN ( SELECT KOD_GRUPY
                                        FROM OP_OPERGRUP
                                        WHERE KOD_OPER = :ID_OPER ))
INTO :zGrup ;

SELECT COUNT(*) FROM OP_SLFUN
WHERE KOD_SYSTEMU = :ID_SYSTEMU AND
      KOD_FUNSYS = :FUN AND
      KOD_FUNSYS IN (SELECT KOD_FUNSYS FROM OP_OPFUN
                    WHERE KOD_OPER = :ID_OPER )
INTO :zOper ;

IF ((zGrup + zOper) = 0) THEN RESULT = "N" ;
ELSE RESULT = "T" ;
SUSPEND ;
END

```

Procedure Comments:

Procedure OP_ALLRIGHTS

Title: OP_ALLRIGHTS

Action: Use Code

Input Parameters: (ID_SYSTEMU INTEGER, ID_OPER INTEGER)
Output Parameters: RETURNS (KOD_FUN CHAR(5) CHARACTER SET WIN1250

Procedure Template:

Procedure Code:

```
BEGIN
FOR
SELECT KOD_FUNSYS FROM OP_SLFUN
WHERE KOD_SYSTEMU = :ID_SYSTEMU AND
KOD_FUNSYS IN (SELECT KOD_FUNSYS FROM OP_GRFUN
WHERE KOD_GRUPY IN ( SELECT KOD_GRUPY
FROM OP_OPERGRUP
WHERE KOD_OPER = :ID_OPER ))
OR
KOD_FUNSYS LIKE "$%" AND
KOD_FUNSYS IN (SELECT KOD_FUNSYS FROM OP_GRFUN
WHERE KOD_GRUPY IN ( SELECT KOD_GRUPY
FROM OP_OPERGRUP
WHERE KOD_OPER = :ID_OPER ))
INTO :KOD_FUN
DO
SUSPEND ;
FOR
SELECT KOD_FUNSYS FROM OP_SLFUN
WHERE KOD_SYSTEMU = :ID_SYSTEMU AND
KOD_FUNSYS IN (SELECT KOD_FUNSYS FROM OP_OPFUN
WHERE KOD_OPER = :ID_OPER )
OR
KOD_FUNSYS LIKE "$%" AND
KOD_FUNSYS IN (SELECT KOD_FUNSYS FROM OP_OPFUN
WHERE KOD_OPER = :ID_OPER )
INTO :KOD_FUN
DO
SUSPEND ;
END
```

Procedure Comments:

Procedure B_DAJ_KLASPLAN

| | | | |
|---------------------------|---|---|----------|
| Title: | B_DAJ_KLASPLAN | Action: | Use Code |
| Input Parameters: | (ROK CHAR(1) CHARACTER SET WIN1250 INTEGER,DZIALDO INTEGER,ROZDZIALDO INTEGER,PARAGRAFDO INTEGER,POZYCJADO INTEGER,POZYCJADO RETURNS (DZIAL INTEGER,POZYCJA SET WIN1250 ,KWOTA_PL | (INTEGER,KOD_JEDN INTEGER,DOKDW ,DZIALOD INTEGER,ROZDZIALOD INTEGER,PARAGRAFOD INTEGER,POZYCJAOD INTEGER) INTEGER,ROZDZIAL INTEGER,BP ,DW DOUBLE PRECISION) | |
| Output Parameters: | | INTEGER,PARAGRAF CHAR(1) CHARACTER CHAR(1) CHARACTER SET WIN1250 | |

Procedure Template:

Procedure Code:

```
BEGIN
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, Dokbp, Dokdw, SUM(kwota)
FROM B_PLAN
WHERE Rok=:Rok AND Dokdw=:Dokdw
AND Status='Z'
AND (Dzial BETWEEN :DzialOd AND :DzialDo)
AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
AND (:Kod_jedn=1 OR Kod_jedn = :Kod_jedn)
GROUP BY Dzial, Rozdzial, Paragraf, Pozycja, Dokbp, Dokdw
ORDER BY Dzial, Rozdzial, Paragraf, Pozycja, Dokbp
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :Kwota_pl
DO SUSPEND;
END
```

Procedure Comments:

Procedure B_DAJ_KLASKSIEGA

| | | | |
|---------------------------|---|---|----------|
| Title: | B_DAJ_KLASKSIEGA | Action: | Use Code |
| Input Parameters: | (ROK CHAR(1) CHARACTER SET WIN1250 TIMESTAMP,DATADO INTEGER,DZIALDO INTEGER,ROZDZIALDO INTEGER,PARAGRAFDO INTEGER,POZYCJADO INTEGER,POZYCJADO CHARACTER SET WIN1250 CHARACTER SET WIN1250 INTEGER,PARAGRAF CHAR(1) CHARACTER SET WIN1250 CHAR(1) CHARACTER SET WIN1250 CHAR(1) CHARACTER SET WIN1250 DOUBLE PRECISION,KWOTA_KSVAT | (INTEGER,KOD_JEDN INTEGER,DOKDW ,DATAOD TIMESTAMP,DZIALOD INTEGER,ROZDZIALOD INTEGER,PARAGRAFOD INTEGER,POZYCJAOD INTEGER,STATUS CHAR(1) INTEGER,ROZDZIAL INTEGER,POZYCJA INTEGER,BP ,DW ,ZRODLO ,KWOTA_KS DOUBLE PRECISION) | |
| Output Parameters: | | INTEGER,PARAGRAF CHAR(1) CHARACTER CHAR(1) CHARACTER SET WIN1250 CHAR(1) CHARACTER SET WIN1250 DOUBLE PRECISION | |

Procedure Template:

Procedure Code:

```
B
EGIN
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, Dokbp, Dokdw, Dokzrodlo, SUM(kwota) ,SUM(kwota_vat)
FROM B_KSIEGA
WHERE (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND Rok=:Rok AND Dokdw=:Dokdw
AND (Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (Dzial BETWEEN :DzialOd AND :DzialDo)
AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
AND (Dzial<>0 OR Rozdzial<>0 OR Paragraf<>0 OR Pozycja<>0)
AND (:Status=? OR Status=:Status)
GROUP BY Dzial, Rozdzial, Paragraf, Pozycja, Dokbp, Dokdw, Dokzrodlo
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :Zrodlo, :Kwota_ks, :Kwota_ksvat
DO SUSPEND;

END
```

Procedure Comments:

Procedure B_DAJ_KLASYFIKACJE

| | | | |
|---------------------------|--|----------------|----------|
| Title: | B_DAJ_KLASYFIKACJE | Action: | Use Code |
| Input Parameters: | (ROK INTEGER,KOD_JEDN INTEGER,DOKDW CHAR(1) CHARACTER SET WIN1250 ,DZIALOD INTEGER,DZIALDO INTEGER,ROZDZIALOD INTEGER,ROZDZIALDO INTEGER,PARAGRAFOD INTEGER,PARAGRAFDO INTEGER,POZYCIAOD INTEGER,POZYCIADO INTEGER) | | |
| Output Parameters: | RETURNS (DZIAL INTEGER,ROZDZIAL INTEGER,PARAGRAF INTEGER,POZYCJA CHAR(1) CHARACTER SET WIN1250 ,DW CHARACTER SET WIN1250 ,NAZWA CHAR(30) CHARACTER SET WIN1250 ,BOWN DOUBLE PRECISION,BOMA DOUBLE PRECISION,KWOTA_PL DOUBLE PRECISION) | | |

Procedure Template:

Procedure Code:

```
BEGIN
FOR SELECT a.Dzial, a.Rozdzial, a.Paragraf, a.Pozycja, a.Bp,a.Dw, a.Nazwa, a.Bown, a.Boma,
p.Kwota_pl
FROM B_KLAS A LEFT OUTER JOIN
B_DAJ_KLASPLAN(:ROK,:KOD_JEDN,:DOKDW,:DZIALOD,:DZIALDO,
:ROZDZIALOD,:ROZDZIALDO,:PARAGRAFOD,:PARAGRAFDO, :POZYCIAOD,:POZYCIADO) P
ON A.DZIAL=P.DZIAL AND A.ROZDZIAL=P.ROZDZIAL AND A.PARAGRAF=P.PARAGRAF
AND A.POZYCJA=P.POZYCJA AND A.BP=P.BP AND A.DW=P.DW
WHERE (:Kod_jedn=-1 OR A.Kod_jedn = :Kod_jedn) AND A.ROK=:ROK AND A.DW=:DOKDW
AND (A.DZIAL BETWEEN :DZIALOD AND :DZIALDO)
AND (A.ROZDZIAL BETWEEN :ROZDZIALOD AND :ROZDZIALDO)
AND (A.PARAGRAF BETWEEN :PARAGRAFOD AND :PARAGRAFDO)
AND (A.POZYCJA BETWEEN :POZYCIAOD AND :POZYCIADO)
INTO :DZIAL, :ROZDZIAL, :PARAGRAF, :POZYCJA, :BP,:DW, :NAZWA, :BOWN, :BOMA,:KWOTA_PL
DO SUSPEND;

END
```

Procedure Comments:

Procedure B_DAJ_KLASKSIEGAPLAN

| | | | |
|---------------------------|--|----------------|----------|
| Title: | B_DAJ_KLASKSIEGAPLAN | Action: | Use Code |
| Input Parameters: | (ROK INTEGER,KOD_JEDN INTEGER,DOKDW CHAR(1) CHARACTER SET WIN1250 ,DATAOD TIMESTAMP,DATADO TIMESTAMP,DZIALOD INTEGER,DZIALDO INTEGER,ROZDZIALOD INTEGER,ROZDZIALDO INTEGER,PARAGRAFOD INTEGER,PARAGRAFDO INTEGER,POZYCIAOD INTEGER,POZYCIADO INTEGER,STATUS CHARACTER SET WIN1250) CHAR(1) CHARACTER SET WIN1250) | | |
| Output Parameters: | RETURNS (DZIAL INTEGER,ROZDZIAL INTEGER,PARAGRAF INTEGER,POZYCJA CHAR(1) CHARACTER SET WIN1250 ,ZRODLO CHAR(1) CHARACTER SET WIN1250 ,WZP CHAR(1) CHARACTER SET WIN1250 DATA_KSIEG TIMESTAMP,NR_DOK INTEGER,NR_POZ SMALLINT,NR_KOLEJNY INTEGER,DOKTYP CHAR(1) CHARACTER SET WIN1250 ,TREC CHAR(40) CHARACTER SET WIN1250 ,ZADANIE INTEGER,PODZADANIE INTEGER,KWOTA_KS DOUBLE PRECISION,KWOTA_KSVAT DOUBLE PRECISION,KWOTA_PLAN DOUBLE PRECISION,BOWN DOUBLE PRECISION,BOMA DOUBLE PRECISION) | | |

Procedure Template:

Procedure Code:

```
B
EGIN
FOR SELECT k.Dzial, k.Rozdzial, k.Paragraf, k.Pozycja, k.Bp, k.Dw, p.Dokzrodlo, p.Dokwzp, p.Data_ksieg,
p.Nr_dok , p.Nr_poz, p.Nr_kolejny, p.Doktyp, p.Trec, p.Zadanie, p.Podzadanie, p.kwota ,p.kwota_vat,
k.kwota_pl,k.bown, k.boma
FROM B_DAJ_KLASYFIKACJE(:Rok,:Kod_jedn,:Dokdw,:DzialOd,:DzialDo, :RozdzialOd,:RozdzialDo,
```

```

:ParagrafOd,:ParagrafDo, :PozycjaOd,:PozycjaDo) k
LEFT OUTER JOIN B_KSIEGA p
ON p.Dzial=k.Dzial AND p.Rozdzial=k.Rozdzial AND p.Paragraf=k.Paragraf AND p.Pozycja=k.Pozycja
AND p.Dokbp=k.Bp AND p.Dokdw=k.Dw
WHERE (p.Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (p.Dzial BETWEEN :DzialOd AND :DzialDo)
AND (p.Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
AND (p.Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
AND (p.Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
AND (p.Dzial<>0 OR p.Rozdzial<>0 OR p.Paragraf<>0 OR p.Pozycja<>0)
AND (k.Dzial<>0 OR k.Rozdzial<>0 OR k.Paragraf<>0 OR k.Pozycja<>0)
AND (:Status=? OR p.Status=:Status)
AND (:Kod_jedn=-1 OR p.Kod_jedn = :Kod_jedn)
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :Zrodlo, :Wzp, :Data_ksieg, :Nr_dok, :Nr_poz,
:Nr_kolejny, :Doktyp, :Tresc, :Zadanie, :Podzadanie, :Kwota_ks, :Kwota_ksvat, :Kwota_plan, :Bown, :Boma
DO SUSPEND;

```

END

Procedure Comments:

Procedure B_DAJ_KLASKSIEGAPLANPELNY

Title: B_DAJ_KLASKSIEGAPLANPELNY
Input Parameters: (

Action: Use Code

```

ROK INTEGER,
KOD_JEDN INTEGER,
DOKDW CHAR(1),
DATAOD TIMESTAMP,
DATADO TIMESTAMP,
DZIALOD INTEGER,
DZIALDO INTEGER,
ROZDZIALOD INTEGER,
ROZDZIALDO INTEGER,
PARAGRAFOD INTEGER,
PARAGRAFDO INTEGER,
POZYCIAOD INTEGER,
POZYCIAODO INTEGER,
STATUS CHAR(1)
)
Output
Parameters:
ETURNS (
DZIAL INTEGER,
ROZDZIAL INTEGER,
PARAGRAF INTEGER,
POZYCJA INTEGER,
BP CHAR(1),
DW CHAR(1),
ZRODLO CHAR(1),
WZP CHAR(1),
DATA_KSIEG TIMESTAMP,
NR_DOK INTEGER,
NR_POZ SMALLINT,
NR_KOLEJNY INTEGER,
DOKTYP CHAR(1),
TRESZ CHAR(40),
ZADANIE INTEGER,
PODZADANIE INTEGER,
KWOTA_KS NUMERIC(15, 2),
KWOTA_KSVAT NUMERIC(15, 2),
KWOTA_PLAN NUMERIC(15, 2),
BOWN NUMERIC(15, 2),
BOMA NUMERIC(15, 2),
NAZWA CHAR(30)
)

```

Procedure Template:

Procedure Code:

```

B
EGIN
/*zapisy ksiegowe*/
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, dokBp, dokDw, Dokzrodlo, Dokzwp, Data_ksieg, Nr_dok,
Nr_poz, Nr_kolejny, Doktyp, Tresc, Zadanie, Podzadanie, kwota_kwota_vat
FROM B_KSIEGA
WHERE Dokdw=:Dokdw
AND (Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (Dzial BETWEEN :DzialOd AND :DzialDo)
AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
AND (Dzial<>0 OR Rozdzial<>0 OR Paragraf<>0 OR Pozycja<>0)
AND (:Status=? OR Status=:Status)
AND (Rok=:Rok) AND (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn)
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :Zrodlo, :Wzp, :Data_ksieg, :Nr_dok, :Nr_poz,
:Nr_kolejny, :Doktyp, :Tresc, :Zadanie, :Podzadanie, :Kwota_ks, :Kwota_ksvat
DO SUSPEND;

Kwota_ks=0;Kwota_ksvat=0;
Wzp=?;
Nr_dok=-1; /*-1 dla wskazania ze jest to BO a nie dokument */

/*pobranie sald początkowych*/
/*do roku 2003 włącznie*/
IF(Rok <= 2003) THEN BEGIN
FOR SELECT Dzial, Rozdzial, Paragraf,Pozycja, Bp, Dw, bown, boma

```

```

FROM B_KLAS
WHERE (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND (Dzial BETWEEN :DzialOd AND :DzialDo)
AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
AND (Dzial<>0 OR Rozdzial<>0 OR Paragraf<>0 OR Pozycja<>0)
AND (Rok=:Rok)
AND (Bown<>0 OR Boma <>0) and dw=:Dokdw
AND (Bown is not null OR Boma is not null)
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :bown, :boma
DO SUSPEND;
END
ELSE BEGIN
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, dokBp, dokDw, Dokwzp, Data_ksieg, kwotawn, kwotama
FROM B_BILANS
WHERE (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn)
AND (Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (Dzial BETWEEN :DzialOd AND :DzialDo)
AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
AND (Dzial<>0 OR Rozdzial<>0 OR Paragraf<>0 OR Pozycja<>0)
AND (Rok=:Rok) and Dokdw=:Dokdw
AND (Status='Z')
AND (Konto >=200 And Konto <=299)
AND Dokdw=:Dokdw
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :Wzp, :Data_ksieg, :bown, :boma
DO SUSPEND;
END

```

boma=0;bown=0;
/*kwoty planu */

```

FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, DokBp, Dokdw, dokwzp, kwota
FROM B_PLAN
WHERE (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND (Data_ksieg<=:DataDo)
AND Rok=:Rok AND Dokdw=:Dokdw
AND (Dzial BETWEEN :DzialOd AND :DzialDo)
AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
AND (:Status=? OR Status=:Status)
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :Wzp, :Kwota_plan
DO SUSPEND;
END

```

Procedure Comments:

Procedure B_DAJ_KLASREALIZACJAPLANU

Title: B_DAJ_KLASREALIZACJAPLANU

Action: Use Code

Input Parameters:

```

(
ROK INTEGER,
KOD_JEDN INTEGER,
DATADO TIMESTAMP,
DATAPLANDO TIMESTAMP,
DOKDW CHAR(1),
STATUS CHAR(1)
)

```

Output

Parameters:

```

RETURNS (
DZIAL INTEGER,
ROZDZIAL INTEGER,
PARAGRAF INTEGER,
POZYCJA INTEGER,
BP CHAR(1),
DW CHAR(1),
WZP CHAR(1),
KWOTA_PLAN NUMERIC(15, 2),
KWOTA_WYDATKI NUMERIC(15, 2),
KWOTA_DOCHODY NUMERIC(15, 2)
)

```

Procedure Template:

Procedure Code:

```

B
EGIN
/*wylapanie wszystkich klasyfikacji*/
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, Bp, Dw
FROM B_KLAS
WHERE (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND Rok=:Rok AND Dw=:Dokdw
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw
DO SUSPEND;
/*kwoty planu*/
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, DokBp, Dokdw, dokwzp, kwota
FROM B_PLAN
WHERE (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND (Data_ksieg<=:DataPlanDo)
AND Rok=:Rok AND Dokdw=:Dokdw And (:Status=? OR Status=:Status)
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :WZP, :Kwota_plan
DO SUSPEND;
Kwota_plan=0;
/*kwoty dochodow - wpłaty+nieprzypisane*/
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, DokBp, Dokdw, dokwzp, kwota
FROM B_KSIEGA
WHERE Rok=:Rok AND (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND Dokdw=:Dokdw
AND (Data_ksieg<=:DataDo)

```



```

    AND (Dokzrodlo='D' OR Dokzrodlo='N') And (:Status=? OR Status=:Status)
    INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :WZP, :Kwota_dochody
    DO SUSPEND;
/*kwoty dochodow - zwroty (jako dochod ze znakiem ujemnym)*/
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, DokBp, DokDw, dokwzp, (-1)*Kwota
FROM B_KSIEGA
WHERE Rok=:Rok AND (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND DokDw=:DokDw
AND (Data_ksieg<=:DataDo)
AND (Dokzrodlo='Z' OR Dokzrodlo='E') And (:Status=? OR Status=:Status)
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :WZP, :Kwota_dochody
DO SUSPEND;
Kwota_dochody=0;
/*kwoty wydatkow - wydatki+razem+wydatki zaangazowane*/
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, DokBp, DokDw, dokwzp, kwota
FROM B_KSIEGA
WHERE Rok=:Rok AND (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND DokDw=:DokDw
AND (Data_ksieg<=:DataDo)
AND (Dokzrodlo='W' OR Dokzrodlo='V' OR Dokzrodlo='R' OR Dokzrodlo='B') And (:Status=? OR
Status=:Status)
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :WZP, :Kwota_wydatki
DO SUSPEND;
/*kwoty wydatkow - zwroty (jako wydatek ze znakiem ujemnym)*/
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, DokBp, DokDw, dokwzp, (-1)*Kwota
FROM B_KSIEGA
WHERE Rok=:Rok AND (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND DokDw=:DokDw
AND (Data_ksieg<=:DataDo)
AND (Dokzrodlo='Y' OR Dokzrodlo='X') And (:Status=? OR Status=:Status)
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :WZP, :Kwota_wydatki
DO SUSPEND;
END

```

Procedure Comments:

Procedure B_DAJ_RB

Title: B_DAJ_RB
Input Parameters:

Action: Use Code

```

(
ROK SMALLINT,
KOD_KSIEGA INTEGER,
KOD_PLAN INTEGER,
DATAOD TIMESTAMP,
DATADO TIMESTAMP,
DZIALOD INTEGER,
DZIALDO INTEGER,
ROZDZIALOD INTEGER,
ROZDZIALDO INTEGER,
PARAGRAFOD INTEGER,
PARAGRAFDO INTEGER,
POZYCIAOD INTEGER,
POZYCIADO INTEGER,
STATUS CHAR(1) )
R
Output
Parameters: RETURNS (
DZIAL INTEGER,
ROZDZIAL INTEGER,
PARAGRAF INTEGER,
POZYCIA INTEGER,
BP CHAR(1),
DW CHAR(1),
ZRODLO CHAR(1),
WZP CHAR(1),
DATA_KSIEG TIMESTAMP,
KWOTA_KS NUMERIC(15, 2),
KWOTA_PLAN NUMERIC(15, 2),
BOWN NUMERIC(15, 2),
BOMA NUMERIC(15, 2)
)

```

Procedure Template:

Procedure Code:

```

DECLARE VARIABLE Kod_jedn INTEGER;
BEGIN
    Kod_jedn=Kod_ksiega;
    IF (Kod_ksiega=-2) THEN Kod_jedn=Kod_plan;

/*pobranie sald poczatkowych*/
/*do roku 2003 wlacznie*/
IF(Rok <= 2003) THEN BEGIN
    FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, Bp, Dw, bown, boma
    FROM B_KLAS
    WHERE (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND (Dzial BETWEEN :DzialOd AND :DzialDo)
    AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
    AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
    AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
    AND (Dzial<>0 OR Rozdzial<>0 OR Paragraf<>0 OR Pozycja<>0)
    AND (Rok=:Rok)
    AND (Bown<>0 OR Boma <>0)
    AND (Bown is not null OR Boma is not null)
    INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :bown, :boma
    DO SUSPEND;
END
ELSE BEGIN
    FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, dokBp, dokDw, Dokwzp, Data_ksieg, kwotawn, kwotama
    FROM B_BILANS
    WHERE (:Kod_plan=-1 OR Kod_jedn = :Kod_plan)
    AND (Data_ksieg BETWEEN :DataOd AND :DataDo)

```

```

AND (Dzial BETWEEN :DzialOd AND :DzialDo)
AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
AND (Dzial<>0 OR Rozdzial<>0 OR Paragraf<>0 OR Pozycja<>0)
AND (Rok=:Rok)
AND (Status='Z')
AND (Konto >=200 And Konto <=299)
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :Wzp, :Data_ksieg, :bown, :boma
DO SUSPEND;
END

```

bown=0;boma=0;

/*kwoty planu*/

```

FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, dokBp, dokDw, Dokwzp, Data_ksieg, kwota
FROM B_PLAN
WHERE (:Kod_plan=-1 OR Kod_jedn = :Kod_plan)
AND (Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (Dzial BETWEEN :DzialOd AND :DzialDo)
AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
AND (Dzial<>0 OR Rozdzial<>0 OR Paragraf<>0 OR Pozycja<>0)
AND (Rok=:Rok)
AND (Status='Z')
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :Wzp, :Data_ksieg, :Kwota_plan
DO SUSPEND;

```

Kwota_plan=0;

/*zaangaz z bo*/

```

Zrodlo = 'A';
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, dokBp, dokDw, Dokwzp, Data_ksieg, kwotama
FROM B_BILANS
WHERE (:Kod_plan=-1 OR Kod_jedn = :Kod_plan)
AND (Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (Dzial BETWEEN :DzialOd AND :DzialDo)
AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
AND (Dzial<>0 OR Rozdzial<>0 OR Paragraf<>0 OR Pozycja<>0)
AND (Rok=:Rok)
AND (Status='Z')
AND (Konto =998)
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :Wzp, :Data_ksieg, :kwota_ks
DO SUSPEND;

```

/*pobranie danych z dziennika*/

```

FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja, dokBp, dokDw, Dokzrodlo, Dokwzp, Data_ksieg, kwota
FROM B_KSIEGA
WHERE (:Kod_ksiega=-1 OR Kod_jedn = :Kod_ksiega)
AND (Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (Dzial BETWEEN :DzialOd AND :DzialDo)
AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)
AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)
AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)
AND (Dzial<>0 OR Rozdzial<>0 OR Paragraf<>0 OR Pozycja<>0)
AND (Rok=:Rok)
AND (:Status=? OR Status=:Status)
INTO :Dzial, :Rozdzial, :Paragraf, :Pozycja, :Bp, :Dw, :Zrodlo, :Wzp, :Data_ksieg, :Kwota_ks
DO SUSPEND;
END

```

Procedure Comments:

Procedure B_PRZYGOTUJ_SPRWB

Title: B_PRZYGOTUJ_SPRWB

Action: Use Code

| | | | |
|---------------------------|----------------------|-------------------------------|-------------------|
| Input Parameters: | (ROK | SMALLINT, KOD_KSIEGA | INTEGER, KOD_PLAN |
| | INTEGER, DZIALOD | INTEGER, DZIALDO | |
| | INTEGER, ROZDZIALOD | INTEGER, ROZDZIALDO | |
| | INTEGER, PARAGRAFOD | INTEGER, PARAGRAFDO | |
| | INTEGER, POZYCIAOD | INTEGER, POZYCIADO | |
| | INTEGER, DATAOD | TIMESTAMP, DATADO | |
| | TIMESTAMP) | | |
| Output Parameters: | RETURNS (KOD | CHAR(5) CHARACTER SET WIN1250 | |
| |)DZIAL | INTEGER, ROZDZIAL | INTEGER, PARAGRAF |
| | INTEGER, POZYCIA | INTEGER, KWPLAN | DOUBLE |
| | PRECISION, WYKONANIE | DOUBLE PRECISION, | |

Procedure Template:

Procedure Code:

```

DECLARE VARIABLE Kod_jedn INTEGER;
BEGIN
Kod_jedn=Kod_plan;
/*wczytanie kwot z dokumentow planu*/
FOR SELECT a.Dzial, a.Rozdzial, a.Paragraf, a.Pozycja, a.KodSprWB, p.Kwota
FROM B_KLAS A, B_PLAN P
WHERE A.DZIAL=P.DZIAL AND A.ROZDZIAL=P.ROZDZIAL AND A.PARAGRAF=P.PARAGRAF
AND A.POZYCJA=P.POZYCJA AND A.BP=P.DOKBP AND A.DW=P.DOKDW
AND A.ROK=P.ROK
AND (A.DZIAL BETWEEN :DZIALOD AND :DZIALDO)
AND (A.ROZDZIAL BETWEEN :ROZDZIALOD AND :ROZDZIALDO)
AND (A.PARAGRAF BETWEEN :PARAGRAFOD AND :PARAGRAFDO)
AND (A.POZYCJA BETWEEN :POZYCIAOD AND :POZYCIADO)
AND (P.Data_ksieg BETWEEN :DataOd AND :DataDo)

```

```
AND P.Status='Z'
AND P.Kod_jedn = A.Kod_jedn AND A.Kod_jedn = :Kod_jedn
INTO :DZIAL, :ROZDZIAL, :PARAGRAF, :POZYCJA, :KOD, :KWPLAN
DO SUSPEND;
Kwplan=0;

Kod_jedn=Kod_ksiega;

/*wczytanie kwot wplat z dokumentow dekretacji*/
FOR SELECT a.Dzial, a.Rozdzial, a.Paragraf, a.Pozycja,a.KodSprWB, p.Kwota
FROM B_KLAS A, B_KSIEGA P
WHERE A.DZIAL=P.DZIAL AND A.ROZDZIAL=P.ROZDZIAL AND A.PARAGRAF=P.PARAGRAF
AND A.POZYCJA=P.POZYCJA AND A.BP=P.DOKBP AND A.DW=P.DOKDW
AND (P.Kod_jedn = A.Kod_jedn)
AND (A.Kod_jedn = :Kod_jedn) AND A.ROK=:ROK
AND (A.DZIAL BETWEEN :DZIALOD AND :DZIALDO)
AND (A.ROZDZIAL BETWEEN :ROZDZIALOD AND :ROZDZIALDO)
AND (A.PARAGRAF BETWEEN :PARAGRAFOD AND :PARAGRAFDO)
AND (A.POZYCJA BETWEEN :POZYCJAOD AND :POZYCJADO)
AND (P.Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (P.dokzrodlo='D' OR P.dokzrodlo='N')
AND P.Status='Z'
INTO :DZIAL, :ROZDZIAL, :PARAGRAF, :POZYCJA, :KOD, :WYKONANIE
DO SUSPEND;

/*wczytanie kwot zwrotow ze zmiana znaku z dokumentow dekretacji*/
FOR SELECT a.Dzial, a.Rozdzial, a.Paragraf, a.Pozycja,a.KodSprWB, ((-1)*p.Kwota)
FROM B_KLAS A, B_KSIEGA P
WHERE A.DZIAL=P.DZIAL AND A.ROZDZIAL=P.ROZDZIAL AND A.PARAGRAF=P.PARAGRAF
AND A.POZYCJA=P.POZYCJA AND A.BP=P.DOKBP AND A.DW=P.DOKDW
AND (P.Kod_jedn = A.Kod_jedn)
AND (A.Kod_jedn = :Kod_jedn)
AND A.ROK=:ROK
AND (A.DZIAL BETWEEN :DZIALOD AND :DZIALDO)
AND (A.ROZDZIAL BETWEEN :ROZDZIALOD AND :ROZDZIALDO)
AND (A.PARAGRAF BETWEEN :PARAGRAFOD AND :PARAGRAFDO)
AND (A.POZYCJA BETWEEN :POZYCJAOD AND :POZYCJADO)
AND (P.Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (P.dokzrodlo='Z' OR P.dokzrodlo='E')
AND P.Status='Z'
INTO :DZIAL, :ROZDZIAL, :PARAGRAF, :POZYCJA, :KOD, :WYKONANIE
DO SUSPEND;

/*wczytanie kwot wydatkow z dokumentow dekretacji*/
FOR SELECT a.Dzial, a.Rozdzial, a.Paragraf, a.Pozycja,a.KodSprWB, (p.Kwota)
FROM B_KLAS A, B_KSIEGA P
WHERE A.DZIAL=P.DZIAL AND A.ROZDZIAL=P.ROZDZIAL AND A.PARAGRAF=P.PARAGRAF
AND A.POZYCJA=P.POZYCJA AND A.BP=P.DOKBP AND A.DW=P.DOKDW
AND (P.Kod_jedn = A.Kod_jedn)
AND (A.Kod_jedn = :Kod_jedn)
AND A.ROK=:ROK
AND (A.DZIAL BETWEEN :DZIALOD AND :DZIALDO)
AND (A.ROZDZIAL BETWEEN :ROZDZIALOD AND :ROZDZIALDO)
AND (A.PARAGRAF BETWEEN :PARAGRAFOD AND :PARAGRAFDO)
AND (A.POZYCJA BETWEEN :POZYCJAOD AND :POZYCJADO)
AND (P.Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (P.dokzrodlo='W' OR P.dokzrodlo='V' OR P.dokzrodlo='R' OR P.dokzrodlo='B')
AND P.Status='Z'
INTO :DZIAL, :ROZDZIAL, :PARAGRAF, :POZYCJA, :KOD, :WYKONANIE
DO SUSPEND;

/*wczytanie kwot zwrotow wydatkow ze zmiana znaku z dokumentow dekretacji*/
FOR SELECT a.Dzial, a.Rozdzial, a.Paragraf, a.Pozycja,a.KodSprWB, ((-1)*p.Kwota)
FROM B_KLAS A, B_KSIEGA P
WHERE A.DZIAL=P.DZIAL AND A.ROZDZIAL=P.ROZDZIAL AND A.PARAGRAF=P.PARAGRAF
AND A.POZYCJA=P.POZYCJA AND A.BP=P.DOKBP AND A.DW=P.DOKDW
AND (P.Kod_jedn = A.Kod_jedn)
AND (A.Kod_jedn = :Kod_jedn)
AND A.ROK=:ROK
AND (A.DZIAL BETWEEN :DZIALOD AND :DZIALDO)
AND (A.ROZDZIAL BETWEEN :ROZDZIALOD AND :ROZDZIALDO)
AND (A.PARAGRAF BETWEEN :PARAGRAFOD AND :PARAGRAFDO)
AND (A.POZYCJA BETWEEN :POZYCJAOD AND :POZYCJADO)
AND (P.Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (P.dokzrodlo='X' OR P.dokzrodlo='Y')
AND P.Status='Z'
INTO :DZIAL, :ROZDZIAL, :PARAGRAF, :POZYCJA, :KOD, :WYKONANIE
DO SUSPEND;

/*wczytanie kwot bown ze zmiana znaku */
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja,KodSprWB, ((-1)*bown)
FROM B_KLAS
WHERE (Kod_jedn = :Kod_jedn) AND ROK=:ROK
AND (DZIAL BETWEEN :DZIALOD AND :DZIALDO)
AND (ROZDZIAL BETWEEN :ROZDZIALOD AND :ROZDZIALDO)
AND (PARAGRAF BETWEEN :PARAGRAFOD AND :PARAGRAFDO)
AND (POZYCJA BETWEEN :POZYCJAOD AND :POZYCJADO)
INTO :DZIAL, :ROZDZIAL, :PARAGRAF, :POZYCJA, :KOD, :WYKONANIE
DO SUSPEND;

/*wczytanie kwot boma */
FOR SELECT Dzial, Rozdzial, Paragraf, Pozycja,KodSprWB, boma
FROM B_KLAS
WHERE (Kod_jedn = :Kod_jedn) AND ROK=:ROK
AND (DZIAL BETWEEN :DZIALOD AND :DZIALDO)
AND (ROZDZIAL BETWEEN :ROZDZIALOD AND :ROZDZIALDO)
AND (PARAGRAF BETWEEN :PARAGRAFOD AND :PARAGRAFDO)
AND (POZYCJA BETWEEN :POZYCJAOD AND :POZYCJADO)
INTO :DZIAL, :ROZDZIAL, :PARAGRAF, :POZYCJA, :KOD, :WYKONANIE
DO SUSPEND;
```

END

Procedure Comments:

Procedure B_DAJ_SPRWB

Title: B_DAJ_SPRWB **Action:** Use Code
Input Parameters: (ROK SMALLINT,KOD_KSIEGA INTEGER,KOD_PLAN INTEGER,DZIALOD INTEGER,DZIALDO INTEGER,ROZDZIALDO INTEGER,ROZDZIALDO INTEGER,PARAGRAFOD INTEGER,PARAGRAFDO INTEGER,POZYCJAOD INTEGER,POZYCJADO INTEGER,DATAOD TIMESTAMP,DATADO TIMESTAMP)
Output Parameters: RETURNS (KWPLAN DOUBLE PRECISION,WYKONANIE CHAR(5) CHARACTER SET WIN1250)

Procedure Template:

Procedure Code:

```
B
EGIN
FOR SELECT Kod, SUM(Kwplan),SUM(wykonanie)
FROM B_PRZYGOTUJ_SPRWB(:Rok,:Kod_ksiega,:Kod_plan,:DzialOd,:DzialDo,:RozdzialOd,:RozdzialDo,
:ParagrafOd,:ParagrafDo,:PozycjaOd,:PozycjaDo,:DataOd,:DataDo)
GROUP BY Kod
INTO :KOD,:KWPLAN,:WYKONANIE
DO SUSPEND;
END
```

Procedure Comments:

Procedure B_PRZYGOTUJ_SPRWDOCH

Title: B_PRZYGOTUJ_SPRWDOCH **Action:** Use Code
Input Parameters: (ROK SMALLINT, KOD_KSIEGA INTEGER, KOD_PLAN INTEGER, DZIALOD INTEGER, DZIALDO INTEGER, ROZDZIALOD INTEGER, ROZDZIALDO INTEGER, PARAGRAFOD INTEGER, PARAGRAFDO INTEGER, POZYCJAOD INTEGER, POZYCJADO INTEGER, DATAOD TIMESTAMP, DATADO TIMESTAMP)
Output Parameters: RETURNS (DZIAL INTEGER, ROZDZIAL INTEGER, PARAGRAF INTEGER, POZYCJA INTEGER, KWPLAN NUMERIC(15, 2), WYKONANIE NUMERIC(15, 2), KOD CHAR(5))

Procedure Template:

Procedure Code:

```
D
ECLARE VARIABLE Kod_jedn INTEGER;
BEGIN

/*wczytanie kwot wplat z dokumentow dekretacji*/
Kod_jedn=Kod_ksiega;

FOR SELECT a.Dzial, a.Rozdzial, a.Paragraf, a.Pozycja,a.KodSprDoch, p.Kwota
FROM B_KLAS A, B_KSIEGA P
WHERE A.DZIAL=P.DZIAL AND A.ROZDZIAL=P.ROZDZIAL AND A.PARAGRAF=P.PARAGRAF
AND A.POZYCJA=P.POZYCJA AND A.BP=P.DOKBP AND A.DW=P.DOKDW
AND (P.Kod_jedn = A.Kod_jedn)
AND (A.Kod_jedn = :Kod_jedn) AND A.ROK=:ROK
AND (A.DZIAL BETWEEN :DZIALOD AND :DZIALDO)
AND (A.ROZDZIAL BETWEEN :ROZDZIALOD AND :ROZDZIALDO)
AND (A.PARAGRAF BETWEEN :PARAGRAFOD AND :PARAGRAFDO)
AND (A.POZYCJA BETWEEN :POZYCJAOD AND :POZYCJADO)
AND (P.Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (P.dokzrodlo='D' OR P.dokzrodlo='N')
AND P.Status='Z'
INTO :DZIAL, :ROZDZIAL, :PARAGRAF, :POZYCJA, :KOD, :WYKONANIE
DO SUSPEND;

/*wczytanie kwot zwrotow ze zmiana znaku z dokumentow dekretacji*/
FOR SELECT a.Dzial, a.Rozdzial, a.Paragraf, a.Pozycja,a.KodSprDoch, ((-1)*p.Kwota)
FROM B_KLAS A, B_KSIEGA P
WHERE A.DZIAL=P.DZIAL AND A.ROZDZIAL=P.ROZDZIAL AND A.PARAGRAF=P.PARAGRAF
AND A.POZYCJA=P.POZYCJA AND A.BP=P.DOKBP AND A.DW=P.DOKDW
AND (P.Kod_jedn = A.Kod_jedn)
AND (A.Kod_jedn = :Kod_jedn) AND A.ROK=:ROK
AND (A.DZIAL BETWEEN :DZIALOD AND :DZIALDO)
AND (A.ROZDZIAL BETWEEN :ROZDZIALOD AND :ROZDZIALDO)
AND (A.PARAGRAF BETWEEN :PARAGRAFOD AND :PARAGRAFDO)
AND (A.POZYCJA BETWEEN :POZYCJAOD AND :POZYCJADO)
```

```
AND (P.Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (P.dokzrodlo='Z' OR P.dokzrodlo='E')
AND P.Status='Z'
INTO :DZIAL, :ROZDZIAL, :PARAGRAF, :POZYCJA, :KOD, :WYKONANIE
DO SUSPEND;
```

END

Procedure Comments:

Procedure B_DAJ_SPRWDOCH

| | | | |
|---------------------------|--|---|------------------|
| Title: | B_DAJ_SPRWDOCH | Action: | Use Code |
| Input Parameters: | (ROK INTEGER,DZIALOD INTEGER,ROZDZIALOD INTEGER,PARAGRAFOD INTEGER,POZYCJAOD INTEGER,DATAOD TIMESTAMP) | (SMALLINT,KOD_KSIEGA INTEGER,DZIALDO INTEGER,ROZDZIALDO INTEGER,PARAGRAFDO INTEGER,POZYCJADO TIMESTAMP,DATADO) | INTEGER,KOD_PLAN |
| Output Parameters: | RETURNS (KWPLAN) DOUBLE PRECISION,KOD | DOUBLE PRECISION,WYKONANIE CHAR(5) CHARACTER SET WIN1250 | |

Procedure Template:

Procedure Code:

```
B
EGIN
FOR SELECT Kod, SUM(Kwplan),SUM(wykonanie)
FROM
B_PRZYGOTUJ_SPRWDOCH(:Rok, :Kod_ksiega, :Kod_plan, :DzialOd, :DzialDo, :RozdzialOd, :RozdzialDo,
:ParagrafOd, :ParagrafDo, :PozycjaOd, :PozycjaDo, :DataOd, :DataDo)
GROUP BY Kod
INTO :KOD, :KWPLAN, :WYKONANIE
DO SUSPEND;
END
```

Procedure Comments:

Procedure B_DAJ_ZADANIASTANY

| | | | |
|--------------------------|---|--|-------------------|
| Title: | B_DAJ_ZADANIASTANY | Action: | Use Code |
| Input Parameters: | (ROK TIMESTAMP,DATAOD TIMESTAMP,ZADANIEOD INTEGER,PODZADANIEOD INTEGER,STATUS RETURNS (ZADANIE INTEGER,POCZ DOUBLE PRECISION,POCZVAT DOUBLE PRECISION) | (INTEGER,KOD_JEDN TIMESTAMP,DATADO INTEGER,ZADANIEDO INTEGER,PODZADANIEDO CHAR(1) CHARACTER SET WIN1250 INTEGER,PODZADANIE DOUBLE PRECISION,OBROTY DOUBLE PRECISION,OBROTYVAT) | INTEGER,DATASTART |

Procedure Template:

Procedure Code:

```
B
EGIN
/*obroty do daty początkowej */
FOR SELECT Zadanie, Podzadanie, SUM(kwota), SUM(kwota_vat)
FROM B_KSIEGA
WHERE (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND Rok=:Rok
AND Data_ksieg >=:DataStart AND Data_ksieg<=:DataOd
AND Zadanie<<0 AND Zadanie>=:ZadanieOd AND Zadanie<=:ZadanieDo
AND Podzadanie>=:PodzadanieOd AND Podzadanie<=:PodzadanieDo
AND (:Status=? OR Status=:Status)
GROUP BY Zadanie, Podzadanie
INTO :Zadanie, :Podzadanie, :Pocz, :PoczVat
DO SUSPEND;
Pocz=0;PoczVat=0;
/*obroty od do*/
FOR SELECT Zadanie, Podzadanie, SUM(kwota), SUM(kwota_vat)
FROM B_KSIEGA
WHERE (:Kod_jedn=-1 OR Kod_jedn = :Kod_jedn) AND Rok=:Rok
AND Data_ksieg >=:DataOd AND Data_ksieg<=:DataDo
AND Zadanie<<0 AND Zadanie>=:ZadanieOd AND Zadanie<=:ZadanieDo
AND Podzadanie>=:PodzadanieOd AND Podzadanie<=:PodzadanieDo
AND (:Status=? OR Status=:Status)
GROUP BY Zadanie, Podzadanie
INTO :Zadanie, :Podzadanie, :Obroty, :ObrotyVat
DO SUSPEND;
END
```

Procedure Comments:

Procedure B_SUMUJ_ZADANIASTANY

| | | | |
|--------------------------|--|---|-------------------|
| Title: | B_SUMUJ_ZADANIASTANY | Action: | Use Code |
| Input Parameters: | (ROK TIMESTAMP,DATAOD TIMESTAMP,ZADANIEOD INTEGER,PODZADANIEOD INTEGER,STATUS RETURNS (ZADANIE INTEGER,POCZ | (INTEGER,KOD_JEDN TIMESTAMP,DATADO INTEGER,ZADANIEDO INTEGER,PODZADANIEDO CHAR(1) CHARACTER SET WIN1250 INTEGER,PODZADANIE DOUBLE PRECISION,OBROTY | INTEGER,DATASTART |

DOUBLE PRECISION,POCZVAT
DOUBLE PRECISION)

DOUBLE PRECISION,OBROTYVAT

Procedure Template:

Procedure Code:

```
BEGIN
FOR select Zadanie,Podzadanie,
SUM(pocz) ,SUM(obroty),
SUM(poczvat), SUM(obrotyvat)
from b_daj_zadaniastany(:Rok ,:Kod_jedn,:DataStart,:DataOd , :DataDo,
:ZadanieOd,:ZadanieDo, :PodzadanieOd ,:PodzadanieDo,:Status)
group by zadanie,podzadanie
order by zadanie,podzadanie
INTO :Zadanie,:Podzadanie, :Pocz,
:Obroty ,:PoczVat,:ObrotyVat
DO SUSPEND;
END
```

Procedure Comments:

Procedure B_LK_CHECK_CODE

Title: B_LK_CHECK_CODE **Action:** Use Code
Input Parameters: (KODLICZNIKA CHAR(6) CHARACTER SET WIN1250)
Output RETURNS (KODBLEDU INTEGER)
Parameters:

Procedure Template:

Procedure Code:

```
DECLARE VARIABLE GIWartosc INTEGER;
BEGIN

KodBledu = 0;

SELECT glowny FROM B_LK_DEFINICJE WHERE kod = :KodLicznika
INTO :GIWartosc;

/*
* jeżeli zmienna GIWartosc jest równa NULL, to przekazany został
* kod nieistniejącego licznika
*/
IF (GIWartosc IS NOT NULL) THEN
KodBledu = 1;

END
```

Procedure Comments:

Procedure B_LK_GET_VALUE

Title: B_LK_GET_VALUE **Action:** Use Code
Input Parameters: (KODLICZNIKA CHAR(6) CHARACTER SET WIN1250)
Output RETURNS (WARTOSC INTEGER)
Parameters:

Procedure Template:

Procedure Code:

```
DECLARE VARIABLE GIWartosc INTEGER;
DECLARE VARIABLE Stos INTEGER;
BEGIN

Wartosc = -1;

SELECT glowny FROM B_LK_DEFINICJE WHERE kod = :KodLicznika
INTO :GIWartosc;

/*
* jeżeli zmienna GIWartosc jest równa NULL, to przekazany został
* kod nieistniejącego licznika
*/
IF (GIWartosc IS NULL) THEN
EXCEPTION B_LK_EXC_INVALID_ID;

ELSE BEGIN

/*
* podaj najmniejszą wartość przechowywaną na stosie
*/
SELECT MIN(wartosc) FROM B_LK_STOS
WHERE kod = :KodLicznika AND stan = 0
INTO :Stos;

IF ((Stos IS NOT NULL) AND (Stos > 0)) THEN BEGIN
UPDATE B_LK_STOS SET stan = 1
WHERE kod = :KodLicznika AND wartosc = :Stos;

Wartosc = Stos;
```

```
END
ELSE BEGIN
  /*
  * zwiększam główną wartość licznika (na stosie nie ma wolnych
  * numerów wybranego licznika)
  */
  GIWartosc = GIWartosc + 1;

  UPDATE B_LK_DEFINICJE SET główny = :GIWartosc
  WHERE kod = :KodLicznika;

  INSERT INTO B_LK_STOS VALUES (:GIWartosc, 1, :KodLicznika);

  Wartosc = GIWartosc;

END

/****
* przechwycenie błędów:
* -615 : rekord zablokowany (dotyczy: UPDATE)
* -803 : powtórzony klucz główny (dotyczy: INSERT)
* -913 : deadlock
****/
WHEN SQLCODE -913, SQLCODE -803, SQLCODE -615 DO BEGIN
  Wartosc = -1;
  EXCEPTION B_LK_EXC_NO_VALUE;
END

END

END
```

Procedure Comments:

Procedure B_LK_CANCEL_VALUE

| | | | |
|---------------------------|---|----------------|----------|
| Title: | B_LK_CANCEL_VALUE | Action: | Use Code |
| Input Parameters: | (KODLICZNIKA CHAR(6) CHARACTER SET WIN1250 ,WARTOSC INTEGER) | | |
| Output Parameters: | RETURNS (KODBLEDU INTEGER) | | |

Procedure Template:

Procedure Code:

```
BEGIN

/****
* sprawdzam, czy podany został poprawny kod licznika
****/
EXECUTE PROCEDURE B_LK_CHECK_CODE :KodLicznika RETURNING_VALUES :KodBledu;

IF (KodBledu = 0) THEN
  EXCEPTION B_LK_EXC_INVALID_ID;

/****
* następny SELECT nie nadpisze wartości zmiennej KodBledu, jeżeli
* nie zostanie znaleziony rekord spełniający podane warunki; stąd
* konieczność przypisania zmiennej KodBledu wartości NULL, aby
* porównanie z NULL miało sens
****/
KodBledu = NULL;

/****
* jeżeli kod błędu jest równy NULL, to nie została na stosie
* znaleziona przekazana wartość związana ze wskazanym licznikiem
****/
SELECT wartosc FROM B_LK_STOS
WHERE kod = :KodLicznika AND wartosc = :Wartosc AND stan = 1
INTO :KodBledu;

IF (KodBledu IS NULL) THEN BEGIN
  KodBledu = 0;
  EXCEPTION B_LK_EXC_INVALID_VALUE;
END

KodBledu = 0;

UPDATE B_LK_STOS SET stan = 0
WHERE kod = :KodLicznika AND wartosc = :Wartosc;

KodBledu = 1;

END
```

Procedure Comments:

Procedure B_LK_APPLY_VALUE

| | | | |
|---------------------------|---|----------------|----------|
| Title: | B_LK_APPLY_VALUE | Action: | Use Code |
| Input Parameters: | (KODLICZNIKA CHAR(6) CHARACTER SET WIN1250 ,WARTOSC INTEGER) | | |
| Output Parameters: | RETURNS (KODBLEDU INTEGER) | | |

Procedure Template:

Procedure Code:

```
BEGIN
/*
 * sprawdzam, czy podany został poprawny kod licznika
 */
EXECUTE PROCEDURE B_LK_CHECK_CODE :KodLicznika RETURNING_VALUES :KodBledu;

IF (KodBledu = 0) THEN
  EXCEPTION B_LK_EXC_INVALID_ID;

****
* następnym SELECT nie nadpisze wartości zmiennej KodBledu, jeżeli
* nie zostanie znaleziony rekord spełniający podane warunki; stąd
* konieczność przypisania zmiennej KodBledu wartości NULL, aby
* porównanie z NULL miało sens
****/
KodBledu = NULL;

****
* jeżeli kod błędu jest równy NULL, to nie została na stosie
* znaleziona przekazana wartość związana ze wskazanym licznikiem
****/
SELECT wartosc FROM B_LK_STOS
WHERE kod = :KodLicznika AND wartosc = :Wartosc AND stan = 1
INTO :KodBledu;

IF (KodBledu IS NULL) THEN BEGIN
  KodBledu = 0;
  EXCEPTION B_LK_EXC_INVALID_VALUE;
END

KodBledu = 0;

DELETE FROM B_LK_STOS WHERE kod = :KodLicznika AND wartosc = :Wartosc;

KodBledu = 1;

END
```

Procedure Comments:

Procedure B_LK_SET_TO

Title: B_LK_SET_TO

Action: Use Code

Input Parameters: (KODLICZNIKA CHAR(6) CHARACTER SET WIN1250
,WARTOSC INTEGER)

Output Parameters: RETURNS (KODBLEDU INTEGER)

Procedure Template:

Procedure Code:

```
BEGIN
/*
 * wartość licznika nie może być mniejsza od zera
 */
IF (Wartosc < 0) THEN
  Wartosc = 0;

/*
 * sprawdzam, czy podany został poprawny kod licznika
 */
EXECUTE PROCEDURE B_LK_CHECK_CODE :KodLicznika RETURNING_VALUES :KodBledu;

IF (KodBledu = 0) THEN
  EXCEPTION B_LK_EXC_INVALID_ID;

KodBledu = 0;

/*
 * pierwszy krok - usuwane są wszystkie wartości ze stosu
 */
DELETE FROM B_LK_STOS WHERE kod = :KodLicznika;

/*
 * drugi krok - ustawiana jest wartość główna licznika
 */
UPDATE B_LK_DEFINICJE SET glowny = :Wartosc WHERE kod = :KodLicznika;

KodBledu = 1;

END
```

Procedure Comments:

Procedure B_LK_CLEAR_STACK

Title: B_LK_CLEAR_STACK

Action: Use Code

Input Parameters: (KODLICZNIKA CHAR(6) CHARACTER SET WIN1250)

Output RETURNS (KODBLEDU) INTEGER)
Parameters:

Procedure Template:

Procedure Code:

```
BEGIN

/*
* sprawdzam, czy podany został poprawny kod licznika
*/
EXECUTE PROCEDURE B_LK_CHECK_CODE :KodLicznika RETURNING_VALUES :KodBledu;

IF (KodBledu = 0) THEN
    EXCEPTION B_LK_EXC_INVALID_ID;

KodBledu = 0;

/*
* usuwane są zapisy ze stosu
*/
DELETE FROM B_LK_STOS WHERE kod = :KodLicznika;

KodBledu = 1;

END
```

Procedure Comments:

Procedure B_PRZYGOTUJ_KONTASTANY

| | | | |
|---------------------------|---|----------------|----------|
| Title: | B_PRZYGOTUJ_KONTASTANY | Action: | Use Code |
| Input Parameters: | (ROK SMALLINT,KOD_JEDN INTEGER,DATAOD INTEGER,DATAODO INTEGER,KONTODO INTEGER,SUBKONTO1DO INTEGER,SUBKONTO2OD INTEGER,SUBKONTO2ODO INTEGER,SUBKONTO3DO INTEGER,SUBKONTO4DO INTEGER,SUBKONTO5DO INTEGER,SUBKONTO6DO INTEGER,SUBKONTO7DO INTEGER,SUBKONTO8DO INTEGER,SUBKONTO9DO INTEGER,NRDOKDO INTEGER,NRPOZOD INTEGER,NRPOZDO INTEGER,STATUS CHAR(1) CHARACTER SET WIN1250,RETURNS (KONTO INTEGER,SUBKONTO2 INTEGER,SUBKONTO3 INTEGER,SUBKONTO4 INTEGER,SUBKONTO5 INTEGER,SUBKONTO6 INTEGER,SUBKONTO7 INTEGER,SUBKONTO8 INTEGER,BO_WN DOUBLE PRECISION,KWOTA_WN DOUBLE PRECISION,BO_MA DOUBLE PRECISION,KWOTA_MA DOUBLE PRECISION) | | |
| Output Parameters: | | | |

Procedure Template:

Procedure Code:

```
B
EGIN
BO_wn=0;
BO_ma=0;
/*kwoty Wn*/
FOR SELECT Konto, Subkonto1, Subkonto2, Subkonto3, Subkonto4, Subkonto5,
Subkonto6, Subkonto7, Subkonto8, Subkonto9, SUM(kwota)
FROM B_KSIEGA
WHERE Rok=:Rok AND (Kod_jedn = :Kod_jedn)
AND (Konto BETWEEN :KontoOd AND :KontoDo)
AND (Subkonto1 BETWEEN :Subkonto1Od AND :Subkonto1Do)
AND (Subkonto2 BETWEEN :Subkonto2Od AND :Subkonto2Do)
AND (Subkonto3 BETWEEN :Subkonto3Od AND :Subkonto3Do)
AND (Subkonto4 BETWEEN :Subkonto4Od AND :Subkonto4Do)
AND (Subkonto5 BETWEEN :Subkonto5Od AND :Subkonto5Do)
AND (Subkonto6 BETWEEN :Subkonto6Od AND :Subkonto6Do)
AND (Subkonto7 BETWEEN :Subkonto7Od AND :Subkonto7Do)
AND (Subkonto8 BETWEEN :Subkonto8Od AND :Subkonto8Do)
AND (Subkonto9 BETWEEN :Subkonto9Od AND :Subkonto9Do)
AND (Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (nr_dok BETWEEN :NrDokOd AND :NrDokDo)
AND (nr_poz BETWEEN :NrPozOd AND :NrPozDo)
AND (:Status=? OR Status=:Status)
GROUP BY Konto, Subkonto1, Subkonto2, Subkonto3, Subkonto4, Subkonto5,
Subkonto6, Subkonto7, Subkonto8, Subkonto9
INTO :Konto,Subkonto1,Subkonto2,Subkonto3,Subkonto4,Subkonto5,
:Subkonto6,Subkonto7,Subkonto8,Subkonto9, :Kwota_wn
DO SUSPEND;
Kwota_wn=0;
/*kwoty ma*/
FOR SELECT PKonto, PSubkonto1, PSubkonto2, PSubkonto3, PSubkonto4, PSubkonto5,
PSubkonto6, PSubkonto7, PSubkonto8, PSubkonto9, SUM(kwota)
FROM B_KSIEGA
WHERE Rok=:Rok AND (Kod_jedn = :Kod_jedn)
AND (Pkonto BETWEEN :KontoOd AND :KontoDo)
AND (Psubkonto1 BETWEEN :Subkonto1Od AND :Subkonto1Do)
AND (Psubkonto2 BETWEEN :Subkonto2Od AND :Subkonto2Do)
```

```

AND (Psubkonto3 BETWEEN :Subkonto3Od AND :Subkonto3Do)
AND (Psubkonto4 BETWEEN :Subkonto4Od AND :Subkonto4Do)
AND (Psubkonto5 BETWEEN :Subkonto5Od AND :Subkonto5Do)
AND (Psubkonto6 BETWEEN :Subkonto6Od AND :Subkonto6Do)
AND (Psubkonto7 BETWEEN :Subkonto7Od AND :Subkonto7Do)
AND (Psubkonto8 BETWEEN :Subkonto8Od AND :Subkonto8Do)
AND (Psubkonto9 BETWEEN :Subkonto9Od AND :Subkonto9Do)
AND (Data_ksieg BETWEEN :DataOd AND :DataDo)
AND (nr_dok BETWEEN :NrDokOd AND :NrDokDo)
AND (nr_poz BETWEEN :NrPozOd AND :NrPozDo)
AND (:Status=? OR Status=:Status)
GROUP BY PKonto, PSubkonto1, PSubkonto2, PSubkonto3, PSubkonto4, PSubkonto5 ,
        PSubkonto6, PSubkonto7, PSubkonto8, PSubkonto9
INTO :Konto, :Subkonto1, :Subkonto2, :Subkonto3, :Subkonto4, :Subkonto5,
        :Subkonto6, :Subkonto7, :Subkonto8, :Subkonto9, :Kwota_ma
DO SUSPEND;
Kwota_ma=0;
/*BO*/
/** TypKonta == 0 wszystkie; 1 tylko z BO; 2 bez zamkniętych; 3 bez syntetycznych, 4 bez zamk. i synt. */
FOR SELECT Konto, Subkonto1, Subkonto2, Subkonto3, Subkonto4, Subkonto5 ,
        Subkonto6, Subkonto7, Subkonto8, Subkonto9, BOWN, BOMA
FROM B_KONTA
WHERE Rok=:Rok AND (Kod_jedn = :Kod_jedn)
AND (Konto BETWEEN :KontoOd AND :KontoDo)
AND (Subkonto1 BETWEEN :Subkonto1Od AND :Subkonto1Do)
AND (Subkonto2 BETWEEN :Subkonto2Od AND :Subkonto2Do)
AND (Subkonto3 BETWEEN :Subkonto3Od AND :Subkonto3Do)
AND (Subkonto4 BETWEEN :Subkonto4Od AND :Subkonto4Do)
AND (Subkonto5 BETWEEN :Subkonto5Od AND :Subkonto5Do)
AND (Subkonto6 BETWEEN :Subkonto6Od AND :Subkonto6Do)
AND (Subkonto7 BETWEEN :Subkonto7Od AND :Subkonto7Do)
AND (Subkonto8 BETWEEN :Subkonto8Od AND :Subkonto8Do)
AND (Subkonto9 BETWEEN :Subkonto9Od AND :Subkonto9Do)
AND ( (:TypKonta=0) OR
        (:TypKonta=1 AND ( (BOWN is not null AND BOWN<>0.0) OR (BOMA is not null AND BOMA<>0.0) )
) OR
        (:TypKonta=2 AND otwzmk<>'Z') OR
        (:TypKonta=3 AND synt<>'T') OR
        (:TypKonta=4 AND synt<>'T' AND otwzmk<>'Z')
)
INTO :Konto, :Subkonto1, :Subkonto2, :Subkonto3, :Subkonto4, :Subkonto5,
        :Subkonto6, :Subkonto7, :Subkonto8, :Subkonto9, :BO_wn, :BO_ma
DO SUSPEND;

END

```

Procedure Comments:

Procedure B_DAJ_RB30

Title: B_DAJ_RB30

Action: Use Code

Input Parameters:

```

(
ROK SMALLINT,
KOD_JEDN INTEGER,
DATAOD TIMESTAMP,
DATAODO TIMESTAMP,
DZIALOD INTEGER,
DZIALDO INTEGER,
ROZDZIALOD INTEGER,
ROZDZIALDO INTEGER,
PARAGRAFOD INTEGER,
PARAGRAFDO INTEGER,
POZYCJAOD INTEGER,
POZYCJADO INTEGER,
STATUS CHAR(1),
BP CHAR(1),
WZP CHAR(1)
)

```

Output

Parameters:

```

R
ETURNS (
DZIAL INTEGER,
ROZDZIAL INTEGER,
PARAGRAF INTEGER,
KOD CHAR(1),
KWKS NUMERIC(15, 2),
KWPLAN NUMERIC(15, 2),
KWYK NUMERIC(15, 2),
BOWN NUMERIC(15, 2),
BOMA NUMERIC(15, 2)
)

```

Procedure Template:

Procedure Code:

```

DECLARE VARIABLE TmpWzp CHARACTER(1);
DECLARE VARIABLE TmpBp CHARACTER(1);
DECLARE VARIABLE TmpZrodlo CHARACTER(1);
DECLARE VARIABLE Tmpbown NUMERIC(15,2);
DECLARE VARIABLE Tmpboma NUMERIC(15,2);
DECLARE VARIABLE Tmp_ks NUMERIC(15,2);
BEGIN
KwPLAN = 0;
KwWYK = 0;
KwKS = 0;
bown = 0;
boma = 0;

```

```

FOR SELECT Dzial,Rozdzial,Paragraf,Dw,Kwota_ks,Kwota_plan,Wzp,Bp,Zrodlo,bown,boma
FROM B_DAJ_RB(:Rok,:Kod_jedn,:Kod_jedn,:DataOd,:DataDo,
:DzialOd,:DzialDo,:RozdzialOd,:RozdzialDo,
:ParagrafOd,:ParagrafDo,:PozycjaOd,:PozycjaDo,:Status)
INTO :Dzial,:Rozdzial,:Paragraf,:Kod,:Tmp_ks,:Kwplan,:TmpWzp,:TmpBp,:TmpZrodlo,:Tmpbown,:Tmpboma
DO BEGIN
IF (Tmp_ks is null) THEN BEGIN Tmp_ks=0; END

IF (Kod='D') THEN Kod='G';
IF (Kod='W') THEN Kod='M';

IF (TmpZrodlo='O' OR TmpZrodlo='E' OR TmpZrodlo='L')
THEN BEGIN
Kwks=(-1*Tmp_ks);
kwwyk = 0;
END
ELSE IF (TmpZrodlo='P' OR TmpZrodlo='K')
THEN BEGIN
Kwks = Tmp_ks;
kwwyk = 0;
END
ELSE IF (TmpZrodlo='Z' OR TmpZrodlo='E' OR TmpZrodlo='Y' OR TmpZrodlo='X')
THEN BEGIN
Kwwyk = (-1*Tmp_ks);
kwks = 0;
END
ELSE IF (TmpZrodlo='D' OR TmpZrodlo='W' OR TmpZrodlo='V')
THEN BEGIN
Kwwyk = Tmp_ks;
kwks = 0;
END
ELSE IF (TmpZrodlo='R' OR TmpZrodlo='N')
THEN BEGIN
Kwks = Tmp_ks;
kwwyk = Tmp_ks;
END
ELSE BEGIN
kwks = 0;
kwwyk = 0;
END
IF (Tmpbown is null) THEN BEGIN Tmpbown=0; END
IF (Tmpboma is null) THEN BEGIN Tmpboma=0; END

bown = tmpbown;
boma = tmpboma;

IF (TmpWzp<>Wzp AND Wzp<>?) THEN BEGIN Kwks=0;Kwplan=0;kwwyk=0; bown = 0; boma = 0;END
IF (TmpBp<>Bp AND Bp<>?) THEN BEGIN Kwks=0;Kwplan=0;kwwyk=0; bown = 0; boma = 0;END

IF (Kwks<>0 OR Kwplan<>0 OR kwwyk<>0 OR bown <> 0 OR boma <> 0) THEN SUSPEND;
END

END

```

Procedure Comments:

Procedure B_DAJ_KLAS_PELNY_ZAANGBO

Title: B_DAJ_KLAS_PELNY_ZAANGBO
Input Parameters: (

Action: Use Code

Output Parameters:

```

ROK INTEGER,
KOD_JEDN INTEGER,
DOKDW CHAR(1),
DATAOD DATE,
DATADO DATE,
DZIALOD INTEGER,
DZIALDO INTEGER,
ROZDZIALOD INTEGER,
ROZDZIALDO INTEGER,
PARAGRAFOD INTEGER,
PARAGRAFDO INTEGER,
POZYCJAOD INTEGER,
POZYCJADO INTEGER,
STATUS CHAR(1)
R
ETURNS (
DZIAL INTEGER,
ROZDZIAL INTEGER,
PARAGRAF INTEGER,
POZYCJA INTEGER,
BP CHAR(1),
DW CHAR(1),
ZRODLO CHAR(1),
WZP CHAR(1),
DATA_KSIEG DATE,
NR_DOK INTEGER,
NR_POZ SMALLINT,
NR_KOLEJNY INTEGER,
DOKTYP CHAR(1),
TRESC CHAR(40),
ZADANIE INTEGER,
PODZADANIE INTEGER,
KWOTA_KS NUMERIC(15, 2),
KWOTA_KSVAT NUMERIC(15, 2),
KWOTA_PLAN NUMERIC(15, 2),
BOWN NUMERIC(15, 2),

```

BOMA NUMERIC(15, 2),
NAZWA CHAR(30)

Procedure Template:

Procedure Code:

```
B  
EGIN  
  
FOR SELECT *  
  from B_DAJ_KLASKSIEGAPLANPELNY(:Rok,:Kod_jedn,:Dokdw,:DataOd,:DataDo,:DzialOd,:DzialDo,  
    :RozdzialOd,:RozdzialDo, :ParagrafOd,:ParagrafDo, :PozycjaOd,:PozycjaDo,:Status)  
INTO :DZIAL,:ROZDZIAL, :PARAGRAF, :POZYCJA, :BP, :DW, :ZRODLO, :WZP, :DATA_KSIEG,  
  :NR_DOK, :NR_POZ, :NR_KOLEJNY, :DOKTYP, :TRESC, :ZADANIE, :PODZADANIE, :KWOTA_KS,  
  :KWOTA_KSVAT, :KWOTA_PLAN, :BOWN, :BOMA, :NAZWA  
DO SUSPEND;  
  
Kwota_ks=0;Kwota_ksvat=0;  
Wzp='?';  
Nr_dok=-1; /*-1 dla wskazania ze jest to BO a nie dokument */  
Zrodlo = 'A';  
/*pobranie sald poczatkowych*/  
FOR SELECT Dzial, Rozdzial, Paragraf,Pozycja, dokBp, dokDw, Dokwzp, Data_ksieg,kwotama  
FROM B_BILANS  
WHERE (:Kod_jedn=1 OR Kod_jedn = :Kod_jedn)  
AND (Data_ksieg BETWEEN :DataOd AND :DataDo)  
AND (Dzial BETWEEN :DzialOd AND :DzialDo)  
AND (Rozdzial BETWEEN :RozdzialOd AND :RozdzialDo)  
AND (Paragraf BETWEEN :ParagrafOd AND :ParagrafDo)  
AND (Pozycja BETWEEN :PozycjaOd AND :PozycjaDo)  
AND (Dzial<>0 OR Rozdzial<>0 OR Paragraf<>0 OR Pozycja<>0)  
AND (Rok=:Rok) and Dokdw=:Dokdw  
AND (Status='Z')  
AND (Konto = 998)  
AND Dokdw=:Dokdw  
INTO :Dzial, :Rozdzial, :Paragraf,:Pozycja, :Bp, :Dw, :Wzp, :Data_ksieg, :Kwota_ks  
DO SUSPEND;  
  
END
```

Procedure Comments:

Views

No Views

No Views

Wójt

Mirosław Lech